

LANDER

Resource Management Plan
Draft Environmental Impact Statement

DRAFT Resource Management Plan/ Environmental Impact Statement for the Lander Resource Area

Portions of Fremont, Natrona, Carbon, Sweetwater, and Hot Springs counties, Wyoming

Lead Agency: U.S. Department of the Interior, Bureau of Land Management
Type of Action: Administrative

Abstract

This draft resource management plan/environmental impact statement (RMP/ EIS) presents and analyzes four alternatives for managing approximately 2.5 million acres in central Wyoming administered by the Lander Resource Area. Bureau of Land Management. The alternatives focus on resolving resource management issues concerning grazing, mineral development, landownership adjustment, forestry, wilderness, wildlife habitat management and recreation and cultural resources. The draft RMP focuses on allocating resources among the uses and prescribing general management actions that would be taken. The draft EIS focuses on the various impacts that would be expected from implementing each of the alternatives. For further information regarding this RMP/EIS. contact:

or

Jack Kelly, Area Manager Bureau of Land Management Lander Resource Area P.O. Box 589 Lander, Wyoming 82520 Telephone: (307) 332-7822 Gene Kolkman, Team Leader Bureau of Land Management Rawlins District P.O. Box 670 Rawlins, WY 82301 Telephone: (307) 324-7171



United States Department of the Interior

Bureau of Land Management Wyoming State Office P.O. Box 1828 Chevenne, Wyoming 82003

Dear Reader:

Enclosed for your review and comment is the Draft Resource Management Plan/Environmental Impact Statement (RMP/ELS) for the Lander Resource Area. This document describes and analyzes four alternatives for managing the public land resources in this area. These alternatives are designed to resolve land management issues that were identified in the early stages of the planning process. The environmental consequences of the alternatives have also been analyzed.


Your comments are invited on the alternatives presented and on the adequacy of the impact analysis. Please direct your written comments to Jack Kelly, Lander Resource Area Manager, P.O. Box 589, Lander, Wyoming 82520. Beginning with the date the Environmental Protection Agency (EPA) publishes the filing of this draft document in the <u>Federal Register</u>, you will have 90 days to submit your comments.

Comments on the alternatives and on the adequacy of the impact analyses will be fully considered and evaluated. These comments will be used to modify the draft and to develop the final RMP/EIS. Through your participation in this effort, we can move forward together toward a common goal of improved public land management in the Lander Resource Area.

Sincerely,

State Director

Hellery a Oden



1371/9611 ID 88672182

TD 195 . P4 6362 1985

DRAFT RESOURCE MANAGEMENT PLAN/ ENVIRONMENTAL IMPACT STATEMENT for the Lander Resource Area Lander, Wyoming

Prepared by: U.S. Department of the Interior Bureau of Land Management 1985

Wyoming State Director

BLM LIBRARY SC-324A, BLDG. 50 DENVER FEDERAL CENTER P. O. BOX 25047 DENVER, CO 80225-0047




TABLE OF CONTENTS

CHAPTER I - INTRODUCTION	
ALTERNATIVE FORMULATION AND THE PROCESS USED TO	
DEVELOP THE PREFERRED ALTERNATIVE/PREFERRED PLAN	3
DESCRIPTION OF THE LANDER RESOURCE AREA	
PLANNING PROCESS OVERVIEW	
Planning Philosophy	
Planning Strategy	
Step 1: Identification of Issues	
Step 2: Development of Planning Criteria	7
Step 3: Inventory Data and Information Collection	
Step 4: Analysis of the Management Situation	
Step 5: Formulation of Alternatives	
Step 6: Analysis of Effects of Alternatives	
Step 7: Selection of the Preferred Management Plan	
Step 8: Selection of the Resource Management Plan	
Step 9: Monitoring and Evaluation	
PLANNING ISSUES AND PLANNING CRITERIA	9
Introduction	9
Issues	9
Grazing Management	9
Green Mountain Grazing EIS Area	
Gas Hills Grazing EIS Area	
Oil and Gas Leasing and Development	
Landownership Adjustment	
Forest Management	
Wilderness Suitability	12
CHAPTER II - ALTERNATIVES INCLUDING THE	
PREFERRED ALTERNATIVE	15
INTRODUCTION (MANAGEMENT UNITS)	
ALTERNATIVES INCLUDING THE PREFERRED ALTERNATIVE	
Alternative Considered but Eliminated from Detailed Study	15
Wilderness	15
Management Actions Common to All Alternatives	15
Minerals	
Lands Program	
Recreation Program	
Cultural Resources	
Livestock Grazing and Wild Horses	
Wilderness	
Wildlife and Fisheries Program	
Areas of Critical Environmental Concern	
Surface Disturbing Activities	28
Alternatives Considered in Detail	28
Alternative A. Alternative B. Alternative C, and	
Professed Alternative	20

Summary of Management Actions and Environmental	
Consequences by Alternative	43
Alternative A, Alternative B, Alternative C, and	
Preferred Alternative	43
	40
CHAPTER III - AFFECTED ENVIRONMENT	57
INTRODUCTION	57
ENERGY AND MINERALS	57
Geology	57
Oil and Gas	57
Coal	62
Phosphates	62
Uranium	
	68
Gold	68
Zeolites	70
Other Minerals	70
SOILS, WATER AND AIR QUALITY	70
Physiography, Relief and Drainage	70
Soil Erosion	72
Watershed	73
Water Quantity and Quality	76
Water Quantity	76
Water Quality	76
Water Rights	76
Air Quality	77
FISH AND WILDLIFE	78
Fish	78
Introduction	78
Streams	79
Reservoirs	79
Summary	83
Wildlife	83
Introduction	83
Wildlife Habitat	93
Big Game Animals	96
	109
	113
	114
Moose	
Upland Game Birds	
	114
	115
	115
Blue and Ruffed Grouse	116
	116
	116
Threatened and Endangered Species	
Black-footed Ferret	
Peregrine Falcon	

Bald Eagle	118
Grizzly Bear	
Gray Wolf	
Furbearers, Predators and Trophy Game Animals	118
Beaver	118
Black Bear	118
Mountain Lion	119
FOREST MANAGEMENT	119
Introduction	119
Timber Quantities	119
Green Mountain Management Unit	119
Lander Slope Management Unit	120
South Pass Management Unit	120
Dubois Area Management Unit	120
	121
Sustained Yield	121
	123
Lander Slope and South Pass Management Units	123
Dubois Area Management Unit	123
Timber Condition	123
Green Mountain Management Unit	123
Lander Slope Management Unit	124
South Pass Management Unit	124
Dubois Area Management Unit	
Timber Demand	125
Green Mountain Management Unit	
Lander Slope Management Unit	125
South Pass Management Unit	127
Dubois Area Management Unit	127
Access	127
Green Mountain Management Unit	127
Lander Slope Management Unit	129
South Pass Management Unit	129
Dubois Area Management Unit	129
Logging and Regeneration	129
Green Mountain Management Unit	130
Lander Slope Management Unit	130
South Pass Management Unit	
Dubois Area Management Unit	130
Fire	130
Purpose of Burning Forested Rangelands	
Green Mountain Management Unit	131
Lander Slope Management Unit	
South Pass Management Unit	
Dubois Area Management Unit	
RECREATION	
Introduction	131
Big Game Hunting	
Fishing	133
Streams	133

	135
	137
	137
Dubois Badlands	137
Warm Spring Canyon	137
Beaver Rim	137
Castle Gardens	137
South Pass Historic Mining Area	137
Oregon/Mormon Pioneer National Historic Trail	138
Access	138
	138
	138
	141
	142
CULTURAL/NATURAL HISTORY RESOURCES	
Introduction	
Resources Not Significantly Affected by the Management	142
	440
	142
	144
	144
Present Cultural Resources Inventory Data Base	
	147
	147
	147
	157
	158
Warm Spring Canyon Natural Bridge, Flume, and Geyser	161
Sparhawk Cabin	161
Specific Affected Natural History Resource	162
Red Canyon Designated National Natural Landmark	162
Beaver Rim Proposed National Natural Landmark	162
Dubois Badlands Proposed National Natural Landmark	164
	164
	164
	164
	165
	166
	166
	167
	167
	167
	167
Uranium	
	172
	172
	174
Iron Ore	
VISITOL OSE AND DECREATION	1/4

Wildlife	
Timber Resources	176
Commercial Timber Sales	177
Post, Pole and Firewood Sales	177
CHAPTER IV - ENVIRONMENTAL CONSEQUENCES	187
INTRODUCTION	187
Assumptions	187
Oil and Gas	187
Phosphates and Locatable Minerals	187
Off-Road Vehicles (ORVs)	187
Impacts Common to All Alternatives	187
Energy and Minerals	187
Soil, Water and Air Quality	189
Fish and Wildlife	189
Cultural/Natural History Resources	202
Recreation	202
Livestock Grazing	203
Socioeconomics	203
ALTERNATIVE A - PRESENT MANAGEMENT - NO ACTION	203
Management Actions for Energy and Minerals	210
Oil and Gas	210
Phosphates	218
Other Actions	218
Soil, Water and Air Quality	224
Management Actions for Energy and Minerals	224
Management Actions for Fish and Wildlife	225
Management Actions for Forestry	225
Management Actions for Access	225
Management Actions for Landownership Adjustments	
and Utility Systems	225
Management Actions for Off-Road Vehicles (ORVs)	225
Management Actions for Fire	225
Management Actions for Soils	226
Fish and Wildlife	226
Management Actions for Energy and Minerals	226
Management Actions for Fish and Wildlife	230
Management Actions for Forestry	23
Management Actions for Landownership Adjustments	232
Management Actions for Recreation	232
Management Actions for Off-Road Vehicles (ORVs)	237
Management Actions for Fire	23
Management Actions for Access	23
Forestry	23
Management Actions for Energy and Minerals	23
Management Actions for Forestry Management Actions for Fire	23
Cultural/Natural History Resources	23
Management Actions for Energy and Minerals	23
Management Actions for Energy and Minerale	

Management Actions for Landownership Adjustments	
and Utility Systems	237
Management Actions for Cultural/Natural History	237
Management Actions for Energy and Minerals	241
Oil and Gas	241
Locatable Minerals	241
Phosphates	
Other Actions	
Soil, Water and Air Quality	241
Management Actions for Energy and Minerals	242
Management Actions for Fish and Wildlife	242
Management Actions for Forestry	
Management Actions for Access	243
Management Actions for Landownership Adjustments and	270
Utility Systems	243
Management Actions for Off-Road Vehicles (ORVs)	243
Management Actions for Fire	
Fish and Wildlife	
Management Actions for Energy and Minerals	244
Management Actions for Fish and Wildlife	
Management Actions for Forest Management	246
Management Actions for Access	247
Management Actions for Landownership Adjustments	
Management Actions for Recreation	
Management Actions for Off-Road Vehicles (ORVs)	
Management Actions for Fire	
Management Actions for Access	
Management Actions for Wilderness	
Forestry	
Management Actions for Energy and Minerals	
Management Actions for Forestry	
Cultural/Natural History Resources	
Management Actions for Energy and Minerals	250
Management Actions for Landownership Adjustments	
and Utility Systems Management Actions for Cultural/Natural History	251
ALTERNATIVE C	
Oil and Gas	
Locatable Minerals	
Phosphates	
Other Actions	
Soil, Water and Air Quality	
Management Actions for Energy and Minerals	
Management Actions for Fish and Wildlife	257
Management Actions for Forestry	
Management Actions for Access	
Management Actions for Landownership Adjustments	

Management Actions for Off-Road Vehicles (ORVs)	
Management Actions for Fire	
Fish and Wildlife	259
Management Actions for Energy and Minerals	
Management Actions for Fish and Wildlife	
Management Actions for Forestry	260
Management Actions for Landownership Adjustments	
and Utility Systems	261
Management Actions for Recreation	261
Management Actions for Off-Road Vehicles (ORVs)	262
Management Actions for Fire	262
Management Actions for Access	
Forestry	262
Management Actions for Energy and Minerals	
Management Actions for Forestry	263
Management Actions for Fire	264
Cultural/Natural History Resources	264
Management Actions for Energy and Minerals	264
Management Actions for Landownership Adjustments	
and Utility Systems	265
Management Actions for Cultural/Natural History	266
PREFERRED ALTERNATIVE	271
Management Actions for Energy and Minerals	271
Oil and Gas	271
Locatable Minerals	271
Phosphates	272
Other Actions	272
Soil, Water and Air Quality	272
Management Actions for Energy and Minerals	272
Management Actions for Fish and Wildlife	273
Management Actions for Forestry	273
Management Actions for Access	274
Management Actions for Landownership Adjustments	
and Utility Systems	
Management Actions for Off-Road Vehicles (ORVs)	
Management Actions for Fire	274
Fish and Wildlife	275
Management Actions for Energy and Minerals	
Management Actions for Fish and Wildlife	
Management Actions for Forestry	277
Management Actions for Landownership Adjustments	
and Utility Systems	27
Management Actions for Recreation	27
Management Actions for Off-Road Vehicles (ORVs)	271
Management Actions for Fire	27
Management Actions for Access	27
Forestry	27
Management Actions for Energy and Minerals	
Management Actions for Forestry	
Management Actions for Fire	279

Cultural/Natural History Resources. Management Actions for Energy and Minerals. Management Actions for Landownership Adjustments and Utility Systems.	280
Management Actions for Cultural/Natural History	
CHAPTER V - THE PREFERRED ALTERNATIVE	
SELECT THE PREFERRED ALTERNATIVE/PREFERRED PLAN	
OVERVIEW OF PREFERRED ALTERNATIVE	289
Energy and Minerals	289
Oil and Gas	
Locatable Minerals	291
Phosphates	291
Other Minerals	291
Fish and Wildlife	293
Forest Management	293
Landownership Adjustments and Utility Systems	295
Recreation Management	295
Off-Road Vehicles (ORVs)	295
Fire Management	298
Cultural/Natural History	298
Access	301
Soil, Water and Air Management	301
Livestock Grazing	303
Green Mountain EIS Area	303
Gas Hills EIS Area	304
Wilderness	304
Areas of Critical Environmental Concern	304
THE PREFERRED ALTERNATIVE AND RATIONALE BY	
MANAGEMENT UNIT	306
Introduction and Background	306
Green Mountain Management Unit	
Energy and Minerals	306
Fish and Wildlife	308
Forest Management	308
Landownership Adjustments and Utility Systems	310
Recreation	
Off-Road Vehicles (ORVs)	310
Fire Management	310
Access	312
Beaver Creek Management Unit	312
Energy and Minerals	312
Fish and Wildlife	314
Landownership Adjustments and Utility Systems	
Recreation	
Off-Road Vehicles (ORVs)	
Cultural/Natural History	
Fire Management	
Access	320

Lander Slope Management Unit	320
Energy and Minerals	320
Fish and Wildlife	321
Forest Management	
Landownership Adjustments and Utility Systems	
Recreation	322
Off-Road Vehicles (ORVs)	322
Fire Management	
Access	
Red Canyon Management Unit	
Energy and Minerals	
Fish and Wildlife	
Forest Management	
Landownership Adjustments and Utility Systems	
Recreation	
Off-Road Vehicles (ORVs)	327
Cultural/Natural History	
Fire Management	
Access	
South Pass Management Unit	
Energy and Minerals	220
Fish and Wildlife	
Forest Management	
Recreation	
Off-Road Vehicles (ORVs)	
Cultural/Natural History	
Fire Management	
Access	333
Gas Hills Management Unit	
Energy and Minerals	
Fish and Wildlife	
Landownership Adjustments and Utility Systems	
Recreation	337
Off-Road Vehicles (ORVs)	339
Cultural/Natural History	339
Fire Management	339
East Fork Management Unit	341
Energy and Minerals	
Fish and Wildlife	
Landownership Adjustments and Utility Systems	
Recreation	
Off-Road Vehicles (ORVs)	
Fire Management	344
Access	346
Dubois Badlands Management Unit	346
Energy and Minerals	346
Fish and Wildlife	346
Landownership Adjustments and Utility Systems	346
Recreation	

Off-Road venicles (ORVs)	
Fire Management	
Access	
Whiskey Mountain Management Unit	
Energy and Minerals	
Fish and Wildlife	35
Landownership Adjustments and Utility Systems	
Recreation Management	
Off-Road Vehicles (ORVs)	
Fire Management	
Access	
Dubois Area Management Unit	
Energy and Minerals	
Fish and Wildlife	357
Landownership Adjustments and Utility Systems	
Recreation Management	
Off-Road Vehicles (ORVs)	
Cultural/Natural History	
Fire Management	
Access	
Sweetwater Canyon Management Unit (Wilderness Study Area)	
Sweetwater Rocks Management Unit (Wilderness Study Area)	360
Copper Mountain Management Unit (Wilderness Study Area)	361
CHAPTER VI - CONSULTATION AND COORDINATION	365
NTRODUCTION	365
PUBLIC PARTICIPATION	365
CONSISTENCY	
GENCIES AND ORGANIZATIONS CONSULTED	366
Federal Agencies	366
State Agencies	366
State Legislators	366
Counties and Cities	366
Congressional Offices	366
DISTRIBUTION	
IST OF PREPARERS	366
APPENDIX I	371
APPENDIX II	431
APPENDIX III	435
GLOSSARY	441
REFERENCES	115

MAPS

Chapter 1
1-1 General Location - Lander Resource Area 5 1-2 Surface Ownership - Lander Resource Area 6
Chapter 2
2-1 Resource Management Units - Lander Resource Area 16 2-2 Recreation Opportunity Spectrum (ROS) 20 2-3 Continental Divide 22 2-4 Oregon - Mormon Trail 23 2-5 General Location - Gas Hills Study Area 25
Chapter 3
3-1 Oil and Gas Fields 58 3-2 Oil and Gas Potential Rating 61 3-3 Leasable Minerals other than Oil and Gas 66
3-4 Locatable Mineral Occurrences 69 3-5 Physiography of Lander Resource Area 71
3-6 Principal Drainages 75 3-7 Affected Fisheries - Beaver Creek 80
3-8 Affected Fisheries - Green Mountain 81 3-9 Affected Fisheries - South Pass 86
3-10 Affected Fisheries - Lander Slope
3-11 Affected Fisheries - Red Canyon 88 3-12 Affected Fisheries - Gas Hills 89
3-13 Affected Fisheries - Dubois Area 90 3-14 Affected Fisheries - Dubois Badlands 91
3-15 Affected Fisheries - East Fork 92 3-16 Elk Herd Unit Area Boundaries 97
3-17 Mule Deer Herd Unit Area Boundaries
3-19 Bighorn Sheep Herd Unit Area Boundaries 100 3-20 Moose Herd Unit Area Boundaries 101
3-21 Important Mule Deer Ranges
3-22 Important Moose Ranges 103 3-23 Important Bighorn Sheep Ranges 104
3-24 Important Elk Ranges 105 3-25 Pronghorn Antelope Ranges 106
3-26 Sage Grouse Breeding - Nesting Areas
3-28 Developed Recreation Areas 136 3-29 Visual Resource Management 139
3-30 Recreation Opportunity Spectrum (ROS) 140 3-31 Scenery Quality Classes 143
3-31 Scenery Quality Classes 143 3-32 ORV Designations 179

3-36 3-37 3-38	Special Cultural/Natural History Areas. Oregon - Mormon Trail Route. Major Emigrant Trails of the Western United States Major Oregon - Mormon Trail Sites. Major Historic Sites - South Pass National Natural Landmark - Red Canyon	151 153 154 159
Cha	pter 4	
4-1 4-2 4-3 4-4 4-5 4-6	Wildlife Habitat/Landownership Adjustment - Dubois Area	198 199 200 201
Cha	pter 5	
5-2 5-3 5-4 5-5	Oil and Gas Leasing Decisions	292 294 297
5-6 5-7 5-8 5-9	ORV Designations Fire Management Plan Access General Location - Wilderness Study Areas	302 ###
5-10 5-11 5-12	Oil and Gas Leasing Decisions - Green Mountain	307 309 311
5-14 5-15	Oil and Gas Leasing Decisions - Beaver Creek Locatable Minerals - Beaver Creek Landownership Adjustments - Beaver Creek Fire Suppression Zones - Beaver Creek	315 316
5-17 5-18	Landownership Adjustments - Lander Slope. Surface Ownership - Red Canyon Surface Ownership - South Pass	323 325
5-21 5-22	Oil and Gas Leasing Decisions - South Pass	331 335
5-24 5-25	Locatable Minerals - Gas Hills Landownership Adjustments - Gas Hills Fire Suppression Zones - Gas Hills Oil and Gas Leasing Decisions - East Fork	338 340
5-27 5-28	Oil and Gas Leasing Decisions - East Fork Landownership Adjustments - East Fork Oil and Gas Leasing Decisions - Dubois Badlands	343 345
5-30 5-31 5-32	Locatable Minerals - Dubois Badlands	348 349 351
5-33	Locatable Minerals - Whiskey Mountain	353


5- 5-	-35 -36	Landownership Adjustments - Whiskey Mountain 35 Oil and Gas Leasing Decisions - Dubois Area 35 Locatable Minerals - Dubois Area 35 Landownership Adjustments - Dubois Area 35	6
Α	ppe	endix I	
AAAAAAAAA	-2 -3 -4 -5 -6 -7 -8 -9 -10 -11	Surface Ownership - Green Mountain 37 Surface Ownership - Beaver Creek 37 Surface Ownership - Beaver Creek 38 Surface Ownership - Sweetwater Rocks 38 Surface Ownership - Sweetwater Canyon 38 Surface Ownership - Lander Slope 38 Surface Ownership - Fed Canyon 38 Surface Ownership - South Pass 38 Surface Ownership - Gas Hills 44 Surface Ownership - Copper Mountain 44 Surface Ownership - East Fork 41 Surface Ownership - Whiskey Mountain 44 Surface Ownership - Whiskey Mountain 44 Surface Ownership - Dubois Area 44	9 11 10 10 10 10 10 10 10 10 10 10 10 10
		TABLES	
(Cha	pter 2	
2	2-1 2-2 2-3 2-4	Alternatives Considered in Detail	29
-	. 7	Action for Grazing Management	5(
(Cha	pter 3	
	3-1	Number of Oil and Gas Wells Permitted in Lander Resource Area and Percentage by General Area Number of Notices of Intent to Conduct Geophysical	59
	3-2	Operations in the Lander Resource Area	5
3	3-3 3-4 3-5	Soil Erosion Classes Water Quality of the Wind River Above Boysen Reservoir	7:
(3-6	Water Quality of the Wind River Below Boysen Reservoir	
	3-7		7
	3-8	Affected Fisheries in the Lander Resource Area	8 9
	3-9 3-10	Ranking of Standard Habitat Types	9
		Flk Herd Unit Area Data 1	0

	3-13 3-14 3-15	Bighorn Sheep Herd Unit Area Data Mule Deer Herd Unit Area Data Pronghorn Antelope Herd Unit Area Data Moose Herd Unit Area Data	. 110 . 111 . 112	
	3-16	Potential Waterfowl and Shorebird Habitat on Public Land	117	
	3-18	Recreational Use in the Lander Resource Area for 1983	133	
		Estimated Vistor Use on BLM Administered Public Lands		
	3-20	Hunter Days	135	
	3-22	Selected Cultural Sites and National Register Status	145	
	3-23	National Register Status of Sites in the South Pass		
	0.04	Mining Area	160	
	3-24	Labor Analysis, 1983 - Fremont County Fremont County Labor Force Trends	165	
			167	
	Cna	pter 4		
	4-1	Percent of Total Wells Drilled and Percent of Total Acreages of High and Moderate Oil and Gas Potential in the Lander Resource Area Occurring in Each		
	4-2	Management Unit	191	
		Potential Oil and Gas Areas		
	4-3 4-4	Impacts on Recreation	204	
	4-4	Oil and Gas Leasing and Development Issues - Summary of Oil and Gas Potential Rating Acreage		
		and Leasing Restrictions	219	
	4-5	Locatable Minerals Management Actions	222	
	4-6	Effects on Significant Cultural/Natural History Resource - Alternative A	000	
	4-7	Effects on Significant Cultural/Natural History	239	
		Resource - Alternative B	253	
	4-8 Effects on Significant Cultural/Natural History			
	4-9	Resource - Alternative C	268	
		Resource - Preferred Alternative	283	
Chapter 5				
		Off-Road Vehicle Designations		
		Access	301	
	App	endix I		
Alternatives By Management Unit			373	
Appendix III				
	A-3-1			
	A-3-2 A-3-3		438	
	A-3-3 A-3-4		439	
			-1-10	

FIGURES

Cha	apter	1

1-1	Steps in the Resource Management Planning Process	8
Cha	pter 3	
3-1	High Production Potential Areas for Oil and Gas -	
	Success Rates	63
3-2	Success Rates	64
3-3	Low Production Potential Areas for Oil and Gas -	
	Success Rates	65
3-4	Diagrammatic Sketch Showing the Development of Cut and Fill Terraces in a Hypothetical Valley Reach	7/
3-5	Allowable Cut	
3-6	Timber Demand	
3-7	Oil Production	
3-8 3-9	Natural Gas Production	170
3-9	High Production Potential Areas for Oil and Gas - Drilling Activity	171
3-10	Moderate Production Potential Areas for Oil and Gas -	
	Drilling Activity	171
3-11	Low Production Potential Areas for Oil and Gas -	474
3-12	Drilling Activity	
	Iron Ore Production	
3-14	Timber Sales	178
	Post and Pole Sales	
3-16	Fuelwood Sales	178



SUMMARY

INTRODUCTION

This draft Lander Resource Management Plan (RMP) and Draft Environmental Impact Statement (DEIS) addresses future management options for approximately 2.5 million surface acres and 2.7 million acres of federal mineral estate administered by the Bureau of Land Management (BLW) through its Lander Resource Area office in Lander, Wyoming. The Lander Resource Area encompasses public lands in parts of five counties in west-central Wyoming (most of Fremont, and small portions of Natrona, Sweetwater, Carbon, and Hot Springs counties) but does not include lands managed by the U.S. Forest Service or the Bureau of Indian Affairs.

When completed, the Lander RMP will provide a comprehensive framework for managing and allocating public land and resource uses in the resource area. The draft RMP focuses on allocating resources among the uses and prescribing general management actions that would be taken. The draft EIS focuses on the various impacts that would be expected from implementing each of these alternatives addressing the issues of: oil and gas leasing and development: locatable minerals exploration and development; grazing allotment and wildlife habitat management; wilderness study recommendations: forest management; landownership adjustments and utility corridors; recreation management, including off-road vehicle (ORV) management; cultural and natural history resource protection and management; and fire management.

Four alternatives are presented in this document. Alternative A is the no action alternative and represents continuation of present management. Alternatives B and C both deal with resource protection and resource production. The difference between the two alternatives is that Alternative C requires more intensity of management and, therefore, costs more. Alternative D is the Preferred Alternative. It incorporates sections from alternatives A, B and C to present what BLM management believes represents the most balanced approach to resource protection and production.

ALTERNATIVES

Alternatives A, B, C, and D are all multiple-use oriented. During the analysis, each alternative was approached as a separate and complete multiple-

use plan. Therefore, each alternative offers resource production and environmental protection measures. Cumulatively, the differences among the alternatives are not great; there is no one alternative that is totally oriented toward oil and gas production, nor is there one alternative that is totally oriented toward nondevelopment or protection of a particular resource over another. All of these alternatives deal with every resource from a multiple-use approach. The data for developing these alternatives is available at the Lander Resource Area office.

Alternative A, No Action, is a continuation of present management, based on existing land-use plans. Additional alternatives to current management were developed because of changing resource conditions and a need to modify the existing plans.

Alternative B considers options to Alternative A for all resources. More mineral development would be allowed than under Alternative A, but protection of other resources would be accomplished through additional restrictions on this development.

Alternative C would allow more mineral development than Alternative B. However, in order to protect other resources, management would be more intensive for nonmineral resources in order to offset impacts from mineral development.

Alternative D, the Preferred Alternative, is a combination of the other alternatives.

For a detailed description of each action and impact to the resources in each alternative, see Chapter II.

ENVIRONMENTAL CONSEQUENCES

The alternatives considered in this RMP would affect wildlife habitat, oil and gas management, cultural resources, forest management, wilderness, and livestock grazing.

Cumulative impacts on these resources do not vary significantly from alternative to alternative. However, site-specific impacts by resource do vary among the alternatives (see table 2-2). This is because different alternatives propose different actions in different areas. Any one of these alternatives could have been selected as the preferred alternative.

The preferred alternative incorporates selected portions of the other three alternatives.

TABLE OF CONTENTS

CHAPTER I

PURPOSE AND NEED	3
ALTERNATIVE FORMULATION AND THE PROCESS USED	
TO DEVELOP THE PREFERRED ALTERNATIVE/PREFERRED PLAN	3
DESCRIPTION OF THE LANDER RESOURCE AREA	4
PLANNING PROCESS OVERVIEW	4
Planning Philosophy	4
Planning Strategy	4
Step 1: Identification of Issues	7
Step 2: Development of Planning Criteria	7
Step 3: Inventory Data and Information Collection	7
Step 4: Analysis of the Management Situation	7
Step 5: Formulation of Alternatives	7
Step 6: Analysis of Effects of Alternatives	7
Step 7: Selection of the Preferred Management Plan	9
Step 8: Selection of the Resource Management Plan	9
Step 9: Monitoring and Evaluation	9
PLANNING ISSUES AND PLANNING CRITERIA	9
Introduction	9
Issues	9
Grazing Management	9
Green Mountain Grazing EIS Area	9
	10
on and data data data data data data data	10
Zanovinoromp / tajoumoni / francisco	11
	12
Wilderness Suitability	12



CHAPTER I

INTRODUCTION

PURPOSE AND NEED

The Lander Resource Management Plan (RMP) has been prepared for one fundamental purpose: to provide a comprehensive framework for managing public lands and resources in the Lander Resource Area. This document describes four atternative RMPs, which prescribe ways of allocating the resources and land uses and identifies management actions that would be taken on 2.5 million acres of federal land surface and 2.7 million acres of federal mineral estate. In addition, this document contains a draft environmental impact statement on these alternatives.

These four alternatives or plans focus on the resolution of issues that involve the development and management of mineral resources, livestock grazing, habitat for wildlife, recreation, cultural and natural history resources, forest resources, access to public lands and its resources, and fire management. These alternatives also identify public lands that would be retained in public ownership and lands that could be considered for disposal through sale or exchange.

As required by section 603 of the Federal Land Policy and Management Act (FLPMA), these alternatives contain preliminary recommendations for the suitability of six wilderness study areas (WSAs): four in the Sweetwater Rocks area, one in the Copper Mountain area, and one in the Sweetwater River Canyon. The Bureau of Land Management (BLM) will make preliminary recommendations as to whether a WSA is suitable or nonsuitable for inclusion in the National Wilderness Preservation System. These recommendations will be reported to Congress through the Director of BLM, the Secretary of Interior, and the President, Final suitable or nonsuitable determinations for the WSAs can only be made by Congress.

The purpose of a rangeland management program for public lands is to provide guidelines for managing rangeland resources and related ecosystems, including air, soil, water, vegetation, wildlife and fisheries habitat, wild horses, and livestock. A program is needed to enable BLM to properly manage the public land and resources under its jurisdiction; stabilize the livestock industry dependent on public land; and provide

for orderly use, improvement, development and reclamation of public lands for livestock grazing, consistent with multiple-use management objectives for these lands. The responsibility and authority evolves from a series of legal and judicial mandates, including the Taylor Grazing Act of 1934 (43 USC 315-315r), the Classification and Multiple-Use Act of 1984 (Public Law 88-6071), the National Environmental Policy Act of 1989 (Public Law 91-190), the Federal Land Policy and Management Act of 1976 (Public Law 94-579), the Public Rangelands Improvement Act of 1978 (Public Law 95-514), and the 1974 federal court action on the Natural Resources Defense Council et al. versus Morton et al.

ALTERNATIVE FORMULATION AND THE PROCESS USED TO DEVELOP THE PREFERRED ALTERNATIVE/PREFERRED PLAN

Both the National Environmental Policy Act (NPEPA) and the BLM resource management planning regulations require consideration of a range of alternatives. The basic goal in formulating RMP alternatives was to identify various combinations of public land uses and resource management practices that responded to the planning issues. The alternatives presented in this chapter represent combinations of actions to guide land-use activities and resource management in the Lander Resource Area.

There are four alternatives presented in this document. One alternative, Alternative A, is the no action alternative. This means there would be a continuation of present management. The other three alternatives provide a range of choices offering various options, ranging from an emphasis on resource conservation to an emphasis on production. The preferred alternative is a combination of Alternatives A, B and C.

Alternative A, present management, served as the foundation for formulating the other

alternatives. During the development of the management situation analysis (see Chapter 1, Planning Process), all existing land-use decisions for the Lander Resource Area were compiled into one alternative, Alternative A. The effects of Alternative A were then analyzed to determine if there were other options to the way the resource area was being managed. Through this analysis, it was shown that there were different options for different parts of the resource area.

Because of these differences, it was convenient to portray present management and the options to present management by geographic area or management unit. All together, 13 management units were indentified, including the wilderness study areas (the section in this chapter, Planning Process Overview, lists the management units).

Once present management was portrayed by management unit and all the reasonable options to present management were identified for each management unit (see Appendix T), those options were incorporated into two additional alternative plans for the resource area (alternatives B and C).

Alternatives A (no action, continuation of present management). B and C were then analyzed to identify any significant impacts they might cause and to determine how effective they might be at issue resolution. Following this analysis and the consideration of multiple-use tradeoffs, the preferred alternative or plan was developed by choosing among the various options within alternatives A B and C.

The preferred alternative was then analyzed to see if it would change any of the previously identified impacts. It did not. Following that analysis, a cumulative analysis was made to see if the cumulative impacts of the preferred alternative would be less than those caused by alternatives A, B or C (see Chapter IV). They were.

DESCRIPTION OF THE LANDER RESOURCE AREA

The Lander Resource Area encompasses 6.6 million acres located in central Wyoming (see mentill). The resource area includes most of Fremont County; the southwest corner of Natrona County; and small portions of Carbon, Sweetwater, and Hot Springs counties. The northern boundary of the area is essentially the north Fremont County line; the west boundary is the continental divide in the Wind River Range; the southern boundary is essentially the south Fremont County line; and

the east boundary is formed by the BLM Casper District boundary line.

Of these 6.6 million acres, approximately 2.5 million (35 percent) are public lands managed by BLM and are concentrated primarily in the southern and eastern half of the resource area. The remainder of the federal land in the area is divided among the Bureau of Reclamation, 290,000 acres, and the Shoshone National Forest, 850,000 acres. And the Shoshone National Forest, 850,000 acres are within the Wind River Indian Reservation; 700,000 acres are privately owned; and 300,000 acres are owned by the state of Wyoming (see map 1-2).

The population within the area is estimated to be between 35,000 and 40,000 people. Most reside in the several communities within the area, including Lander, Hudson, Riverton, Dubois, Shoshoni, Lysite, Moneta, Jeffrey City, South Pass City, and Atlantic City. The remainder reside in the rural areas outside these communities. The primary industries include mineral exploration and development, agriculture, and recreation.

PLANNING PROCESS OVERVIEW


Planning Philosophy


Implementation of the BLM planning system is based on national and state-level guidance, including the interpretations provided by regulations, manuals, and various instruction memorandums issued by the Department of the Interior and the BLM. Court orders and legislative mandates also provide guidance and generally establish the schedules involved in the planning processes.

The activity planning phase is initiated after a final RMP is selected. During activity planning, guidance provided by the resource management plan is applied to site-specific local resource needs through such things as allotment management plans, habitat management plans, about a management plans, use authorizations, and similar activity plans.

Planning Strategy

We have addressed a variety of resource management questions, conflicts, and needs in this RMP





This plan will be continually monitored for effectiveness to identify any need for amendment or revisions. Generally, when the consequences of implementing the alternatives are addressed in this document, the "short term" refers to less than 10 years: the "long term" is 10 years or more.

The BLM resource management planning process consists of nine steps and requires the use of an interdisciplinary team for the completion of each step. In addition, public involvement is an integral part of the entire process. The planning steps described in the regulations (43 CFR 1800) and used in preparing this plan are described below and are graphically summarized in figure 1-1.

Step 1: Identification of Issues

Step 1 is intended to identify resource management problems, conflicts, or opportunities in the Lander Resource Area that can be resolved through the planning process. The public, other federal agencies, and state and local governments were asked to identify public land management issues. During this step for the Lander Resource Area, a newsletter was published and public meetings were held. All issues were assessed, and those considered further were consolidated into issues. These issues are presented at the end of this chapter.

Step 2: Development of Planning Criteria

Step 2 involves development of criteria to identify the standards, guidelines, and constraints that would apply to each issue throughout the planning process. In the Lander Resource Area, the original issues and their related criteria were published in a newsletter and distributed to individuals on the RMP mailing list. The public also was encouraged to comment at the public meetings. Criteria were revised as the issues were consolidated.

Step 3: Inventory Data and Information Collection

Step 3 allows for the collection of various kinds of issue-related resource, environmental, social, and economic data.

Step 4: Analysis of the Management Situation


In step 4, the current situation is analyzed, public demand is assessed, and the capability of the resource area to respond to the issues is evaluated. In the Lander Resource Area, 13 separate areas, called management units, were identified where specific management or dominant resource uses now occur or could occur in the future. Each management unit was analyzed in terms of the issues, the data available, and the ability of the resources to meet future demands. Various management options were explored that addressed issues in each management unit. This analysis, an intermediate stage in the planning process, is the basis for formulating the alternatives for the draft resource management nlan

Step 5: Formulation of Alternatives

Options identified in step 4 provide the basis for the alternatives formulated in step 5. For the Lander Resource Area, a range of alternatives was studied to address each program. Alternatives A, B. C. and D are all multiple-use oriented. During the analysis, each alternative was approached as a separate and complete multiple-use plan. Therefore, each alternative offers resource production and protection of resources. The differences among the alternatives are not great: there is no one alternative that is totally oriented toward oil and gas production, nor is there one alternative that is totally oriented toward nondevelopment or protection of a particular resource over another. All of these alternatives deal with every resource from a multiple-use approach. The data for developing these alternatives is available at the Lander Resource Area office. The fourth alternative is the preferred alternative and is a combination of alternatives A. B and C.

Step 6: Analysis of Effects of Alternatives

In step 6, the physical, biological, social, and economic effects of implementing each alternative are assessed. This step is the environmental impact analysis required by NEPA. This analysis for the Lander Resource Area is presented in chapter 4.



* Public Participation Opportunities

Figure 1-1
Steps in the Resource Management
Planning Process

Step 7: Selection of the Preferred Management Plan

Selection of the preferred management plan (step 7) in the Lander Resource Area was based on public input and coordination, current BLM management policies and directions, and analysis of the impacts of each alternative. The preferred management plan (Alternative D) was developed by selecting elements of alternatives A. B. and C.

The preferred plan is detailed in chapter 5 and the rationale for selection of each element is explained.

After BLM's Wyoming state director approves the preferred management plan, the draft plan and draft EIS will be completed and released for public review and comment for 90 days. The comment period will begin when the Environmental Protection Agency's notice of filling of the Draft RMP/EIS is published in the Federal Register.

Step 8: Selection of the Resource Management Plan

Step 8 involves selecting the proposed resource management plan on the basis of the results of public review and comment. The district manager, Rawlins District, will recommend a proposed resource management plan and, with the approval of the BLM's Wyoming state director, it will be published along with the final EIS. After publication, a 30-day protest period on the proposed RMP/Final EIS is provided. Only persons who participated in the planning process and could be adversely affected by the plan may protest.

The state director will approve the plan no earlier than 30 days after publishing the RMP/EIS.

Step 9: Monitoring and Evaluation

Step 9 involves monitoring the selected plan after it is implemented and evaluating the results. Data on long-term trends and resource conditions will be collected and analyzed so that the effectiveness of the plan can be determined. Monitoring the Lander Resource Area will be carried out from the time the plan is implemented until changing conditions require a revision of the plan or any portion of it.

PLANNING ISSUES AND PLANNING CRITERIA

Introduction

The BLM planning regulations generally equate land-use planning with resolution of issues over the use and management of public lands and resources. An issue can be defined as an opportunity not being pursued, a conflict or problem not being resolved, or a value being lost. Obviously, all issues are not resource management related and, therefore, cannot be resolved through a resource management plan. These must be resolved administratively, Issues within resource-use programs such as livestock grazing and wildlife habitat management will require more detailed, site-specific planning and analysis (i.e. activity planning) after the RMP has been completed. In cases like these, the RMP establishes methods and procedures for future management actions as opposed to making specific land-use decisions. It is usually these sitespecific activity plans, rather than the RMP, that result in on-the-ground implementation of resource and land use management actions.

Issues

The issues identified during the scoping process are:

Grazing Management

This issue addresses the management of livestock grazing, wildlife habitat and wild horses in the Lander Resource Area.

Green Mountain Grazing EIS Area

Prior to preparation of the Green Mountain Grazing EIS, a scoping process was conducted to identify significant Issues. Based on contacts with organizations, individuals, and federal, state, and local agencies, areas of concern and controversy were identified. Of considerable concern was competition for forage among livestock, wild horses, and wildlife. Apprehensions were expressed about adjustments in livestock

numbers based on the forage allocation process. Categorization of allotments into Improve (I), Maintain (M), and Custodial (C) categories concerned some people. Solutions to overuse of the range through changes in seasons-of-use, fences, water developments, sagebrush control, and soil erosion control were discussed. Trespass by livestock and removal of wild horses were issues also. Road improvement was considered important. Another concern was the preservation of historical objects. Land being taken out of forage production because of other uses worried some people. Conflicts between ranchers and the general public (trespassing, littering, gates left open, access to public lands, etc.) were an additional concern. These issues were resolved in the Green Mountain EIS completed in 1982.

Gas Hills Grazing EIS Area

A major concern of the grazing management issue in the Gas Hills Grazing ElS area is whether present grazing management practices on public rangelands are satisfactory to protect, improve and maintain the basic natural resources (soils, vegetation, and water) or whether changes in management are necessary. The alternatives identified in the RMP must answer the following questions for this issue.

- What grazing allotments can be identified as having satisfactory range conditions and grazing management, are currently producing near their moderate to high resource production potential, have no serious resource-use conflicts, and may have opportunities for positive economic return from public investments?
- What grazing allotments can be identified as having unsatisfactory range conditions and grazing management, are currently producing below their moderate to high resource production potential, have serious resource-use conflicts, and have opportunities for positive economic return from public investments?
- What grazing allotments can be identified where federal investment is not feasible because of a lack of potential for economic return on public investment and have no critical resource conflicts?
- 4. What management actions can be implemented on grazing allotments presently in satisfactory condition to maintain the vegetative resource, minimize soil erosion, protect the watershed, and maintain wildlife habitat conditions?

- What management actions can be implemented on grazing allotments presently in unsatisfactory condition to improve the vegetative resource, enhance livestock forage, reduce soil erosion, improve watershed conditions, and improve wildlife habitat?
- What management actions can be implemented on grazing allotments where federal investment is not feasible and that have no critical resource conflicts?
- 7. Which grazing allotments contain significant aquatic and riparian habitats on public lands that will require special management attention through monitoring and development and implementation of allotment management plans or habitat management plans to establish and maintain satisfactory habitat conditions?
- Which grazing allotments contain crucial or important upland wildlife habitats (i.e., winter range, fawning areas, nesting or breeding areas, threatened and endangered species habitats, etc.) that will require special management attention?
- What areas are uneconomical to manage as full suppression for fire management and should be considered for limited suppression fire management that would in turn, benefit livestock forage production and improve wildlife habitat?

Planning criteria for the grazing management program were developed principly from provisions in the Taylor Grazing Act of 1934, which authorizes BLM to administer and control livestock grazing; the Federal Land Policy and Management Act of 1976, which requires that the lands be managed for multiple use and sustained yield; and the Public Rangelands Improvement Act, which reinforces the multiple-use concept of public land management and authorizes an intensive management program to improve the condition of the public rangelands. The Wild, Free-Roaming Horse and Burro Act of 1971 directs BLM to protect wild horses and burros from illegal capture, branding, harassment, or death.

Oil and Gas Leasing and Development

In the Lander Resource Area, this issue is one of balancing development of oil and gas resources with the use and protection of other resource values. The Lander Resource Area encompasses a complex mix of public, tribal, state, and private

lands. BLM's responsibility for the oil and gas program on these lands varies, depending on the surface landowner or the surface managing agency.

Federal oil and gas leases are issued by BLM, with the consent of the surface managing agency having jurisdiction over the lands and subject to the conditions prescribed by the surface owner or managing agency, BLM's role for lands in the Wind River Indian Reservation is that of a technical advisor. The Lander RMP only deals with those public lands and mineral estates under the jurisdiction of BLM. These lands, generally, are available for oil and gas leasing, with appropriate protective measures. Mineral leasing and/or surface occupancy is sometimes not allowed in extremely sensitive areas. These areas include some crucial wildlife habitats and lands with highaesthetic value such as the East Fork elk winter range, the Whiskey Mountain bighorn sheep habitat area, the Lander Slope, Red Canyon. and. currently the six wilderness study areas, pending congressional action to determine whether or not they will be designated as wilderness areas. Oil and gas leasing, exploration, and development all need to be addressed in the RMP, which will be used to answer these questions.

- 1. What public lands should be available for oil and gas leasing to provide for development and production of this federal resource?
- What lease stipulations will be needed to minimize environmental impacts from oil and gas leasing and development?
- 3. Under what conditions should public lands be available for oil and gas geophysical exploration?

Planning criteria that will be used in addressing these issues and questions include giving consideration to the oil and gas potential in the resource area and identifying protective measures for areas with significant resource values. All existing oil and gas leases and geophysical exploration within wilderness study areas will be managed under BLM's Interim Management Policy until Congress acts on any wilderness recommendation. Leases issued before the passage of the Federal Land Policy and Management Act represent valid existing rights, but they are constrained by the specific terms and conditions that are attached to each lease. Use and development of these pre-FLPMA leases are subject to stipulations to prevent unnecessary and undue degradation of the land. In accordance with the Secretary of Interior's policy, unleased public lands included in WSAs will not be leased until such time as it might be remanded for multiple-use management.

Sometimes decisions will be made in favor of developing high-value oil and gas resources, and sometimes decisions will be made that favor high-resource values such as crucial wildlife habitats or wilderness values.

Landownership Adjustment

Public lands may be needed by local governments in the future to meet the demands of the communities of Lander, Riverton, Dubols, Shoshoni, Jeffrey City, and Hudson. In addition, other landownership adjustments may be needed in portions of the Lander Resource Area to efficiently manage and utilize the public resources. These adjustments may be done through exchanges, sales or recreation and public purpose (R&PP) patents.

Criteria to be used in identifying lands suitable for ownership adjustment, and which can be considered for disposal, are:

- Such tract because of its location or other characteristics is difficult and uneconomic to manage and is not needed by another federal agency.
- Such tract was acquired for a specific purpose and is no longer needed.
- —Disposal of such tract will serve important public objectives, including but not limited to expansion of communities and economic development. Those lands identified for public sale will either be disposed of by noncompetitive (direct sale), modified competitive sale, or competitive bidding. Recorded mining claims or areas where there is an interest in minerals may prevent a sale of that parcel of land. Any parcel with important public values generally will not be offered for sale, lease or exchange. Land will be solid at fair-market value.

The Recreation and Public Purposes Act authorizes land to be conveyed only for a definite proposed project where there is a reasonable time table and a satisfactory development and management plan. Lands with national significance will not be conveyed.

Lands can only be exchanged if it has been determined that the public interest will be served by the exchange. Exchange of federal and

Introduction

nonfederal lands will be considered if it will eliminate inholdings, create better management areas, and cause greater returns for all parties involved. Lands acquired through exchange should facilitate access to public land and resources, maintain or enhance important public values and uses, maintain or enhance local social and economic values, or facilitate implementation of other resource programs of the Lander RMP.

Forest Management

There are four forested areas in the Lander Resource Area that have the capability for commercial timber production: Green Mountain, South Pass, Lander Slope and Dubois.

The major issues in all these areas are how to manage the timber resources while protecting or maintaining other resource values such as cultural/natural history, recreation, visual and wildlife.

BLM's goal in managing public forest land is to meet the nation's demand for wood products, manage the timber resources under the principles of multiple use and sustained yield, obtain fair market value for timber and other forest products, improve the utilization of these products, and facilitate the management and public use of forest land while protecting the land and its various resources.

Wilderness Suitability

There are six wilderness study areas in the Lander Resource Area, which contain a total of 48,089 acres. They include Sweetwater Canyon. Copper Mountain and four areas in the Sweetwater Rocks. These six WSAs are being evaluated to determine if they are suitable or nonsuitable for wilderness management. Wilderness recommendations are based on two criteria and six quality standards. These criteria address the area's wilderness values (i.e., size, naturalness, opportunities for solitude or primitive recreation, multiple-resource benefits, contribution to diversity of the National Wilderness Preservation System, and special features) as well as the manageability of the area as wilderness. The six standards are also used to determine an area's suitability for wilderness or nonwilderness. Those standards are:

- Energy and mineral resource values (identified or potential)
- 2. Impacts to other resources or uses
- Impact of nondesignation on wilderness values
- Comments from the public in conjunction with BLM's analysis of the area
- 5. Local social and economic effects
- Consistency of recommendation to resourcerelated plans of other agencies

These six WSAs are analyzed individually in the Wilderness Supplement. These six WSAs have been grouped into three management units: the four Sweetwater Rocks WSAs, the Copper Mountain WSA, and the Sweetwater Canyon WSA.

TABLE OF CONTENTS

CHAPTER II ALTERNATIVES INCLUDING THE PREFERRED ALTERNATIVE

NTRODUCTION (MANAGEMENT UNITS)	15
ALTERNATIVES INCLUDING THE PREFERRED ALTERNATIVE	15
Alternative Considered but Eliminated from Detailed Study	15
Wilderness	15
Management Actions Common to All Alternatives	15
Minerals	15
Existing Oil and Gas Leases	15
Locatable Minerals	17
Salable or Common Variety Mineral Materials	17
Coal Leasing	18
Lands Program	18
Sales	18
Recreation and Public Purpose Disposals	19
Exchanges	19
Recreation Program	19
Recreation Management	19
Recreation Opportunity Spectrum	19
Continental Divide National Scenic Trail	19
	21
	24
	24
	24
	24
Wilderness	26
Wilderness Study Areas	26
	26
	2
Management of Areas Reviewed by Congress but not	
3	27
General	27
Threatened and Endangered Species	27
Wildlife and Fisheries Program	27
Areas of Critical Environmental Concern	27
Surface Disturbing Activities	28
Alternatives Considered in Detail	28
Alternative A, Alternative B, Alternative C, and	
Preferred Alternative	29
Energy and Minerals	29
Fish and Wildlife	33
Forest Management	34

Table of Contents

Landownership Adjustments and Utility Systems	
Recreation Management	38
Off-Road Vehicles (ORVs)	39
Cultural/Natural History	39
Fire Management	40
Access	42
Summary of Management Actions and Environmental	
Consequences by Alternative	43
Alternative A, Alternative B, Alternative C, and	
Preferred Alternative	43

CHAPTER II

ALTERNATIVES INCLUDING THE PREFERRED ALTERNATIVE

INTRODUCTION (MANAGEMENT UNITS)

The Lander Resource Area has been divided into 13 management units, including the WSAs (see map 2-1). Management units were delineated based on resource values, competing land uses and areas that provide opportunities and needs for management actions. Alternatives were then formulated to resolve these issues and management needs for each unit. The 13 management units are: Green Mountain, Beaver Creek, Lander Slope, Red Canyon, South Pass, Gas Hills, East Fork, Dubois Badlands, Whiskey Mountain, Dubois Area, Sweetwater Canyon, Sweetwater Rocks, and Copper Mountain. The alternatives for the Sweetwater Canvon. Sweetwater Bocks (containing four WSAs), and Copper Mountain are addressed in the Wilderness Supplement.

ALTERNATIVES INCLUDING THE PREFERRED ALTERNATIVE

Alternatives Considered but Eliminated from Detailed Study

Two alternatives for managing livestock grazing were considered but eliminated from detailed study. They were: (1) maximize vegetative production, and (2) no domestic livestock grazing (see the Grazing Supplement for discussion of these alternatives).

Wilderness

Of the alternatives considered for all WSAs, only one, the combination of units 120 (Lankin Dome) and 122 (Split Rocks) was dropped. This combination was first considered because these two units encompassed the most unique and manageable features of the four WSAs. After

further consideration, however, the concensus was that there was no advantage to such a combination, since the options of All Wilderness and Continuation of Present Management were adequately covered in the individual WSAs.

Management Actions Common to All Alternatives

The management actions presented in this section are common to all of the alternatives, including the preferred alternative. They have been presented here to avoid repetition.


Minerals

Existing Oil and Gas Leases

Any decisions reached in this RMP that would affect oil and gas leasing or add restrictions to oil and gas exploration and development activities are subject to valid existing rights. Once an oil and gas lease has been issued, it constitutes a valid existing right and BLM cannot unilaterally change the terms and conditions of that lease. Therefore, in each alternative where consideration is given to changing restrictions on oil and gas activities or closing an area to oil and gas leasing, existing leases would not be affected and the decisions could not be fully implemented until every lease has expired and the new restrictions have been added.

Another consideration for reaching decisions regarding oil and gas leasing and development was drainage. Drainage is the migration of oil or gas in a hydrocarbon reservoir because of a pressure reduction caused by production from other wells drilled in the reservoir. An oil and gas reservoir is a porous, permeable sedimentary rock formation containing quantities of oil and/or gas enclosed or surrounded by layers of less permeable or impervious rock.

After a determination by the BLM District Manager that lands owned by the United States are being drained of oil and gas by wells drilled on adjacent lands, the District Manager may execute acreements with owners of adjacent



- Green Mountain
- Beaver Creek
- 3 Lander Slope
- Red Canyon
- South Pass
- Gas Hills
- East Fork

7

- **Dubois Badlands**
- Whiskey Mountain
- 10 Dubois Area

Wilderness Study Areas

- Copper Mountain
- Sweetwater Canyon
- Sweetwater Rocks

lands, whereby the United States and its lessees shall be compensated for such drainage.

Where lands in any federal leases are being drained by adjoining wells on nonfederal lands, the federal lessee will be required to drill and produce all wells necessary to protect the federal leases from drainage. If for some reason drilling of protection wells is not feasible, the federal leasee must pay compensatory royalty to the United States in a predetermined amount. A royalty on oil and gas is a share of the oil and gas produced from a federal lease by the lesses The United States usually receives 12 ½ percent or one-eighth of the oil and gas produced from a lease.

Whenever the lessee or operator of a federal oil and gas lease decides to drill on the leasehold, all proposed drilling operations and related surface disturbance activities must be approved through an environmental review. Unless BLM advises an operator to the contrary, he will be required to furnish, at his expense, a cultural resource inventory that has been performed by a qualified resource specialist for the lands to be disturbed.

Drilling operations may not be conducted without an Application for Permit to Drill (APD). The APD must be filled at least 30 days before the date of anticipated operations if the operator wishes to assure that critical drilling commencement dates will be met. If operations have not begun within 90 days after approval of the APD, a new APD must be filled or an extension obtained.

If a field inspection was not made before surveying and staking, an onsite inspection by BLM and the operator will normally be required following the filing of the APD. When the inspection is on private surface, the surface owner will be included. The purpose of this field inspection is to thoroughly examine the proposed operation and develop methods to minimize adverse environmental impacts. The BLM will conduct an environmental analysis as appropriate (environmental assessment, EIS, or categorical exclusion), before an oil and gas field is developed. The standard stipulations for oil and gas leases are listed in Appendix 2.

Locatable Minerals

Whenever a mineral is found on public lands in quantity and quality sufficient to make the lands valuable for development, it comes under the scope of the mining laws. Whether or not a particular mineral deposit is locatable depends on

several factors such as quality, quantity, mineability, demand, and marketability. Minerais that are not locatable are those specifically listed in the Mineral Leasing Act of 1920, as amended, and the common variety minerals such as sand, stone, gravel, pumice, pumicite, cinders, clay, and petrified wood. Ordinary deposits of limestone and fill material (common borrow) are not locatable minerals (the Materials Act of 1947 and amended by the act of 1955).

All public lands not formally withdrawn or segregated from mineral entry are open for exploration and development of locatable minerals. Any withdrawals over 5,000 acres in size would require congressional approval. Locatable minerals in the resource area include iron, gold, silver, tungsten, copper, uranium, zeolites, feldspar, thorium, and rare earths.

Exploration and development of locatable minerals on public lands are managed by BLM through the 43 CFR 3809 regulations. These regulations require that the exploration and development of locatable minerals shall occur in such a manner as to prevent unnecessary and undue degradation of the land.

Validity Examination for Locatable Minerals. A validity examination is a field examination of an unpatented mining claim by a BLM or U. S. Forest Service minerals examiner to verify or refute the discovery of a valuable minerals deposit alleged by a mineral claimant. Validity examinations may be requested under the following conditions.

- —Where a mineral patent application has been filed and a field examination is required to verify the validity of the claim(s).
- —Where there is a conflict between a land disposal application and a mining claim, and land disposal is deemed in the public interest or where the statute authorizing the disposal requires clearance of any encumbrance.
- -Where the land is needed for a federal program.
- —Where a mining claim is located under the guise of the mining law and flagrant unauthorized use of the land or mineral resource is occurring.

Salable or Common Variety Mineral Materials

The Materials Act of July 31, 1947, as amended by the acts of July 23, 1955, and September 28, 1962, identified common variety minerals that include, but are not limited to, sand, stone, gravel,

pumice, pumicite, cinders, and clay. The minerals are sold by BLM under contract or provided through a free-use permit.

Applications for the removal of common variety mineral materials, including sand and gravel, will continue to be approved or disapproved on a case-by-case basis. Stipulations to protect important surface values will be employed, based on interdisciplinary review of each proposal.

Coal Leasing

Coal leasing and development is not an issue for the RMP. The coal in this area of Wyoming has either unknown or low-development potential in the foreseeable future and no leasing and development interest was identified by anyone during the call for coal resource information, the issue identification process, or during the alternative formulation process. Therefore, the coal screening process, including the application of unsuitability criteria, has not been conducted at this time. This does not imply, however, that coal exploration, leasing and development is incompatible with this plan. Coal exploration would be allowed under the guidance established for surface disturbing activities presented in Appendix 2. If an application for a coal lease is received sometime in the future, an appropriate land-use and environmental analysis, including the coal screening process, will be conducted to determine whether or not the coal areas applied for are acceptable for development and for leasing consideration. The RMP will be amended as necessary.

The Lander Resource Area is not within a designated coal production region. Federal coal leasing in areas outside of designated regions may be considered apart from the competitive leasing process set out in 43 CFR 3420.3 through 3420.5.

2. This is essentially one on a case-by-case basis, called "Leasing on Application", under the appropriate provisions of 43 CFR 3425 (note that the sale and issuance of Federal coal leases under these provisions is still done through a competitive bidding process). Based on the lack of interest in and the low-development potential of the coal resource in this area, it is unlikely that any federal lease application would be filed in the foreseeable future.

Lands Program

Sales

Specific parcels of public land are considered for disposal in this RMP under the authority of the Federal Land Policy and Management Act of 1976. In addition to these specific parcels, there are other lands which may be disposed of to serve important public objectives, including but not limited to expansion of communities and economic development. An example of public lands which could be disposed of are sanitary landfill sites to local governments. Disposals to serve other public objectives may be considered and allowed on a case-by-case basis. These lands could be sold by direct sale, modified competitive sale, or competitive sale, depending on the method which would best meet the public need. Any lands which are specifically identified for sale through this RMP would be offered for sale through one of the following three methods.

Noncompetitive - Direct Sale. If the sale parcel is isolated by a single landowner, the tract will generally be offered to that landowner without any type of competition at the appraised fair-market value. This type of sale will normally be used when a parcel is without public access, and it is not located near an urban area or near an area with rapidly increasing land values. This approach will minimize impacts to present users and adjoining landowners, and it will reduce the impact on county governments of mediating public access.

Modified Competitive Sale. If the parcel is isolated and surrounded by two or more adjoining landowners, the parcel will generally be offered under a modified competitive sealed bid process to all the adjoining landowners at the appraised fair-market value. Under this approach, the high bidder will be the successful bidder. If the adjoining owners do not bid on the property, the land will be reoffered for sale, and no preference right will be provided on the reoffered sale.

Competitive Bidding. If there are no overriding reasons for modifying competition or direct sale, the land must be offered through competitive

bidding. Public access or the lack of public access is an important factor in determining proper bidding procedures. The presence of public access will normally override the other two types of sales, and percels with public access over a city, county, state, federal highway, or other type of public access route will normally be sold by competitive procedures.

Recreation and Public Purpose Disposals

The Recreation and Public Purposes (R&PP) Act of June 14, 1926, as amended, authorizes land to be conveyed out of federal ownership only for a definitely proposed project and where there is a reasonable time table for development and a satisfactory management plan. Lands having national significance will not 'be conveyed. Proposals involving over 640 acres require comprehensive land-use plans and zoning regulations and at least one public meeting. The R&PP Act shall not be used to provide sites for the disposal of permanent or long-term hazardous wastes.

Exchanges

BLM recognizes that numerous opportunities exist for public interest land exchanges with the nonfederal sector. Exchanges other than the parcels specifically identified in this RMP may be considered and allowed on a case-by-case basis. BLM has a responsibility to work closely with other federal resource management agencies, state and local governments, and the private sector complete these mutually beneficial transcar too complete these mutually beneficial transcar too monfederal sectors include elimination of inholdings, better management areas, and greater economic returns for all concerned.

Recreation Program

Recreation Management

The primary goal for recreation management in this RMP is to ensure the continued availability of outdoor recreational opportunities the public seeks that are not readily available from other governmental or private entities. Other goals include protecting resources, meeting legal requirements for visitor health and safety, and mitigating resource-user conflicts involving recreation.

A broad range of outdoor recreational opportunities will continue to be provided for all segments of the public, commensurate with demand and resource availability. Trails and other means of public access will continue to be maintained and developed where necessary to enchance recreational opportunities. Developed recreational facilities receiving the heaviest use will receive first priority for operation and maintenance funds. Sites that cannot be maintained to acceptable health and safety standards will be closed until deficiencies are corrected. Investment of public funds for new recreational developments will be permitted only on land identified for retention in public ownership

Recreational resources will continue to be evaluated on a case-by-case basis. Such evaluation will consider the significance of the proposed project and the sensitivity of recreational resources in the affected area. Stipulations will be attached as appropriate to assure compatibility of projects with recreational management objectives.

Special recreational use permits will continue to be required for all commercial, competitive and organized events.


Recreation Opportunity Spectrum

Public lands are managed to provide a broad spectrum of recreation opportunities in the Lander Resource Area from primitive to rural in nature. The management objective is to provide a range of opportunities for recreation experiences now and in the future (see map 2-2).

Continental Divide National Scenic Trail

The Continental Divide National Scenic Trail was established by Congress in 1978. The United States Forest Service (USFS) developed a comprehensive management plan for the trail in 1981. BLM is responsible for implementing the broad direction set forth in that plan.

The trail route on public land in Wyoming has not been specifically selected, but will generally fall on the east rim of the Great Divide Basin. The rim includes Green Mountain, Crooks Mountain and Cyclone Rim in the Lander Resource Area. This segment of the Continental Divide Trail, known as the Red Desert, receives very limited use and has few conflicts. Existing primitive roads next to the Continental Divide are considered the





most feasible and economic means of creating a continuous trail.

The BLM does not plan to establish a fixed route for the trail through the Rawlins District. There are very few people hiking the route, far too few to justify the expense of establishing over a 200mile route that would involve construction, signing and maintenance. Hikers use a variety of routes to ao from the Shoshone to Medicine Bow National forests-a situation that would continue, even with a fixed, developed route. Some people prefer to hitch-hike along the highways in this segment, and others prefer the cross-country trek through the Great Divide Basin (see map 2-3). The lack of a developed, marked trail requires one to find his or her own route, a challenge in itselfwhich may be one of the major attributes of this segment.

The actions BLM plans to follow are:

- Mark the trail with signs where it crosses major travel routes. This could be done along both the east and west rims of the Great Divide Basin
- 2. Develop a trail brochure to be distributed to interested persons. The brochure would include: 1) the area between the Shoshone and Medicine Bow National forests, including all of the Great Divide Basin; 2) the east and west rims of the Great Divide Basin; 3) landownership; 4) roads and other man-made features; 5) several hiking route alternatives; 6) recreational attractions such as national historic trails and rivers; historical sites such as Oregon Buttes, etc.; 7) water sources with recommendations that persons boil all water, and 8) user information on hazards, trespassing on private lands, weather information, etc.
- Seek cooperative agreements with area ranchers for the trail.
- Write a management plan that will incorporate these actions. Periodically revise the plan, perhaps on a 5-year basis, to deal with management problems and issues that may occur.

Oregon/Mormon Pioneer Trail Activity Management Plan

A statewide recreation and cultural resources activity management plan will provide the necessary guidance for resource allocations and

decisions affecting the Oregon/Mormon Pioneer National Historic Trail. A summary of the plans guidance follows.


This plan will outline methods of protection, use and management for the BLM-administered portions of both trails. The plan will also describe the opportunities and constraints for the management of BLM-administered trail lands that are adiacent to private lands.

The management plan for the Oregon and Mormon Pioneer trails encompasses trail-crossed lands in five BLM resource areas within three BLM districts. One of these resource areas is the Lander Resource Area (see map 2-4 for the location of the trails in the resource area). Both the Oregon and Mormon Pioneer trails follow the same route in the Lander Resource Area.


The management plan will focus on methods of management that will protect and maintain important trail values, while allowing public use and enjoyment of the trails. Important segments of the trails and trail-related sites may be recommended for special protection, interpretation, use, or other management measures. Some fragile trail segments may be recommended for limited use by commercial users or the public. while other segments may be recommended for many types of uses. A protective corridor. designed to protect the physical and visual characteristics of the trails, will also be recommended for some segments. Historical sites along the trail may be recommended for nomination to the National Register of Historic Places to provide additional protection or recognition.

The management plan will also consider the effects of BLM management of the trails on adjacent private landowners. If management actions could cause adverse effects to private landowners, BLM will coordinate with them to minimize the problems. The plan will clearly state that use of privately owned trail segments or sites be contingent on the permission of the affected landowner. Traditional land uses of BLM-administered trail portions that are compatible with protection of trail resources will continue to be allowed.

The Wyoming BLM Draft Oregon/Mormon Pioneer Trail Management Plan will be presented for public review and comment at approximately the same time as the Draft Lander RMP. The Oregon/Mormon Pioneer Trail Management Plan will incorporate the same management actions that appear in the Lander RMP.



Continental Divide



Oregon - Mormon Pioneer Trails

Cultural Resources

Standard Protective Measures for Cultural Resources

Within the various programs that are involved in the alternatives, there are standard measures that are designed to offer protection to BLM-administered cultural resources. This section describes the various standard measures for the protection of cultural resources.

Protective measures used in the oil and gas, common variety minerals, coal, livestock grazing. fish and wildlife, forestry, landownership adjustments and utility systems, recreation, cultural/natural history, and access programs are: measures for cultural resource protection in these programs include cultural resources inventories, ranging from record searches to field inventories of potential impact areas; evaluation of cultural sites and objects located by the inventories; and mitigation of anticipated adverse impacts on significant cultural resources. Mitigation may include avoidance, data recovery (including excavations), and/or protection/ stabilization measures. Avoidance is the primary and preferred mitigative measure used for protecting cultural resources. Consultation with the Wyoming State Historic Preservation Office and the Advisory Council on Historic Preservation will also be required for all program actions that are expected to affect significant cultural resources.

Protective measures used in the uranium, gold and other locatable minerals programs are: the exploration for and extraction of locatable minerals such as uranium, gold, copper, etc., on BLM-administered lands is covered under regulations 43 CFR 3809. The BLM has limited authority to protect cultural resources affected by mining operations.

Surface management regulations under the United States mining laws state that mining operations are managed according to the size and type of the operation. Large mining operations (those disturbing over 5 acres) are managed essentially as are oil and gas operations (as described previously in this section). Protective measures for small mining operations, those disturbing 5 acres or less, include a 15-day notice period before commencing mining operations; a prohibition of the operator from knowingly disturbing any "historical or archeological site, structure building, or object on federal lands" (43 CFR 3809.2-2(e)(1); and a 10-day period in which known cultural resources endangered by

operations may be evaluated, protected and/or removed. The BLM monitors casual-use operations where negligible disturbance is anticipated (i.e., where mining operations will not involve the use of mechanized earth-moving equipment or explosives, or where they will not involve the use of motorized vehicles in off-road vehicle closure areas), to ensure that unnecessary and undue degradation are not occurring to cultural resources.


Cultural resource inventories are not required for small operations. Evaluations or mitigative measures are the same as those for uranium, gold and other locatable minerals. Operations are not further restricted unless they cause unnecessary or undue degradation of the federal lands (43 CFR 3809.2-2). This applies equally to cultural resources that are listed on, or eligible for, the National Register of Historio Places.

Other Protective Measures for Cultural Resources

Certain land-management measures that encompass some or all programs are used to protect cultural resources. These are land withdrawals and segregations that can prohibit some or all types of land use or appropriation. Some existing withdrawals are in place in the Lander Resource Area that served to protect significant cultural resources. There are also lands that were segregated from mining operations under the authority of the classifications and multiple-use act. These segregations and withdrawals were put into effect years ago and have recently been reviewed and approved for continuance.

Livestock Grazing and Wild Horses

Wild Horse and livestock grazing decisions were reached in 1983 for the Green Mountain FIS area which is about one-half of the Lander Resource Area, involving approximately 1.2 million acres of public lands (see map 2-5). These decisions were formulated through a land-use plan and an environmental impact statement for grazing management. The land-use plan and EIS covered the Green Mountain, Beaver Creek, South Pass, Red Canvon, and Lander Slope management units, as well as the Sweetwater Canyon wilderness study area. Allotment categorization was conducted on all the allotments in the Green Mountain EIS area. This categorization process was also conducted on the allotments in the Gas Hills study area for the preferred alternative. Table



2-1 is a summary of the allotments in the Lander Resource Area by management category. These categories guide management practices in each allotment to maintain (M), improve (I) or protect (C) the basic soil and vegetation resources.

Decisions for the Green Mountain Grazing EIS area are in the Green Mountain Rangeland Program Summary (see Appendix A) in the Livestock Grazing Supplement. They have been incorporated in all alternatives in the RMP.

A detailed discussion of the grazing alternatives for the Gas Hills Grazing EIS area can be found in the Grazing Supplement (see map 2-5).

Wilderness

Wilderness Study Areas

The Sweetwater Rocks, Sweetwater Canyon, and Copper Mountain wilderness study areas will continue to be managed in compliance with the Interim Management Policy until they are studied, reviewed and acted on by Congress (see the Wilderness Supplement).

The Wilderness Supplement contains a

complete analysis of the wilderness study areas in the Lander Resource Area. It also presents the proposed action and the alternatives considered for wilderness. The proposed action is management common to all alternatives in this

The cumulative impacts of combining the wilderness alternatives with the remainder of the RMP alternatives is presented in tabular form in Chapter IV, Environmental Consequences.

Former Wilderness Study Areas

The Whiskey Mountain and Dubois Badlands and Index when both were eliminated from wilderness study because each one was less than 5,000 acres in size. The decision by the Secretary of Interior to exclude these two units was appealed to the courts by the Sierra Club. During the writing of this RMP, this decision was reversed. Supplements (including public review opportunities) for Whiskey Mountain and Dubois Badlands WSAs will be prepared in 1986, and recommendations will be included in the final RMP/EIS.

TABLE 2-1
ALLOTMENT CATEGORIZATION SUMMARY
FOR THE LANDER RESOURCE AREA

Allotment Category	Number of Allotments	Percent of Total	Total Acreage	Percent of Total	Grazing Preference (AUMs)	Percent o Total
GAS HILLS	STUDY ARE	Α.				
M	51	39	650,000	54	59,972	50
1	38	29	430,000	40	51,220	43
c	41	32	110,000	6	7,936	7
Subtotals	130	100	1,190,000	100	119,128	100
GREEN MO	OUNTAIN EIS	AREA				
M	33	21	84,000	6	8,211	5
I	86	54	1,333,000	93	155,869	94
С	40	25	14,900	1	2,013	1
Subtotals	159	100	1,431,900	100	166,093	100
LANDER R	ESOURCE AR	EA TOTALS				
М	84	29	734,000	28	68,183	24
Ï	124	43	1,763,000	67	207,089	73
C	81	28	124,900	5	9,949	3
Totals	289	100	2,621,900	100	285,221	100

Management of Areas Designated as Wilderness

If any of the WSAs addressed in this RMP are added by Congress to the National Wilderness Preservation System, they will be managed in compliance with the Wilderness Management Policy. Site-specific wilderness management plans will be developed for such areas (see the Wilderness Supplement for more details).

Management of Areas Reviewed by Congress but not Designated as Wilderness

Areas not designated by Congress as wilderness will be managed in accordance with other applicable guidance provided by this resource management plan.

Wildlife and Fisheries Program

General

Fish and wildlife habitat will continue to be evaluated on a case-by-case basis as a part of project level planning. Such evaluation will consider the significance of the proposed project and the sensitivity of fish and wildlife habitat in the affected area. Stipulations will be attached as appropriate to assure compatibility of projects with management objectives for fish and wildlife habitat. Habitat improvement projects will be implemented where necessary to stablize and/or improve unsatisfactory or declining wildlife habitat condition. Such projects will be identified through habitat management plans or coordinated resource management activity plans.

Forage and cover requirements for wildlife will be incorporated into allotment management plans and will be specific to areas of primary wildlife use. Range improvements generally will be designed to achieve both wildlife and range objectives. Vegetative manipulation projects will be designed to minimize impact on wildlife habitat and to improve it whenever possible. The Wyoming Game and Fish Department (WGFD) will be consulted in advance on all vegetative manipulation projects. Animal control programs will be coordinated with the U.S. Fish and Wildlife Service and WGFD.

Management actions within floodplains and wetlands will include measures to preserve, protect, and if necessary, restore their natural functions (as required by Executive Orders 11988 and 11990). Management techniques will be used to minimize the degradation of streambanks and the loss of riparian vegetation. Bridges and culverts will be designed and installed to maintain adequate fish passage.

Riparian habitat needs will be taken into consideration in developing livestock grazing systems and pasture designs.

Wildlife reintroductions and fish stocking proposals will be evaluated and recommendations will be made to the WGFD. BLM policy requires that a Habitat Management Plan (HMP) be prepared prior to any wildlife reintroduction.

Threatened and Endangered Species

No activities will be permitted in habitat for threatened and endangered species that would jeopardize the continued existence of such species. Whenever possible, management actions in habitats for threatened or endangered species will be designed to benefit those species through habitat improvement. The U.S. Fish and Wildlife Service will be consulted before implementing projects that may affect threatened and endangered species habitat. If a "may affect" situation is determined to exist by BLM biologists, then consultation with the U.S. Fish and Wildlife Service will be initiated according to Section 7 of the Endangered Species Act of 1973, as amended.

Areas of Critical Environmental Concern

Significant scenic, cultural and wildlife values exist in portions of Beaver Creek, Gas Hills, Lander Slope, Red Canyon, Dubois Badlands and South Pass Management units, which warrent the focus of management's attention. Those areas would be designated as areas of critical environmental concern by virtue of approval of this plan (see Chapter V for more details on the areas affected by ACEC designation).

Surface-Disturbing Activities

All surface-disturbing activities would be subject to the stipulations in Appendix II, as applicable.

The Alternatives Considered in Detail

This section provides a description of the four alternatives (alternatives A, B, C and the preferred alternative) considered for the Lander Resource Area. Each alternative is described in terms of the planned management actions for specific geographic areas (management units) within the resource area. Each of these alternatives incorporates the management actions described in the previous section see table 2-2).

ALTERNATIVES CONSTRUCTO IN ORDAIL TRALE 2-2

Alternative A

I. thergy and Minerals

The Green Mountain, Betwer Creek, South Pass, Gas Bille, and Dapois Area menagement units would be treated similarly under this alternation. They would be

similarly under this alternative. They would be open for leasing, exploration and development, except for land withdrawn from mineral erkry around the Split Rock National Landmark, the Aspen Grove Campaite end on Hooky Ridge in the Beaver Creek unit, land segressed from mineral entry at the Castle Cardena rock art and pictic site, the land withdrawn at Devil's Once National Landmark, and the interpretive site at Davil'e Cate within the Cas Hills Nanagement Unit, No-surface ecompancy restrictions to protect water quality, fisheries, riparian aress, sage grouse brooding areas (leks), threatened and entangered species, and soils on steep slopes would be applied where needed. Smanoral pestilitions for be used where needed to protect big game crucial winter renge, alk winter sage grouse nesting areas and raphor nesting areas.

to additions to the Infrarections rend toned access, row-sections acceptory; row-sections acc

All of the Nhiskey Mournain and that Trotk and that Trotk and that of the Lander Slope, hold Dispon, and Outrols had Lander Slope, hold Dispon, and Outrols had Lander Mournain Closed to oil and gas leasing, these was expected on a development would be presented on settlering leases (these are existing leases in the Basis Pock and Daboris Bedlando united Decame other are whill desirted pricerus.)

The missipanest actions for the Commonwealth and Dators know newspapers write sould be the same under this alternative (Alternative a) and the same that the

Alternative 8

unity along, threatment and under acceptance process, and configurated species, and considerated species, and considerated species, and considerated species, and considerate species, and considera

Beaver Creek, South Pass,

and Gas Hills management unfre would be managed

assilarly to the proposals

under Alternative A. The units would be open for lessing, explopation and development, except for land acound the Split Rock landmark, on Rocky Ridge, and at the Aspen Grove Campaits in the Beaver Creek unit, land segressied from mineral entry at the Charle at Devil'e Cate landwork in the Gas Mile unit. No-surface occupancy restric-tions would be applied where meded to protect werer quality, fisheries, riperan areas, wildlife, wildlife habitet, civic areas (Jeffrey City and the Jeffrey City airport), and cultural and natural areas (nee Alternative A). In addition, no-surface be applied to the for Spring Slough proposed National Hagister Site and the Split Hock proposed witndrawn lands in the Beaver Crock Management Unit; cruciel moose habitat, the proposed National Mistoric Mining Drattict, and the Atlant City and Big Atlantic Galon campgrounds in the South Pass Management Unity and the Martin's Cove National Register Site in the Gua Helle Management Unit. Seasonal pestrictions for exploration activities would to used where needed to protect wildlife hebitat

the Lander Slope, Red Caspon, Middely Mountein, Best Pork, and Dubo's Self-ands nanogement units sould be open for leveling, exploration and development. No-earlians companny restrictions would be used where needed to

(see Alternative Al.

Alternative C

Management ections under this alternative sould be the same for all management units but would wary for different areas within each unit, depending on the potential for coourtence of all and gas. Both unit, would be divided into four areas:

1. Known geologic structures (KOBs),

potential for occurrence of oil and gas, 3. Areas with moderate

 Ansas with moderate potential for occurrence of oil and gas, and

 Areas with low potential for occurrence of oil and gam.

this classification process would be dynamic, allowing areas classified as hering low potential to be raised into a molecule or high category and areas with molecule potential to be changed into low or high potential result, depending solely on new geologic information. Hampenwering guidelines for acid type of oil and gas area would be oil and gas area would be oil and gas area would be:

a) Known geologic structures and areas with high potential for commence of oil and gas, to seasonal restrictions sould be used unless they were needed to protect threatened and ensurgered apoctes.

no-surface occupancy restrictions would be used only where they were needed to protect mationally significant cultural and natural injector resources or threshead and endangered plant and endangered

Production activities would be subject to specific placement and design of pubs, roads, and facilities to sinistize ecreage disturbed. Priority would be given to markstaing the sconnect recovery of the oil and has resource.

Development plans would be required for operacions witchin sensitive areas so that alwans impacts to surfece witchs would be stringlished. Development plans sould also have the powerful to reduce aggregate coad and pipeline construction costs.

bocensive authors and parameters exchoological invertigations would be undertaken in areas with ingh potamical for both oil and gas development and the occurrence of cultural resources. This would ellow mignificant cultural resources in highdayalogment ereas to benefit from study and seconsultion.

 b) Ageas with moderate potential for occurrence of oil and yas

Preferred Alternative

Modified Alternative C was chosen as the praferred electrative for the Green Vournation, Belever Croek, Lander Slope, Red Compon, South Passa, Gois Hills, and Dubois Area sanappeared curton. The union sould be kept upon for leasting, exploration, and development under the following surface lander the following surface lander.

the Jeans Found in 1000 properties and entitle with a continuous and entitle with the continuous and entitle work and entitle transfer of the continuous and entitle transfer of the continuous and entitle transfer of the continuous and entitle properties. All an entitle transfer of the continuous and entitle properties and entitle properties and entitle properties and entitle properties. All an entitle properties and entitle properties and entitle properties and entitle properties. All and entitle properties and entities and entitle properties and entities and entitle properties and enti

with low, moderate, or no potential for the occurrence nt oil and gas would be conditioned with no-eurface occupancy restrictions, when needed, to protect water quality, fisheries, riparian areas, sage grouse leks, suils on steep alopes, threatened and endangered species, and significant culturel resource sitee where data recovery nethods where data recovery methods would not nirigate adverse impacts. They would also be applied to the elk crucial winter range on the north alope of Green Mountain in the Green Houmtain Management Unit; Jeffrey City and the Jeffrey City airport, Heaver Rim, starting at Highway 207 and extending north 8 miles, 1/4 mile on either side of the Oregon/Normon Trail or the visual horizon, whichever is closer, the proposed low Slough Nerional Register alte and the interpretive site at Split Rock in the Beaver Creek Haragement the Red Corryon Management thir; crucial moose habital, the proposed National Batoric Mining District, and the Altantic City end Rig Atlantic Gulch compgrounds in the South Pase Management Unit; Castl Cardens rock etc site, 1/4 mile either side of the Oregon/Normon Toxil or the visible horizon, whichever ie closer, Martin's Ove Mistorical site and the Devil's Cute Interpretive site in the Gae Hills

TMLE 2-2

Alternative A

Alternative B

protect water quality, fisheries, riparian erass, sage grouse laws, soils on steep slopes, threatened and endangered species, and significant cultural resource sites where data recource attea where dark recovery methods would not mitigate adverse impacts. They would also be applied to the Red Canyon National Natural Landmark. Seasonal restrictions for exploration activities would be used who re recorded to constant like where medded to protect big game crucial Mirter cange, elk Winter Cange, elk calving areas, sage grouse meeting areas, and captor neeting attes.

Alternative C

All pestrictions (seasonal, no-surface company, etc.) would be considered on a case-by-case basis. Sestrictions imposed on exploration and production activities would be used only to avoid significant adverse impacts on another

c) Areas with low potential for occurrence of oil and gas

We-purface occurrency restrictions would be used where needed to protect water quality, fisheries, riparian areas, sage grouse leks, soils on steep slopes, and significant cultural resource sites where data recovery methods would not mitigate adverse impacts. They would also be applied to the Red Canyon National Natural Landmark (NNL) in the Red Canyon Munagement Unit.

Seasonal restrictions for exploration activities would be used where needed to protect big game crucial winter ranges, alk winter range, alk calving areas, sage grouse nesting areas, and captor nesting areas.

Preferred Alternative

Management Unit; and Wags Spring Gangton and Stoney Point in the Dubois Area Management Unit, Seasonal reservictions on

exploration activities would be used when meeded to protect big game crucial winter targes, alk onlying areas, sage grouse nearing areas, and raptor meating

preferred alternative for

professed alternative for these management units would allow for meximum neropasses: flexibility over the full tange of removerous. In and no primer tall for concreams of oil and you, this alternative would provide for the persection of separative visual removerer. sensitive visual resources, crucial wildlife habitat, fragile areas, and historical resources, wh/la historical pseudoss, while providing opportunities for exploration and development of the oil and gas reserves. In aceas of high potential for the occurrence of oil and gas or in aceas of established production such as KONs, this such as MOSs, this alternative would allow exploration and development activities by minimizing the restrictions imposed on these activities. It would also provide for protection of threatened and endangered plant and animal species and nationally significant cultural and natural history selected as the preferred alternative for the Dubois Radiande Management Unit. The unit would be open for leasing, emploration, and development. New leases would contain mi-surface-occupance metrications where needed to

protect water quality, fisheries, riparian areas, sage grouse leke, soils on steen slopes, threatened and endangered species, cultu-resource sites where data recovery sethods would not mitigate adverse impacts, and the area previously included in the Dubois Bedlands WSA. Sessonal restrictions would be used when needed to protect big came crucial virter rance elk calving areas, sage grouse nesting areas, and raptor nesting areas.

The preferred alternative for the Dubois Hadlands management unit would of the natural and visual characteristics of the Datois Redlands as well as fragile areas, wille providing opportunities to explore for and develop oil

Modified Alternative B was chosen as the preferred alternative for the Bark Fork Management Unit. All oil and gas leases would

Modified Alternative 8 was selected as the preferred alternative for the Whiskey Pruntain Management Unit. All oil and one leases would Include no-surface recupancy

TABLE 2-2

Alternative A

8. Locatable Minerals

Order Alternative A, the Lander Slope and Red Caryon menogenery units would be development of incetable Winesale. The Dubois Sadlands Management Unit wuld also be own but would have seasonal restrictions to write also be open for world wildlife values. The remaining seven management units would also be open, and BUN and crusty pictric sites in the Overn Hrustain Ponagoment Univ; lands withdrawn from minoral energy arrund the Split Brick landmark, on Brody Ridge, and at the Aspan Grove Caspaire in the Beaver Creek Haragement Onit; areas siready segregated from mineral entry in the South Pass Management Unit; lands segregated around the Charle Carden mok art plonic after the land withdrawn at the Devil's Oate landmark and along the Oregon/Morann Trail in the Gas Hilla Managurers. Unit; areas already withdra-from mineral energy in the Dast Pork Haracement Helica areas already segregated from mineral entry in the Whiskey Pruntain Management Units and lands segregated from mineral inter sugrespects from mineral in the Dubois Area Management

Alternative B

Under this alternative, management of the biboris management of the biboris Area Management Under would be the dame as under Alcormative A. the unit would be open for applicantion and development of bromable of metalia, except within the Management spring Carpen segregated.

The Green Houstoning Beaver

Once and the Bill III

Once and the Bill III

Affancis A. Bry value

The Lender Sippe, Red Organs, Fresh Bass, and Organs, Fresh Bass, and Organs, Fresh Bass, and Watekey Fresh Bass, and Watekey Fresh Bass Bass, and development of Iconomials of Iconomials of Iconomials of Iconomials Bass Park Respondence Unit this have not already been withdrams from mineral sergy. A withdrams from mineral sergy whild be required to clares these assess on separation and and the serge of Iconomials of Ironomials of Ir

within 1/4 stile or the

Visible horizon of the Oregon/Mormon Trail in the Seawer Creek and Gas Hills

In the coincia mediante Namapasane thirt, exploration and development of incatable ninerals would be allowed on any exterior claims the operanent would, extering rights. The remainder of the manapasane unit would be chosed, thus requiring a withdrawal from mineral states.

Alternative C

The Orders Processing, Beaver Creeks, Landers Siepe, Red Carpine, and Ges Hills menagement units available management units available managed the same under their placemanic via an unchar Aleermative, At The unities would be entirely open for exploration and development of increasable minerals, except within areas affected, virtualness from since and unity foce. Alleermative, All.

the fivel heavy that Perky Christian Statistics, believe Warrach, and before area management units swald be open to exploration and decisioners. Of increasible microsite. This would cought extraction of the scale recording of the take more increasible of the statistics of the take more invariance of the scale of the take more invariance of the scale of the take more invariance of the take more invariance take more invariance take the scale of the scale of the scale of scale of

An seasonal restrictions to protect watershed and wildlife values in the Darnis Badlands Management thit would be applied.

Preferred Alternative

Alternative A was chosen as the professional anternative for the professional anternative for the publish Jesus and the professional anternative washing to enter the suppliers that and development of brossable silentally, except for the augmentation of chrossable silentally, except for the augmentation of christal alternative visual and properties of chrossable silentally and professional of the control of the security of the control of the security and the control of the control of

Attention in the otherwise of the protection allocation in the protection allocation in the protection allocation in the protection allocation in the protection of the protec

TABLE 2-2

Alternative A

Alternative B

Alternative C

Preferred Alberrative

implementation of the preferred alternative would allow for exploration and development of locatable singeral resources, but it would protect areas where exploration and development extinction could cause abverse imports to other significant values.

A nodified abservative was salected as the preferred abtendance for each of the canding satisfaces, into, the order outside as one for the order outside as one for except for areas already surpressed or withdraw from size all each absent each , and as preferred outside as surpressed or withdraw from size all each , and preferred outside or supressed each collecting except collecting except collecting except collecting except size and collecting except size and collecting except size si

The highly visible tander Slope within the lander Slope Management Unit (modified Alternative A);

All operations within the South Ross Management Unit (modified Alternative A);

The Sed Conyon National Natural Landmark within the Red Conyon Nanagement Unit Condified Alternative AD;

Lands assured the components and jointies disses on Chem mountain and winter, 350 date in the control of the co

Within the area previously included in the Duboda Badlands wilderness study area in the Duboda madiands whosepeart Unit Endified Albernative C).

Deplorementation of the preferred alternative would allow opportunition for supportunition for supportunition for supportunition for supportunition of incontable entered recognización, por the sub-protect arean source emplocation and development activities could cause adverse impacts to other algorificant resource values.

TIGIT 1-2

Alternative A

The Lander Slope, Red Comyon and Heaver Crock Management Units are the only units that contain significant phosphate menurose. No new

Alternative B

Alternative C

Preferred Alternative

remourASS. No new prospecting permits or leases would be issued within the lander Slope and Red Canyon Panagement Units.

the management actions under this alternative would be the same as under Alternative A. No feel prospecting permits or besses would be impact within the lander Slope and Red Carryon menangment units

Order Alternative C, the Lander Slope and Red Cargon menagement units would be evailable for prospecting, leasing and development of

Writish Stermeius Cuss Sippe and Red Ownyor suppe and sec using the management units. The units would be open for prospecting, emploration and development, and learning with the standard protective requirements for surfacedisturbing activities described in Appendix 2. The Beiver Creek Management Unit, the only other unit with phosphate deposits, would also be open for prospecting and leasing.

Lands around Sinks Osmon State Pack would be withdrawn from wineral entry.

Under this alternative lands around Sinks Canyon State Park would be withdrawn from mineral entry, the same as under

tanda around Sires Outvon

The preferred alternative is Alternative A and would allow withdrawal from mineral entry of lands amund Sinks Camon State Pack in the Lander Slope Management Unit.

Alternative A is the

II. Mish and wildlife

Under Alternative A, the management of fish and wildlife resources would be the same in the Green Mountain, Lander Slope, One Mountain, lander Slope, Ons Stile, Dubois Budlands, and Dubois Area management units. Extering fich and wildlife nabitat improvements would be maintained and routine habitat improvement projects Would be completed (after interdisciplinary review) to enhance and maintain fish and wildlife pesources.

Would also apply to the Beaver Creek, Red Oneyon, and South Pass namegement units. In addition, the South Page Management Unit and upper portions of the Sweetwater River and Beaver Creek drainages in the beaver Cross. Management Unit would be the focus of Fisheries management in the resource area. Special actions such as aboun management, beaver management, installing instream structures, and fencing portions of some fencing portions or nume streams and reservoirs would be undertaken in these areas. In the Red Oneyon

Under this alternative, nanagoment of fish and wildlife resources would be the same as under Alternative A for all nanagement units except Chrs Mills. In the Chr Mills unit, the only difference is that bighorn sheep would be considered for reintroduction in the Sweetwater Rocks.

As under Alternative A, existing fish and wildlife habitan improvements would be maintained and routine hantas improvement projects sould be completed in the Green Nauntain, Lander Singe, Cas Hills, Dabous Badlands Dabous Bedlands, Dubots Apea, Bouver Creek, Red Cargon, and South Hess management units. Fisheries management would focus on the South Russ and Seaver Creek namegement units, forage would be reserved for wintering alk in the Red

Under this alternative, nameyement actions for fish and wildlife recurross would be the same as for Alternative A except for a the Green Houstain, Lander Slope, Red Caryon, and South Plas management units.

In the lander Slope, Green Hountain, and Red Canyon units, prescribed burning techniques would be used in derse stands of big segetrush or nountain shrub babitat to increase forage for wintering elk, mule deer, moose, and bighten sheep. Prescribed burning and other bechniques to manipulate Vegetation Hould also be used in the Red Carryon and South Pass units to promote regeneration of decadent aspen and Willow vegetation for moose and a wide veriety of other

preferred alternative for flab and wildlife managem in the Banver Creek, Bast Pork, Danis Badlands, Whiskey Mountain, and Dubois Area management units. Alternative B is the preferred alternative for fish and wildlife manageme in the Gas Hills unit, and Alternative C to the preferred alternative in the Green Mountain, Lander Slope, Red Canyon, and South mass units. The provisions of these alternatives are described in the following

Under the professed Under the preferred alternative, existing fish and wildlife habitat improvements would be maintained in all management units and routine habital improvement projects would be completed to enhance and maintain fish and wildlife

Alternative A

Management Unit, e minimum of 500 ADMs of elk forage would be femerwed, we stated in the NAMAYORING Game and Pich Department Chaptertive Agreement.

In the Bast Pork Management With, first priority would be the management of habitant or support wintering eith habitant improvement projects would be developed in cooperation with the Myonling date and Philip Department.

20 case entractly motions and a management and to be to contribe repair they would be to the contribe requirement also entracted and they are substituted and they would be contributed as they are they are shown and other violation shoep and other violation shoep and other violations shoep and other should be should

Alternative S

Outyon management unit, and priority would be given to the management of habitest for wintering mix in the Best Pock unit and wintering bighout stone in the Ministery Mountain unit.

Alternative C

he under Alternative A, executive A, executing (rich and visibile benthat improvement products benthat improvement products or animalization and could be maintained and could be maintained and products benthat improvement, but the could be maintained and benthat the bourth mass and assert to creek under, fromes would focus on the bits find drops on untary, and management priority would be decreated as energing visitary and carected and the second products of the products of the products of the products of the products and the first find drops on unitary, and exceeded as energing visitary visitary and the first first first products of the products and the first first first products and the first firs

Preferred Alternative

In the Whiskey Mountain unit, first perjority would be to provide the necessary habitat regal memens for winnering beighten shoop consistent with the Medisky mountain Occapitation and Minappent Light. In the Bask Rock unit, first priceity would be the management of habitat to support winnering will.

The South Pane Management Units and part of the Seaver Creek Management Units said to the Seaver Creek Management Unit small to the South of Endougheeth in the resource area. Management action understakes not improve framerices would involve intercee and the seaver Creek Management and Seaver Creek Management of some steemes and reservoirs, regeneration of saper, and beaver control or transplanting.

Prescribed burning techniques would be used to improve wildlife habitat in he Green Mountain, Lander Stope, Red Carron, and South Pass nanagement units. Prescribed burning techniques would be used in dense stands of big segebrush or mountain skrub habitet to incretse forage for sinterior elk, mile deer, moose, and bighorn sheep in the Lander Slope, Green Mountain, and Hed Gargen unite. Prescribed burning and other techniques to repeterate expen and willow would be used in the Red Chryon and South Pass units to improve habitat for moose and a wide variety of In the Gas Hills Management Onit, BIM would continue to cooperate with the Wyosing Game and Fish Department, conservation groups, as adjacent landowners in offorts to develop a workable bighorn steep reinkrokuction program for the Sweetwater Rocks. In the Red Osmyon unit, a minimum of 500 AlPis of forage would continue to be reserved for elk.

III. Porest Management

womponer would be allowed in a continue of the continue of the

precision of all Correction of the Management Part. All monocomments of the Management Part. Monocomments of the Management Part. Monocomments of the Management Part. Monocomments of the Management Part I man

pison on all management autre. A cabacteria in a casanation. A cabacteria in a capacita in a capac Timber nanopreent would be present the present of t

Timber management on the Benver Creek, One Hills, Whiskey Mountain, and Dubots Area menagement units would be considered on a name-by-came basis. Timber

TABLE 2-2

Alternative A

management on the Beaver Greek, Gas Hills, Whiskey Moummain, and Dubbis Apea recomment units would be allowed, with timber sales considered on a case-by-case basis. Timber sales in the Whiskey mourain unit would be constitued with the occupantive agreement of 1969 among BDM, the U. S. Forest ne, and the state of

Timber torong top sould be allowed on the Red Caryon Management Unit, as long he sales were consistent with the 1961 memorandum of understanding between BEM and the state of Myoning. Those smaller by 1 Serings 1 Strikes mare would be twitted timber harvesting of small, isolated tracts in the South Pass

tracts in the South Hasa Nanapement Unit. Management would be based on protestion of historical values and matgranance of wildlife and

fishery values. Aspen management might be intrinced

management might be initially to improve fisheries. Some timber harvesting would be allowed in the Bast Pork Nanogement Univ. Barvesting offered totalling up to 20 MMS on the Lander Slope Management Unit, possibly in cooperation with the state would be considered where it sould be considered where it was compactale with main-tanding the integrity of crucial elk winter shape, as directed under the 1972 embraciant of understanding among SCN, the state of termine, and the U. S. Tonest and the U. S. Tonest of Wygning, the U.S. Ponest Service, and private landowners. Reshood Hould also be sold in this area on a denand basis. Tister sould be integrively narrayed Myaning, and the U. S. Porcest on the South Pass No tell to remove metupe, overnature, and dead timber owemature, and dead timbur and to regenerate all areas to young healthy growing stack. the majority of the scattered areas of larger timber would be offered for sale until the areas have pagemented. Narwast castrictions no the Lamber Slove and South Pass management units would be the same as Alternative A-Individual clearouts would be designed as irresular nress less than 25 scores in size. Narwesting restrictions could include allowing only partial outling within 100 feet of persential atreams providing protection of soils on steep sirpes, and maintenence of a purper rix of forege and cover for wildlife. Slash

Alternative B

Restriction might include allowing only partial cuttings within 100 feet of perennial atteams. protection of soils on steep slopes, and maintenance of a oronor mix of forest and cover for wildlife. Slash piling and burning, following barwesting, may be following betweeting, may required to encourage optimum afte regeneration mainly by natural processes. Precommental and connectal thinming would be used an required.

Contract Higher Names Line and management on the Beaver Greek, Cas Hills, Missey moustain, and butols Area management units would be allowed with timber ouler canaddered on a case-by-date basis. Timer sales in the Witskey Moustain unit would be consisted with the cooperative agreement of 1969 among BCM, the U.S. Porest Service, and the state of Myoning.

targe timber sales would be

piling and burning, following berwesting, might be required to encourage nainly by natural percesses. Proces-mercial and overcroial thinning would be used as required. Some timber harvesting would be practiced in the Best Pork Management Unit. Marweting would be createred where it was comparible with maintaining integrity of crucial tlk winter range as disperted under the 1972 Musecandan of Understanding agent BUX, the

state of Myrming, and the U.S. Popust Service.

Alternative C

timited times measurent the Beaver Cheek, Gas Hills, whiskey Mourtain, and Duboin Area management units would be allowed, with timber sales considered on a case-by-case basis. sales in the Whiskey mountain unit would be consistent with the compensive agreement of 1969 among BLT, the U.S. Paper: Service, and the state of Woming.

the little instructs of 1 19817 each year would be offered. In addition, 400 to 500 acres of aspen stands would be improved for big game habitat by outling or prescribed burning. This unit would be open to herwest by clearcutting small areas. Regeneration would occur by natural processes in all stands. Raelwood would also be sold on a demand basis.

houselogs, and other products would be sold on a denand basis in the Mod darant casts in the sau Casyon Management Unit worll the majority of products had been harvested and the areas had been regenerated. Approximately 100 to 200 approximately 100 to 200 acres of appen stands would be improved for big game habitat by cutting or prescribed berning, birrests would be limited in confirst stands by employing partial cutt, emparing products destreet, and univious for eventure. striving for complete regeneration of stands. In the eigen type, barvast pustrictions on the lander Sings and Red Garage units singe and Red Gamyon units would be similar. In both units, once barwasting would cour in ampen stands, in addition to the confer barvest. Size of clearcuts would be determined on an individual project basts.
If prescribed burning were employed in sepen stands, sizes of these small be determined in the name manner as clearcuts. Strendal streams would be perhected and restrictions cruid include allowing only partial outting to recur within 100 feet of the

oreifers on the Red Chryon Management Unit would be enhanced by acarification o the gold during logging. the soil during logging-small volumes of confider clinice sould be offered for sails on the South Pass Management Unit until the majority of the stands had been harvested and recovered total. Morrostopusity regenerated. Approximately 600 to 700 acres of aspen would be managed to improve moves habitat. Management actions would include timber sales, force-account sales, popularium projents, occiracts, or prescribed burning. Management actines would prescribed turning in aspen stands, sizes of which would be determined on an be determined on an individual project basis. Natural regeneration would be enhanced by scarification of the soil during logging

in oneiferous stands.

Preferred Alternative

sales in the Whiskey Mountain unit would be consistent with the cooperative agreement of 1969 among BLM, the U.S. Pocest Service, and the state of Myoning.

Unit would have a total of approximately 10 mess to be harmened over a period of 5 years. After this initial period, activity would messe for about 10 years and logging roads would be closed. Barwat restrictions on the Lander Slope Namegement Unit Would Include Itmiting Individual clearcuts to irresular shaped areas less than 25 acres in size. Marwaiting restrictions would be required to protect perermial streams. Restrictions would also partial outrings within 100 feet of perennial streams providing for protection of providing tor providing and soils on stoop slopes, and maintenance of a proper nix of forage and cover for wildlife, bearts pling and burning, following harvesting, would encours optimum site regeneration neigly by natural processes. Precumental and connectal thinnings rold be used as resulted. Puelwood and other minor forest products would also te act on a demand basis, during the periods in which the sawtimber sales are active. Ruelwood, press, poles, houselegs, and other products would be sold on a demand basis on the Rod Canyon Merasgument Unit until the minority of perducts had been harvested and the areas wips peganication Appendingtely 100 to 200 Approximately 100 to 200 acces of aspin stands would be improved for his game babitat by curting or prescribed burning. Herwesta in conifer stands would be limited to partial cuts, with a goal of complete regeneration of stands. In addition, aspen stands and size of clearcots employed would be determined on an individual project basis.

Smill unlumus of credits timber would be offered for sale on the South Ress Management Unit until the majority of the mature stands have been harvested and repensionally 600 to 700 acres of ampen would be menaged to improve movest menaged to improve mones habitat. Management actions would include timber sales, project developments, or prescribed barning. Barwest restrictions would include restrictions would include restrictions upon decodent confer and aspen trees in partial cuts. Sizes of clearcuts used in aspen stands would be determined on an individual pergisce basts. Natural regeneration scarification of the soil during logging in ordiferous

THE 2-2

Alternative A

Alternative b

Alternative C

neturally. Procumental or connectal birraing would be used as necessary.

Some trinner management would be allowed in the Box Book Menagement India, Barvasting would be recommended where it was compatible with pallorated play the processing of councils old winter range, as directed under the 1972 mencements of understanding among BUK, the state of Mystating and the U.S. Forest Preferred Alternotive

stands. Aspen wreas should rependente naturally. Processarcial or consected thinting would be used as secusiary.

Some titroer memograph could take place in the boar force Management field where it was opportable with maintaining the inneappering of crucial oils witness range, as diffracted under the 1972 memorandum of understanding among SM, the state of Nymning and the U.S. Pocast Service.

IV. Landownership Adjustments and Utility Systems

Other Allergeactive X, no Lordon Leady of the incomponent in any of the incomponent in the control of the contr

The bast Pock and lander Sispe merapement units would also be managed the same under this alternative as under internative A. They would be managed the same as the unit learned the managed the same as the unit learned above, except that no unlikely systems shall be allowed. The sea Compton, South Ress and Limits would be managed the same as the bast.

Nock and Lander Slope units.

Robits lands in the Midskey Mourrais Management that so-scaled new reliable for saled for exchange of the the Signon Sheep Dimerapeacy Decisional Committee has energy and and concerning adjustmental Removation adjustments in the purpose patterns in the Midskey Mourain unit would be issued on a case-by-case basis.

footband tractic of pastic footband tractic of pastic plant in the Green Standard St

estating writity corridors whenever possible.

Tempy-saver toolmed tracks of public hand in the lander slope Newpearch Unit would be considered for disposal through land estranges or public sales. Recreation and public purpose patterns would be tessed on a case-by-ceek boths, and public lands within the unit sould be open for writing and public lands within the unit sould be open for writing.

systems on a demand basis.

Do isolated traces of public land in the Whiteey public land in the Whiteey Phornath Yeapaners little and four traces in the Bast Pock Management Little vauld be considered for disposal through land endangues or public sales. Recreation and public pathens sould be instead on a case-by-mase bearing, and the units sould be closed to major crility systems.

the Med Canyon Managanors Unit sould be managed the same under this alternative as under Alternative As to lands within the unit would need to the sould or excession and passive purpose parents would be fashed on a case-by-case bonds, and public lard within the unit would be available for utility system on a demond bacis.

No lands within the South Zoss Wanagement Unit would be sold or ecotarged under this alternative. Recreation and public perpose patents would be issued on a case-by-case books, but no rajor utility systems would be allowed in the unit. De led Carpon and Sairth Res anaroperar untre senda to travació he asse univer tre preferencia alternativos preferencia alternativos la seda vidente de la seda vidente la senda vidente la seda de la seda de la seda de la seda (a la seda de la seda (a la seda de la seda (a la seda (a

management units would be treated similarly under the preferred alternative. Seventeen tracks in the Seaver Creek Kanagasera Unit, 13 tracts in the Que Mills Management Unit would be retained in public ownership. Deanty-six tracts in the Beaver Creek unit, 14 tracts in the Lander Slope unit, and 60 tracts in the Gas Hills unit would be considered for disposal through male or exchange (modified Alternative C). Recreetion and public purpose peterin and public purpose perents in all three units would be issued on a case-by-case basis (Albertative A). The units would be open for major utility systems, with the exception of the Openon/Mormon Trail COCTION, Sweetweeter Compon and the Sweetweeter Rocks in the Seaver Creek Management the Seaver Creek Management Unit, and the Oregon/Moznon Trail corridor and the Seedwater Rocks in the Gas Mills Management Unit, all of which would generally be avoided by major utilities. The mountain alopes in the Lander Slove Paragossars Unit would be avoided for major utility systems and the lowlands mear U.S. Highesy 28 and 789 in the unit could be considered for major utility systems (modified Alternative Al. Rights-of-way in the svoidence areas may only be granted when no feasibly designated right-of-way corridor is available. Utility systems in the Linder Slope, Beaver Creek and Gas II is unite would be concentrated in existing corridors whenever possible.

TABLE 2+2

Alternative A Alternative B

Alternative C

Preferred Alternative

The predicted Albertantive for the his Price the Burn Fine for the Burn Fine throughout that it is most fined at Albertantive Co. Price Seads would be indicated for the sead of the constituted of the constituted for small be considered for securing to effect the vigoring does not Piel. Department or the U.S. Jish next will fall file Secrices. If the treates would be used for range, become from any fine control on any participation of the process from any participation of the process from any participation programs would be fassed on a consety-case business that majority would be resided for Licourthy systems cutting systems.

District projection of alternative for the Disord in profession of the Disord in considerate for disposal, professibly through eachings least face Juleanous will consider the Juleanous will consider the Juleanous will clearly a second of the clearly of the Disord in clearly of the Disord in procession of the properties of the profession of the profession of the least section of the profession of the least section of the profession of the least section of the profession of the profession of the least section of the profession of prof

The parts and alternation for the Paints and alternation for the Paints provided the Paints and Pai

the petitional alternative for the Early to the Early for the Early for

Alternative A

Alternative 8

Alternative C

Preferred Alternative

Proposals for disposal or exchange received in the future would be creat-deteid on a non-ty-case basis, or a given proposal were theremined in be creatiment with the respectives of this BBP, it would be approved without preparing a planning smendment.

V. Brocket (on Margormere

Under Alternative A, an apportal excreasion management actions would be underhaben in the Lander Slope, Red Cargen, Bast Peks, Dabods Badlands, Wolsky Reumanin, or Dabods Area management under a

in the consisting units, measuring units, measurement would be discussed as the melineaument of existing occupational factities. These forduse existing comparation in the Great House was a single leaker through the comparation and plants after the Great Household and th

mediatedly, and barries from mediatedly, and the mediated mediated by the medi

winers extrictles from December 19 Meet, and ISIX sound for Special properties of the Meet and ISIX sound for Special properties on the Isix sound for Special properties on the Isix sound for Isix sound for

Union cold a Bernactive, training procreational factificials swald be montrained in the Swah Base, Goson Mourantin, Beaver Creak, and Oas Stille management unites as described union. Alternative A, and no rether special procreation management antices swald be undertaken in any management union accepts deem from the accept deem from the accept deem from and find tangen.

In the Green recursion.

Nanoperson Lieft, the names of commercial hunting capps insuld be littled, hunting capps insuld be littled, hunting capps insuld be littled, hunting output for excellent after the capped large externation and creditation when appropriate large externation of distanced areas much constitution, while the discreted areas much minimizated; and management whild be discreted at maximizing and management while the discreted at maximizing and management.

In the Red Canyon unit, no crymercial hunting camps would be allowed. Alternative A is not on preferred absences in Ellis, part and a second a second as se

Accommendation of the Administration of the Section of the Section

Mooth South mass unity management would be directed anterparent would be directed outside the management would be directed outside pumpassade, inherential steep, and the num (n. open space) that would be developed in this unit, extering hearing to pen shares steep to wold be developed in this unit, extering hearing south of the unity hearing hearing to pen shares, which yould be femond, and cooks would not be uppraided.

Interpretive displays would be developed for Beshody Nidge and Miner's Delight in the South Hess unit and for the Red Owner National Netwook Landmark in the Red Cangon unit,

Alternative C would be the Persécretal Mocretal vision the Grown Noutrain Paragement lists. The nation of commercial hunting cargo would be listingly instance to public safety (route, pitz, etc.) would be elistinated and reclaimely anotheric values would be enhanced through real state for, of disturbed around produced including and management would be discreted at macratizing a healthy, diverse forcets.

TMCE 2-2

Alternative A

VI. Off-Road Vehicles (ORVs)

orist would be allowed with contrain near-victorium and it invarigance under the contrain near-victorium of all invarigance under to the Gooden houseaster, lunder sloppe, and lead Campon nemaperation under the contraints, veneralized the facility of the contraints of the contraints of the coloned to contrain the coloned to treatful from bootenier to close to treatful from bootenier to allow under victorium and the component of the component of the contraints of the component of

Vehicular traffic would be limited to extend process and vehicle contact on the beaver Creek and South Paus meagement units, On the Cas Silving South Paus South Paus

Alternative 3

Alternative C

ative C Preferred Alternative

All processors will be sound by a property some ONE of the competition of the competition

On the Wintersey Mountain Management Links, ONN ware would be Institude to destinated to destinated roades and vehicle courses with reasonal coad closuress. Seasonal classificasould be used in some acrossorber areas would be closed all years, and some second sould ceretin open for visatina bridger aleess.

limited to existing costs and webicle costs.

gene out one would be permitted in all management unities. On the Green popularies and management unities, by the Green management unities, vertically reaction would be restricted to designated rousie and weighter course. These unities to closed to reaffice from becomes to June, with the exception of expossible reaffice in the Demit managing units.

don traffic would be limited to existing roads and traffs on the Seaver Creek, lander slope, South Peas, the Hills, and Heart Pork management units. The charle Garden cook sutropps shall be cloud to DNW use in the Gas Hills Nanagement Unit.

The Dubois Badlands, Whiskey Mountain, and Dubois Area management units would have one use incited to destymated coals and trails. The Dubois Badland unit would be closed to dity use from December 1 to April

All assignment unities would reported more offer the motion's insulational more of the motion insulation of the motion insulation of the motion insulation of the common security of th

ORV use would be limited to extering coads and verticle routes or the Beaver Creek, South Base, Oss Hells, Batel Fork, and Dantel Area management entite. In addition, ORV use would not be positived on the Gazile Carden outcope in the Gaz Hells Management Driv.

On the Miniaky Mountain Menagement Unit, ONV une would be Isabad to designated consist and vehicle course with seasonal conditionates. Seasonal closures would be used in some arosay other arosa would be closed all year, and some arosa would premain open for viewing before whence it was not consistent and control of the country of the

No special emphasis beyond

VII. Cultural/Natural History

the special relationship of the consider between the Claim Sward between the C

A minespense plan for the Seath Heas Historic Mining area, in the Seath Heas Newspenser trit, sould be witten to include fencing and preservation of information action. In addition, store would be purcolled to decrease workstim, and all lead use on panic lands would only to the Seatonial zoning in species 20 secretal zoning in species 20 secretal Seath Heas species 20 secretal Seath Head species 20 secretal species species 20 secretal species 20 secretal species species 20 secretal species s No special management actions sould be taken on the Green Hourisin, lander slope, Bast Pork, Dubo's Hourisin menagement utits.

On the Beaver Chank
Measurers Chit,
maportations would be
undertaken with the
landoners on socialists of
property as the Secret Resh
historical rites and
designation and encolument
of the Secret Check National
Normal Landoners (Sect) would
be purposed with the National
parks Services.

Recommendations for the Red Canyon Nanagement Units would affect done indured indexory greatures, the Wed Canyon Destigated Med. It would be recommended that the encorated and appearance between MCX and the Wounding One and Files to provide would come fines to provide would come fi

A menagement plan for the

bouth has leferace forming area, in the South has a feware forming area, in the South has harpy more first, would be written. This plan sould be supported to the south of the

to appelal measurement actions used for taken on Green Neutralia, funder slipe, later Revi, barola hallanda, feltolog Neutralia, funder slipe, later Revi, barola hallanda, feltolog Neutralia, elitolog Neutralia, elitolog Neutralia, elitolog Neutralia, elitolog Neutralia, elitolog Neutralia, elitolog Neutralia contra encoperaria traina valida de coorrieren victo tra deceganificaria victo traina contra elitologia del contra del production del production del contra del production del

A mesugement plans for the proposed South plan text local hospitates Resident Distriction, and the second section of the second section of the section of the second section of the sectio

interpretation of the site.

practices for protection and naintenance of cultural/natural history recources would be taken on the Green Mournain, Lander Slope, Nast Fork, Outsin Sectlands, and Whistory Mountain management units. Two cultural resources and one important natural history resource would be affected in the Barver Creek Management Unit. The two recommendations for cultural magazines are to peopliate with the landowner on acquisition of property at the Burnt Warch historical mite and to pursue National Natural Landmark (NNL) designation and enrollmonk of the Benwer Creek proposed NNL in conjunction with the sectional Park Service. In addiction, all actions would be consistent with the Oregon/Normon Trail Monagement Plan. Th recommendations would provide for long-term protection and maintenance of highly important Nectoral Sentator eligible trail resources and protection of natural Values at Beaver St

Proservation of the Med Gargon National Natural Landmark would continue by BUR and by valuratary effocts of private Landonness sho have signed preservation agreements.

A management plat would be written for the Bouth Fissa Missoric Mining area in the bouch Pass Management Unit. This plan would include recommendations for protection of all significent historical altes significent historical

THREE 2-2

Alternative A

Alternative B
All actions on the Cas Bills
Menagement Unit would be
consistent with the

Oregon, Normon Trail Management Plan. A

management plan would be written for the Castle

Cardens rock art and planta

walkways to retard ecosion and building fences to protect the pack art.

A management plan would be written for the Warm Spring Chayon area in the Dubots

Arms Management Unit . This plan would be written following a stabilization feasibility study for the Alternative C

preferred Alternative

fending, chamical trewboard of wood, recordation of sites, and curation of sunstitive resources on an would be patrolled to decrease vandalism, and all land use on public lands would conform with historical soring in section 20 around South Paus City. In addition, limited test exceverion would be conducted and site interpretation enco Miner's belight townsite, These recommendations would provide accelerated of all styreftoars; historical sites located within the South Peas Conformance with a local nistogrical zoning ordinance around South Pass City by BIR would avoid advecte impact to this National Register Historical Site. Ministed test excurations within Miner's Delight towarte would Eactlitate interpretation of the site inherpretation of the sti for public benefit. All actions on the Gas Hilm Management Unit would be consistent with the Grayon/Mormon Trail Management Plan. A management plan would be written for the Gastle Cardens rock art and pictic area. This plan would to recard eracion and building fences to protect the rock act. These recommedations would continue long-etanding past efforts of BIM to preserve and encourage public enjoyment of the Opegon/Mormon Trail and minimize deterioration of a regionally significant presistoric rock-ort site. The Dabois Area Management Onthe sould have a pagagegory following a stabilization feasibility study for the Mazza Springs Canyon flume.

VIII. Pire Management

In all management units, full suppression would be recommended with no specific captioners of fire-fighting restrictions. Prescribed nums would be allowed.

In all mesopeans curies, but appression with the of language of the curies of mostly applicant, which is easily applicant, outputs, and the curies of the curies of optimizer, which be used after the lattice of the curies of depart on the sample fire analysis. The objective should be to implement an appressive lattice analysis, one of the curies of the curies of the curies of appressive lattice and curies of appressive lattice as a quickly as pasting, with as

little auction disturbance

Limited suppression would be remonstrated in all menagement units, specific suppression sections would be included in a limited suppression sould be included in a limited suppression would occur when the fire suppression would occur when the fire supposition in the plan, or theoremed private property, other men-sade structures, and/or human life. Prescribed burns would be reventing and the plan, or the structure suppression of the plan or the pla

Pail or instead suppression sould be recommended in all sould be recommended in all sould be recommended in all sould be recommended by the suppression of the suppre

These recommendations would begin the process of protecting the important cultural and natural history resources of the Wern Springs Chryon from natural weathering and minor wardalism.

TABLE 2-2

Alternative A

Alternative 8

Alternative C

Professed Alternative

Pire suppression actions on the One Hills Nemegeneric init would be determined by the occurrence of fires in specific suppression zones. Buch zone and the corresponding suppression monaures are as follows (see rap 5-25 in Chapter VI:

here it. Fall apprention with little size of heavy opposite would be continued to the continued of the conti

boroal appression seals be represented to the commentation seals be represented for this some, specific appression specific appression plant appression plant appression plant appression plant appression plant appression plant appression and concept for all appression and concept for all appression and appression appreciately observations, and/or harden appreciations, and appreciations, and/or harden appreciations, and/or harden appreciations, and appreciations are appreciations, and/or harden appreciations, and appreciations are appreciations and appreciations are appreciations and appreciations are appreciations and appreciations are appreciated and appreciation and appreciation and appreciation appreciation and appreciation appreciation appreciation and appreciation appreciation and appreciation appreciation and appreciation appreciation and appreciation appreciation appreciation and appreciation ap

time b. Rell approximation with littled use of many opportunities with littled use of many opportunities of the some many operations of many operations of many operations. After the control, resecting on the beauty operation of the some many operations o

Fire suppression actions on the harver Crock Nanogement that would be determined by the occurrence of fire in suppression zones. Duch some and its corresponding suppression measures follow (see map 5-16 in Chapter V).

born 1. PLLL supposession with lifetime due of heavy explanation should be explanated as and the properties of the properties. If the first first was the examples would be used to suit be before properties of the properties of t

DOLE 2-2

		600 4-1	
Alternative A	Alternative B	Albernative C	Profesred Alternative
			Some 2. Limited exponential social for excursive for this more. Specific exponential for this more. Specific exponential actions exalt to include in a limited plain. Suppression would course when the fire exceeded or had the potential to exceed the alta specifical in the plans timestern private property or other nan-water structures, and/or trains 150.
			Zone 3. Limited suppression would also be recommended for this zone (see zone 2).
			full suppression with no specific cycligater or fur-ed-giate in certificate fur-ed-giate in certificate fur-ed-giate in certificate in such such such such such such such such
IV., Access	The validation coad	Under this alternative, the	Alternative A is the
The existing transportation system would be maintained in all management units.	transponds for system would be maintained for all management units in the same manner as Albertantive A. In addition, asymptomora would be infiliated with private landswers to obtain elements for public access on reads in the following.	these this alternative, one selecting transportation system would be maintained to all management units on a described under Albertative A.	preferred alberontive for the Red Caryon, Booth Hose, bear Pork, Debois Bedlards, and Wilseny Mouran's renegement units. Under the Preferred Alberontive, the existing transportantom system sould be maintained in those units.
	management units: 1. Green Mountain		Alternative & is the
	a) Willow Creek Broot		Preferred Alternative in the Green Mountain, Teawer
	Willow Creek Road Crooks Mountain Road		Crook, Lander Slope, Gks
	c) Taggert Meadow Road		Hills, and Dubois Area massgement units.
	2. Reaver Creek		negotiations would be intristed with private
	a) Bast Beaver Creek Road		landowners to obtain
	b) Twin Creek Road		easements on roads in these
	c) Government Draw Road		management units as follows:
	dl Signor Ridge Road		1. Green Mountain
	 e) Hadson-Wilanzic City Road f) Beaver Rin Road 		a) Willow Creek Road
	 f) Heaver Rin Road g) Wolf Gap Road 		a) Willow Creek Host o) Crooks Hountain Road
	h) Reef Osp Road		
	() Dilabaugh Butte Road		c) Taggert Needow Road
	3. Lander Slope		2. Seaver Creak
	3. Lander Stope		2. Seaver Creek a) Bast Seaver Creek Road
	Mormon Basin Road		2. Desver Creek a) Bast beaver Creek Poad b) Takin Creek Road c) Downsment Desv Road
			Beaver Creek Bast beaver Creek Raid Win Creek Road
	Mormon Basin Road		2. Beaver Creek Raid a) Tast Seaver Creek Raid b) Tast Seaver Creek Raid c) Obverseent Seas Raid d) Signor Ridge Raid e) Hiddon-Nilmattic City Sood f) Seaver Rim Raid
	Mocroon Basin Road 4. Gas Mills		Beaver Creek Bast Beaver Creek Raid Shin Creek Raid Concernment Date Raid Signor Kidye Raid Bignor Kidye Raid Beaver Rain Raid Beaver Rain Raid Beat Raid Beaver Rain Raid Beat Raid
	Mornon Basin Road 4. Gas Wills Copper Mountain Road		Beaver Creek Back Beaver Creek Road Back Beaver Creek Road Covernment Steal Road Bignor Ridge Road Bignor Ridge Road Bider Road

3. Lander Slope Hopmon Basin Road Oxoner Mountain Road Tapper Creek Rolld

TABLE 2-3

SOMMERY OF MANAGEMENT ACTIONS AND ENVIRONMENTAL CONSEQUENCES BY ALTERNATIVE

Alternative A Alternative 8 Alternative C Preferred Alternative

I. Energy and Minerals

a) (N1 and Oc

The following acrossy figures indicate the approximate acrossy of the test, federal afractal entered, eather by alternative within the reasons across that would be; if leads to roll and again leading, replacement and development, if cleant to roll and against any experience and development, if the period not be recovered as the would be open to leaving within a re-surface comparies (900) remitted by 4 the period of the result to open to leaving within a re-surface comparies (900) remitted by 4 the period of the green that would be open to leaving with associal remitted rough as open comparing within the off-leaving source period by each of the period of the green that would be open to leaving with associal remitted rough as only comparing comparing within the off-leaving source period of the period period period of the period by the period of the period peri

	actually community	
Open to leasing	2,421,800	Ope
NSO restriction	65,000	NSO
Seasonal		Sea
restriction*	665,000	160
Closed to		Clo
leasing**	79,000	100
Wildemess Study	Areas*** 48,000	165.1
		2.0

Quen to leasing 2,499,000
NSD restriction* 99,000
Seasonal restriction* 732,000
Closed to leasing 1,000
Wilderness Study Ateas 48,000

 Open to leasing 2,480,000 NSO restriction* 171,000 Seasonal restriction 566,000 Closed to leasing -0-Wildenses Study Areas 48,000 Wildenses 6,000

todar this alternative, numegeneral of the oil and gas intereal series would our fine as it is today. This alternative does not powerful for protection against powerful distingue of the federal oil and gas reserves in the Base Buck Stangeners their. In addition, examination of the oil control of the oil of the oil

of the area.

this alternative maxinities the area open to oil and gas learning as does Alternative C, but does not offer the leavinity as the colour the anount of restriction imposed upon exploration and development operations that is offered by Alternative C aim the preferred alternative. Under this alternative, as the rating for the potential occurrence of oil and cas elevates from low, to moderate, to high, the restrictions that would be sen has the even heaveniexploration and development operations would decrease to the point that only those restrictions necessary to protect threatened and endangered plant and animal species or nationally significant cultural resources would be imposed upon exploration and development operations in areas of high potential for oil and das

Under this alternative, all but three management un Whiskey Mountain, Dubois Badlands, and East Fork would be nameged similarly to Alternative C. Whereby, as the rating for the potential occurrence of oil and cas elevates from moderate to high, only those seasonal and no-surface occupancy restrictions necessary to protect significant resource values would be imposed on emploration and development operations. In addition, either upon showing by the operator or upon determination by the BLM that the adverse effects to other significant resources can be adequately mitigated, by acceptable plans of development, leave restrictions designed to protect those resources can be waived by the BLM. Under this alternative, oil and gas leases issued in the Bast Pork and Whiskey Mountain management units would include no-surface-occupancy restrictions.

this alternative allows for the nour management. Electivity in terms of enhancement of specific programs or resources based on this respective potential or significances. As the potential increases, or decreases, the management actions can be modified to enhance or de-exphasize management for that resources.

[•] The co-wifes occasiony and seasonal restriction across (figures are estimate that we feel depict the maximum canego that could potentially be affected due to specify for measurem carries delineared in each alternative. We manifest of the Soft corresponding occasion of the manifest of the soft country of specific across of the manifest of specific country of the season of t

^{**} This does not include the area encompassed by current WSAs on the areas proposed for wilderness designation.

^{***} Depicts the approximate sormage within the Wildermans Study areas that would be managed under the interim management guidelines for WSAs until final determinations are made regarding wildermeas designation.

TABLE 2-3 (Continued)

Alternative A Alternative B Alternative C Preferred Alternative

Locatable Minerals

The following screege figures indicate the approximate accessed of the total feeleds interest evantee by alternative, within the resource area than valid by a 10 gent to appropriate from under the intering laws, 20 withinform from appropriate mountee the intering laws of the intering laws of the intering laws where an operator would be equited to file a plan of operations of earlier elegated to addition additional accordance to the contract of the interior laws where an operator would be equited to file a plan of operations for all seploration additions and within the company of the interior laws where the interior laws where the interior laws where the interior laws where the interior laws and the interior laws are the interior laws and the interior laws and the interior laws are the interior laws are

Open to		Open to		Open to		Open to	
appropriation Plan of Operation	2,487,000	appropriation Plan of	2,372,000	appropriation Plan of	2,499,200	appropriations Plan of	2,480,000
required Withdrawn* Wilderness Study	2,000 13,000	Operation required* Withdrawn Wilderness Study	45,000 128,000	Operation required Withdrawn Wilderness Study	15,000 1,000	Operation required Withdrawn Wilderness Study	110,000 28,000
Aceas**	48,000	Areas	48,000	Areas	48,000	Areas Wilderness	48,000 6,000
		The accease estimate area affected by the requirement of a ple operations is the as we feel could potent affected.	n of eximum area	This alternative of naximum opportunity locatable mineral et and development ope within the resource	for splorerion rations	The acreage estinat area affected by th requirement of a pl operations is the a we believe could po be affected. This figure should be re the areas within th Canyon and Lander S Yanagement units, a	se an of sectan area centially acreage shood when se Red thope

- * The acresses in this category do not include Wilderness Study Areas or the one area processed for wilderness designation,
- ** This depicts the approximate across that would be managed under the interim management quidelines for MSNs until final wilderness designation.
- a) Shambara

No new prospecting, exploration and development, or leasing would be allowed. Same as Alternative A.

The entire resource area would be open for prospecting, exploration and development, and leasing. Modified Alternative C. The enrice resource area would be open for prospecting, exploration and development, and leasing with the standard protective measures for surface-disturbing activities (see Assemble 21.

areas needing this level of protection are further defined during implementation of this

II. Fish and Wildlife

Fish and wildlife habitats in five management units, totaling approximately 90,000 acres, are fully protected from the impacts of oil and gas exploration, development and production. Habitat in five management units totaling approximately 2,674,000 acres are open to oil and gas operations except for streams. riparian areas, steep slopes and about 53,000 acres of other important habitats protected by no-surface occupancy restrictions. Raptors, sage grouse and big game are protected during critical periods by seasonal restrictions.

Plain and widdlife hashborn in term measurements, about 2,764,000 acres, would be saighert to inpente of cit and gas exploration, development and production except for streams, ripartian areas, steep areas and about 76,000 acres of other important hashborn protected by no-surface company restrictions would protect papers, and production of the second restrictions would protect papers, see grouse meeting and big gaing during ignang during in

critical periods.

Fish and wildlife habitate in ten management units would be subject to the impacts of oil and cas exploration. development and production. In six management areas, totaling approximately 105,000 acres, streams, riparian areas, steep areas and about 5,800 acres of other important habitats would be protected by no-surface occupancy restrictions. Raptors, sage groupe perting and big cane sould be protected during critical periods by seasonal restrictions. Four management units totaling approximately 2,659,000 acres are open to oil and gas exploration and development except for streams, riparian apeas, sage grouse breeding and nesting areas, raptor nest sites, callying areas and big game winter ranges. Protection afforded by no-surface occupancy and seasonal restrictions, would be significantly reduced on about 453,000 acres with high oil and gas potermial.

Fish and wildlife habitat in the Whiskey Mountain and Bast Fork Management Units, about 20,485 acres, untild be fully protected from the impacts of oil and gas exploration, development and production. Habitat in four management units, totaling approximately 83,000 acres, would be open to oil and gas operations except for streams, riparian areas, acros of other important babinata protected by no-surface occupancy restrictions. Raptors, sage grouse and big game in these units would be protected during critical periods by seasonal restrictions. four other management units. in habitate totaling about 2,640,000 acres, protection of streets, riparias areas, sano grouse breeding and nesting areas, raptor nests, elk calving areas and big game winter ranges, afforded by no-surface occupancy and seasonal restrictions, could be significantly reduced on about 453,000 acres of high oil and gas potential.

TABLE 2-3 (Continued)

Alternative A

Fish and widdle habitans in all management unit are subject to the effects of locatable mineral exploration and development with the exception of about 10,000 acres presently under supresently under supresently under subjects of sink and wildlife program management and improvement plans will progress in the areas. Justice Accordant management will that the habitant improvement will differ buildlife programment of these acress.

Alternative B

Fish and Middle National in six managemen eners, totaling approximately 105,000 across, wall be fully protected from the impacts of icontable integal explosation and development. Habitate in four management units, totaling about 2,659,000 across, would be subject to the effocts of locatable mineral explosation and development with the exception of about 12,000 withdrawnia.

Alternative C

Pish and whidilfe habitat on about 53,000 acres in the Lander Slope and Red Guryon Management Units would be subject to effects of phosphate prospecting and mining operations.

Preferred Alternative

Fish and wildlife habitat in the lander Slope and Rad Chryon Management Units would be protected from the adverse affects of phosphate prospecting or development operations except for operations on existing, valid

Fish and wildlife habitat nanagement would be emphasized and receive objective oriented management through habitat nanagement plans or other activity plans, cooperative nanagement agreements, etc. in Fish and wildlife habitat nanagement would be emphasized and receive objective oriented management plans or other activity plans, cooperative management agreements, etc. in nine areas. Prescribed fire could be used in all menagement areas. Fish and wildlife minitat overall would be more positively than regatively affected by this approach.

III. Popest Nanagement

Harvest of 1.3 MMBF of savtimber and 1.7 MMBF of firewood per year and management of 14,500 acres would enchance timber condition by salwaging dead timber killed in beelle coldence.

Intensive management of 15,000 acces (Green Mountain) would enchance resource base (200-300 acres disturbed annually).

Low-level management of 1,500 acros (South Pass and Dubois, 250 MBF per year) would maintain resource base in these areas.

No management on 4,600 acres in lander Slope would reduce resource base by continuing losses due to diseases and insects. Intensive management of 16,000 acres would enhance timber resource base.

Harwest of 12 MMSF per year would enhance resource by salvaging dead timber and increasing growth rate.

Could have potential negative effect on local industry by depleting resource too quickly.

Management of 1,500 acres of Lander Slope (300 acres per year) would enhance resource base. Intensive management of 18,000 acres of conifer and 1,500 acres of aspen would enhance resource base.

Yearly harvest of about 6 MMSF will significantly reduce resource loss to old age, disease and insects.

Intensive management of 13,000 acres on Green Mountain would enhance resource base by creating a diversely aged forest which will reduce greatly chances of future insect enidemics. Intermative management of 13,000 acres on Green Mountain under a compartment connects would enhance the resource base by salveging dead timber and increasing growth rates. This alternative would separate harvested areas to create unavenaged forest which will reduce charges of beetle exident.

Intensive management of 4,600 acres on lander Slope would containe resource base (300 acres of disturbance per year) by increasing growth rates and creating an unevenaged forest for enchancement of vildlife habitat and reduction of insect epidemic potential.

Intensive management of 3,000 acres at South Pass and Dubois would enhance resource base by increasing growth rates with ciltural work.

Yearly harvest of approximately 6.2 MMSF will reduce the resource loss from old age, disease and insects.

Intensive management of all forested areas include utilizing cultural treatments as mecassary to increase growth rates and sustain the allowable hervest volume.

V. Lands:

a) Landownership Adjustments

No impacts.

Potential sale or exchange of 22,546 acres (161 tracts.) Potential sale or exchange of 11,042 acres (101 tracts).

Retain 11,563 acres (63

		TABLE 2-3	(Continued)	
	Alternative A	Alternative B	Alternative C	Preferred Alternative
b)	Utility Systems			
The following resource menagement units about to open to major unitary experiences: 1. Open Potentain: 1. Open Potentain: 2. Seaver Crook 3. Red Daryon: 4. South Pass 5. Osa Hills 6. Dubois Bediends 7. McLikey Moureain 8. Dubois		The following resource management units would be open to major utility agetoms: 10 Goven Mountain 11 Boover Creek 31 Gas Hills 40 Maintager Yourcain 5) Disois	The following resource measurement units would be open to map or utility systems: 1) Green Mountain: 1) Beaver Creek 3) Isander Signe 4) Red Compren 5) Case Stile 7) Dubbie Bealande 7) Dubbie Bealande 7) Dubbie Bealande	The following resource ranagement units would be open to major utility systems: 1) Grown Haumiain 2) Dubie 3) Beaver Creek (with some avoidance areas] 4) Gas Mills (with some avoidance areas)
unit	following concurse management as sould be closed to major tity systems: tanks Slope mast Buck	the following resource management units would be closed to major utility systems: 1. Lander Slape 2. Red Canyon 3. South Pass 4. Basic Fork 5. Liboia Bedlards	The following resources consequence units would be closed for major whility systems: 1 South Pass 2 Bast Fork 3 Whiteley Wountain	the following resource management units would be seconded by major utility sections and Canyon 22 to the seconded section 22 to the seconded section 30 Lander Stope 44 Section Deep 51 Whiseley Mountain 61 East Fork
Elev woul	un recreation management areas d be managed to postect mation and scenic values. ROS VRM guidelines are provided.	Same impacts as Albernative $\lambda_{\rm s}$	Same impacts as Alternative A.	Would maintain recreation and nomic values on 3 special recreation management areas containing 51,440 acres and 7 extensive recreation management areas.
Recreation and visual resource minagement would generally be status quo. Seven developed sites would be maintained.		Additional interpretation is provided for the Oregon/Mormon Trail and Castle Cardens.	Provide a hazard reduction effort on Green Mountain. Allocate big game haming comps for Green Mountain, Lander Slope, Red Canyon, and Dibbis Areas.	Maintain 7 developed recreation sites. Provide additional interpretation for the Oregon/Mocmon Trail and
Land Mana Eron pros opes	e and wildlife habitat in the her Slope and Red Cangen spanner. Outse would be processed the affects of Physiquese specifying or development Suctions except for operations on Ring, wall'd leases.	Fish and willife believe in the lander Signs and Bed Congron Messagement that is would be protected from the affects of phosphase prospecting or devalopment operations eccept for operations eccept for operations ends.	Piss and wildlife babitats in all ten management units would be a seen and a seen a seen a seen a locatable mineral completion and development with the exception of about 600 acres around compounds and historical sites. Some impacts on habitat could be powhered as a result of mining 15.000 acres in the South Pass	Pish and wildlife habitat in the Muskey Mourain and Bast Park Manuspeners Units, Jour Park Manuspeners Units, Jour processed from the impacts of locabble mineral exploration and devolutions. Pish and wildlife habitat in cight other nanagement units, cotaining about 2,743,000 areas, are analyses to them.

Fish and wildlife habitat management is largely diffused throughout the resource area with four areas receiving program emphasis and objective oriented management (areas with activity plans, cooperative management agreements, etc., incorporating significant wildlife management objectives.)

Special fish and wildlife program management and improvement plans would be implemented or continued in five areas including a habitat management plan for bighorn sheep reintroduced in the Sweetwater Rocks. Porest/woodland management will actively incorporate wildlife habitat improvement in three areas.

Special fish and wildlife program management and improvement plans would be implemented or continued in eight areas. Forest/woodland ravagement will actively incorporate wildlife habitat improvement in six areas.

15,000 acres in the South Page Management Unit.

> Mining plan requirements on about 116,000 acres could reduce some of the potentially negative impacts on fish and wildlife habitats. Special fish and wildlife program management and improvement plans would be implemented or continued in eleven areas. Forest/Accolland management would actively incorporate wildlife habitat improvement in seven areas.

operations with the exception of about 4,900 acres which would be under withdrawal.

TABLE 2-3 (Continued)

	TABLE 2-3 (Continued)						
	Alternative A	Alternative B	Alternative C	Preferred Alternative			
neu du un nec fui fui	"read western secretarions the base which can be a five waymen until and relace vision in the support until and relace vision in the support of the control	of-each valuable material con- soull celars related though in all ten menagement units and relates without interaction of relates without interaction of units, wildlings, which can both reparts and posts with affect fairs and wildling affect fairs and wildling affect fairs and wildling interactions would be placed on the languagement must be placed on all rangements into their case circumstances. The properties we entruced a placed on the use of the placed on the place of the place of the place of the place of the place takes. Place of all Stoney Place.	of each which exercisions code-and which executions to close the test design in eight measurement units and reduce writted distinctions of wildlife transport to call incorporate instead appropriate units, whereas in all management units, whereas in all management units, whereas the control of the control	of two which continuous and two which colors are not consult of the analyses will of the analyses of the analy			
VI	off-Road Wehicles						
- 1	isting ORV designations would strame: 95,980 acres limited to signated roads and whiche routes	ORV designations would be completed for all undesignated sreas; - 4,330 acres limited to designated roads and webicle	Existing URV designations would be modified and the remaining area would be designated an follows: - 4,520 acres limited to	The entire resource area would be designated: - 100,310 acres limited to designated roads and vehicle routes (Green Mountain, Lander			
(G	rmen Mountain, Lander Slope, Red nyon).	mutes (Whiskey Mountain).	designated roads and wehicle routes (Dubois Badlands).	Slope, Red Canyon, Whiskey Mountain).			
	1,013,730 acres limited to sting made and vehicle routes.	 1,184,144 acres limited to existing roads and vehicle routes. 	 2,266,462 acres limited to existing roads and wehicle routes. 	 2,197,882 acres limited to existing roads and vehicle routes. 			
		 4,600 acres closed (Dubois Badlands, Castle Gardens). 	- 31,730 acres open (Whiskey Mountain, Dubois).	- 4,600 acres closed (Dubois Badlands, Castle Gardens).			
			- 80 acres closed (Castle Gardens).				
VI	I. Cultural/Natural History Program						
1) a)	Resources protected from: Oil and Gas Impacts (including no leasing and no-surface occupancy restrictions.						
- 3	l3 individual sites/2,930 acres	- 11 individual sites/4,320 acres	- 30 individual sites/4,945 acres	-11 individual sites/4,320 acres			
	Beaver Rin proposed N€E,/1,120 res	- Beaver Rim proposed NG/1,120 acres	- Beaver Rim proposed NNL/1,120 acres	- Beaver Rim proposed NRE/1,120 acres			
- 1	Red Curyon NNL/5,760 acres	- Red Canyon NNL/5,760 acres	- Red Canyon NAC./5,760 acres	- Red Caryon NNL/5,760 acres			
		- South Pass proposed National Register district/11,900 acres	- Oceann/Mocron Trail	- South Pass proposed National Register district/11,900 acres (subject to adjustment) - Oregon/Mormon Trail			
	Oregon/Mormon Trail rridor/26,950 acres	- Oregon/Normon Trail corridor/26,950 acres	- Oregon/Normon Trail corridor/approximately 26,950 acres	corridor/26,950 acres			

- Total:16 resources/36,760 acres

acres - Total: 33 resources/ 38,775 acres

- Total: 15 resources/50,050 acres

TABLE 2-3 (Continued)

Alternative A b) Incatable Minerals (including withdrawals, and special plan of operations requirements)	Alternative B	Alternative C	Preferred Alternative
- 15 individual sites/3,060 acres	- 12 individual sites/4,690	- 6 individual sites/2,280 acres	- 12 individual sites/4,690
	- Beaver Rim proposed NG_/1,120 acres	442.00	- Beaver Rim proposed
	- Red Carryon NNE,/5,760 acres		- Red Carryon NNI_/5,760 acres
	- South Pass proposed National Register district/11,900 acres	- South Pass proposed National Register district/11,900 acres	- South Pass proposed National Register district/11,900 acres
	- Oregon/Mormon Trail corridor/26,140 acres		- Oregon, Mormon Trail corridor/26,140 acres
- Total:15 resources/3,060 acres	- Total:16 resources/49,160 acres	- Total:7 resources/14,180 acres	- Total: 16 resources/49,160 acres
 Landownership Adjustments and Utility System Impacts (including utility system restrictions) 			
Parcels of Oregon/Mornon Trail/1,029 acres.	- Parcels of Oregon/Mormon Trail/1,029 acres		- 7 individual sites/2,840 acres - Parcels of Openon/Mormon
	- Red Canyon NNL/5,760 acres		Trail/869 acres - Had Canyon NNL/5,760 acres - Oregon/Normon Trail corridor/26,950 acres
	- South Pass proposed National Register district/11,900 acres	- South Pass proposed National Register district/11,900 acres	- South Pass proposed National Register district/11,900 acres (subject to adjustment)
- Total:1 resource/1,029 acres	- Total:3 resources/18,689 acres	- Total:1 resource/11,900 acres	- Total: 11 resources/48,319 acres
 d) Phosphates (including closures) 			
- Red Caryon NNL/5,760 acres	- Red Canyon NNL/5,760 acres		- Red Canyon NAE,/5,760 acres
- Total:1 resource/5,760 acres	- Total:1 resource/5,760 acres	- Total:0 resources/0 acres	- Total: 1 resource/5,760 acres
 Resources Overed by Special Chitural/Netural History Program Protection Pessaures (includes special protective agreements, management plans, physical measures, studies, acquisitions, etc.) 			
- 8 individual sites, the Oregon/Mormon Trail, Red Canyon NCL, and South Ross National Register district.	- 10 individual sites, the Oregon/Mosmon Trail, Red Caryon Nell, South Pass proposed Nell, South Pass district, and Beaver Rim proposed Nell.	- 8 individual sites, the Oragon/Morron Trail, Red Gayon NNL, and the South Ress proposed National Register Mining District.	- 10 individual sites, the Oregon/Mormon Teal, Red Caryon NEL, South Peas proposed National Register district, and Beaver Rin proposed NEL
-Total:11 resources	- Total:14 resources	- Total:11 resources	- Total: 14 resources
VIII. Pire Management			
Pull suppression of wildfires with no heavy equipment restrictions on 100% of public lands in LRA would provide protection of all resource values from fire damage. Unrestricted heavy equipment use in	Pull suppression of wildfire with limited use of beavy ground equipment after initial strack on 10% of public lands would provide protection for all resource values while reducing potential	Limited suppression of whildfires on all areas would enhance wildlife habitat, range, recreation and forestry values in some aceas. However, it would increase the potential for excessive	Full suppression of wildfires with no heavy equipment restrictions on 40 of public lands would provide maximum prosection for high walks resources and man-made improvements.
some high resource value areas would cause undue environmental damages.	environmental damages by fire-fighting equipment.	resource damage in some areas. Limited suppression on certain	Full suppression of wildfires with limited heavy equipment

48

Prescribed fires in some areas

would enhance wildlife habitat, range, recreation and forestry conditions.

Prescribed fires in certain areas would enhance wildlife hebitat, range, recreation, and forestry conditions. limited suppression on certain areas would increase potential for damage to man-made

improvements.

Full suppression of wildfires with limited heavy equipment use after initial attack on 50% of public lands would provide/maximum protection of high value resolutous and man-made improvements and also

Alternatives Including the Preferred Alternative

TABLE 2-3 (Continued)

Altemative A	Alternative 3	Alternative C	Preferred Alternative
		Prescribed fires in certain areas voild #applewer. burefts achieved by listed appression of wildfires.	reduce the potential for end commercal damage by fits-ellegit gasquares. Limited suppression of whiches on 400 of public lands would enterone widdlife hebitaty sungle endersone widdlife hebitaty tungs and occreation values in twice areas. Prescribed fires in certain droad would enhance resource values when encodedly.
Dt. Access			
No easements would be negotiated. Areas of limited access would continue to be inaccessible for nanegement and public use.	Negotiations for 12 easements will provide public access and menogenent where such use is restricted by mixed land ownership.	Same impacts as Albernative A.	Access easements would be sought as directed by the District Transportation Plan- As of 1985, the plan identifies twelve easements would be necessited in enhance
X. Wilderness			access to public lands for management and public access.
48,000 acres in six MSAs.	Same impacts as Alternative λ_{\bullet}	Same impacts as Alternative $\lambda_{\scriptscriptstyle A}$	One WSA recommended for vildecress designation - 6,000
Zero acres would be designated.			acres.
XI. Grazing Management:			
With the exception of the management actions described in the Cazing Supplement, more of the alternatives would chause significant impacts to livestock grazing. Cumulative impacts for livestock grazing are located on the following table.			Same impacts as Alternative A.

TABLE 2-4

COMPARISON OF CUMULATIVE IMPACTS FOR THE PROPOSED ACTION FOR GRAZING MANAGEMENT¹

Short Term

Short-term increases in sedimen-

tation would be expected if vege-

tative manipulation projects were

undertaken. Projects have been

In the worst case, sedimentation

increases could occur on 17,000

the best case, there would be no

tion projects were feasible. In

increase in sedimentation.

expected.

acres where vegetative manipula-

proposed on 26 allotments.

I. SOILS AND WATERSHED A. Green Mountain

B. Gas Hills

II. VEGETATION

Grazing EIS Area

Grazing EIS Area

Long Term

Expected impacts would be

allotments (1,181,600 acres).

Impacts on M and C allotments

(600,000 acres) would remain

unchanged within acceptable

neutral on C allotments

to beneficial on M and I

limits. On I allotments

(400,000 acres), general

improvement would be

(12,000 acres) and neutral

ш.	VEGETATION		
	Green Mountain Grazing EIS Area	In the short term, vegetative production would continue at present levels. There could be some decline in condition of riparian areas before implementa- tion of riparian areas.	Overall, long-term impacts would be neutral on C allot- ments (12,000 acres) and beneficial on M and I allot- ments (1,181,600).
	B. Gas Hills Grazing EIS Area	On M allotments (540,000 ecres), conditions would remain unchanged. C allotment (60,000 acres) areas in declining condition would continue to decline, and I allotment (400,000 acres) areas in declining condition would continue to decline until management actions were implemented. expected.	On M allotments (540,000 acres), conditions would remain unchanged. C allotment (60,000 acres) areas in unsatisfactory condition would remain unchanged. On I allotments (400,000 acres), improvement in overall vegetative conditions could be
III.	SOCIOECONOMICS A. Green Mountain Grazing EIS Area	On I allotments, impacts to individual livestock operator revenues would be detrimental in the short term. On M and C allotments, impacts would be neutral.	Impacts would be neutral on M and C allotment operators. Impacts would be beneficial on I allotments in the long term.
	B. Gas Hills Grazing EIS Area	On M and C allotments, there would be essentially no impacts. On I allotments, there would generally be short-term reduction in revenue.	On M and C allotments, there would be essentially no impacts. On I allotments, overall impacts would be neutral to beneficial.
IV.	WILDLIFE		
	A. Green Mountain Grazing EIS Area	M and C allotment impacts would generally be neutral to beneficial. Habitat conditions would remain below potential on some riparian areas that were currently being overused. On I allotments, habitat conditions would remain below potential on areas that were being overused until management actions are implemented.	M and C allotment impacts would be neutral to beneficial; however, on some overused riparian areas, habitat condition would remain below potential. On I allotments, habitat conditions would generally improve. Nongame and small game would be expected to increase in abund-

TABLE 2-4 (Continued)

COMPARISON OF CUMULATIVE IMPACTS FOR THE PROPOSED ACTION FOR GRAZING MANAGEMENT¹

	Short Term	Long Term
		ance. Impacts on big game would be variable, but generally would be benficial if the suggested mitigative measures were followed.
B. Gas Hills Grazing EIS Area	On M allotments, short-term impacts would be negligible. On C and I allotments, areas of declining habitat condition would continue to decline.	On M allotments, habitat conditions are generally satisfactory, and no change is anticipated. On C allotments, areas that have been declining would continue to decline. On I allotments, impacts could vary, depending on the species and the proposed managemen action; however, this would generally be beneficial to wildlife, if suggested mittgative measures were followed.
V. FISHERIES A. Green Mountain Grazing EIS Area	No short-term impacts would be anticipated.	Category M and C allotment impacts would be largely neutral since a very small percentage (less than 2 percent) of the habitat fails within M and C allotments. Overall, impacts on I allotments would be positive due to new resevoir construction and improved streambank
B. Gas Hills GrazIng EIS Area	Short-term effects on fisheries would be neutral.	conditions in the long term. Approximately 5.5 miles of trout stream, with some degrer of livestock damage, occurs or public lands within the study area. Of this, approx- imately 3 miles occurs on M allotments. Little signif- icant improvements could be expected on this area with out a change in management. The remaining 2.5 miles occurring in I allotments would be expected to improve in John to the improvement in the available habitat could also be expected with construction of new stock-water reservoirs on lallotments.

Alternatives Including the Preferred Alternative

TABLE 2-4 (Continued)

COMPARISON OF CUMULATIVE IMPACTS FOR THE PROPOSED ACTION FOR GRAZING MANAGEMENT¹

	Short Term	Long Term
VI. WILD HORSES A. Green Mountain Grazing EIS Area	No short-term impacts would be anticipated.	In the interim, wild horse numbers would be adjusted downward from 1,400 head to 480 head. All herds that existed before 1971 would remain as viable breeding populations. Numbers would be adjusted in the long term, based on monitoring results.
B. Gas Hills Grazing EIS Area	There would be no impacts. There are no wild horses in the Gas Hills area.	
VII. CULTURAL A. Green Mountain Grazing EIS Area	Impacts due to erosion and tramp- ling would remain essentially unchanged, in the short term.	For M and C allotments, impacts would remain unchanged. On I allotments, beneficial impacts would result from slowed erosion rates.
B. Gas Hills Grazing EIS Area	No short-term impacts would be anticipated.	Management actions directed to improve or protect riparian areas could be beneficial to cultural resources.
III. RECREATION		
A. Green Mountain Grazing EIS Area	No short-term impacts would be anticipated.	Impacts would be negligible to both the visual resources and recreational opportunities, if suggested mitigative measures were followed.
B. Gas Hills Grazing EIS Area	No short-term impacts would be anticipated.	Overall impacts on recreational opportunities and visual resources would be minimal, if suggested mitigative measures were followed. Some beneficial impacts to recreation would occur, if vegetative conditions improved in riparian areas under this alternative,

¹ See Livestock Grazing Supplement.

TABLE OF CONTENTS

CHAPTER III AFFECTED ENVIRONMENT

INTRODUCTION	57
ENERGY AND MINERALS	57
Geology	57
Oil and Gas	57
Coal	62
Phosphates	62
Uranium	68
Gold	68
Zeolites	70
Other Minerals	70
SOILS, WATER AND AIR QUALITY	70
Physiography, Relief and Drainage	70
Soil Erosion	72
Watershed	73
Water Quantity and Quality	76
Water Quantity	76
Water Quality	76
Water Rights	76
Air Quality	77
FISH AND WILDLIFE	78
Fish	78
Introduction	78
Streams	79
Reservoirs	79
Summary	83
Wildlife	83
Introduction	83
Wildlife Habitat	93
Big Game Animals	96
Flk	109
Bighorn Sheep	113
Deer	114
Pronghorn Antelope	114
Moose	114
Upland Game Birds	114
Sage Grouse	114
Chukar Partridge	115
Hungarian Partridge	115
Blue and Ruffed Grouse	. 116
Raptors	. 110
Waterfowl and Shorebirds	. 110
Threatened and Endangered Species	. 11

Table of Contents

Plack footed Forret	
Black-footed Ferret	
Peregrine Falcon	
Bald Eagle	
Grizzly Bear	
Gray Wolf	118
Furbearers, Predators and Trophy Game Animals	118
Beaver	
Black Bear	118
Mountain Lion	
FOREST MANAGEMENT	119
Introduction	119
Timber Quantities	119
Green Mountain Management Unit	
Lander Slope Management Unit	
South Pass Management Unit	
Dubois Area Management Unit	
Sand Butte	
Ramshorn Basin	
Warm Spring Canyon	
Sustained Yield	
Green Mountain Management Unit	
	121
Lander Slope and South Pass Management Units	
Dubois Area Management Unit	
Timber Condition	
Green Mountain Management Unit	
Lander Slope Management Unit	
South Pass Management Unit	
Dubois Area Management Unit	
Timber Demand	
Green Mountain Management Unit	125
Lander Slope Management Unit	
South Pass Management Unit	127
Dubois Area Management Unit	127
Access	127
Green Mountain Management Unit	127
Lander Slope Management Unit	129
South Pass Management Unit	129
Dubois Area Management Unit	129
Logging and Regeneration	129
Green Mountain Management Unit	129
Lander Slope Management Unit	
South Pass Management Unit	
Dubois Area Management Unit	
Fire	
Purpose of Burning Forested Rangelands	
Green Mountain Management Unit	
Lander Slope Management Unit	
South Pass Management Unit	
Dubois Area Management Unit	
RECREATION	

Table of Contents

Introduction	131
Big Game Hunting	133
Fishing	133
Streams	133
Reservoirs	133
Camping	135
Sight-seeing	135
Whiskey Mountain	137
Red Canyon	137
Dubois Badlands	137
Warm Spring Canyon	137
Beaver Rim	137
Castle Gardens	137
South Pass Historic Mining Area	137
Oregon/Mormon Pioneer National Historic Trail	138
Access	138
Recreation Opportunity Spectrum (ROS)	138
Visual Resources	138
DRV DESIGNATIONS	141
ACCESS	142
CULTURAL/NATURAL HISTORY RESOURCES	142
Introduction	
Resources Not Significantly Affected by the Management	
	142
Affected Resources	142
	144
	144
	144
	144
	145
	145
	147
	147
openie / medica Gantara: recourse / rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr	147
	147
The Mormon Pioneer National Historic Trail	
Important Oregon/Mormon Trail Sites in the Lander	
	152
	157
Countries and mining and a contribution of the countries	158
	161
riain opinig carryon matara, arrage, mane, and dey comment	161
	162
	162
	162
	164
	164
	164
	164
Lander	

Table of Contents

Dubois	166
Riverton 1	66
Regional Economic Baseline	67
Social Conditions	167
Minerals 1	167
	167
	168
Drilling Activity 1	168
	168
	168
	172
Phosphates	172
Bentonite	172
	174
	174
Visitor Use and Recreation	
	176
Wildlife	176
Timber nesources	177
Commercial Timber Sales	177
Post Pole and Firewood Sales	1//

CHAPTER III

AFFECTED ENVIRONMENT

INTRODUCTION

This chapter summarizes various physical, biological, and socioeconomic characteristics of the resource area that affect, or are affected by, resolution of the issues identified in Chapter 2. Much of the information contained in this chapter is extracted from the Lander Resource Area Management Situation Analysis (MSA), which is available for review at the Lander Resource Area office. The MSA includes more detailed material not duplicated in this RMP/EIS document, including a description of current management (summarized in this document in Chapter 2 in Alternative A and under Management Guidance Common to all Alternatives) and a discussion of the implications of current management. (For a summary of the affected environment by management units, see Chapter 5, Preferred Alternative and Rationale, and the Wilderness and Livestock Grazing supplements.)

ENERGY AND MINERALS

Geology

The Lander Resource Area lies within the regional geologic provinces of the Wyoming plains and Rocky Mountains. The geologic setting is one of basins, separated and surrounded by mountain ranges. The mountain ranges include the Owl Creek, Washakie, Absoraka, Wind River, Granite. and Rattlesnake. Basins include the Wind River, Great Divide and Green River. Igneous, metamorphic and sedimentary rocks of all geologic periods, except Silurian, are present and represent a time span from 3 billion years to the very recent-10,000 years before present. Sedimentary rocks within the Wind River Basin are approximately 30,000 feet thick at the deepest part. Paleozoic and Mesozoic foundations are exposed along the flanks of several anticlines throughout the resource area. Tertiary sediments cover most of the basin floors and frequently abut igneous rock exposures, as in the Granite Mountain area

Parallel to and basinward from the mountain uplifts, are smaller anticlinal uplifts from which oil and gas are produced. Many significant anticlines are unconformably covered with several hundred feet of younger, flat-lying sediments. Numerous faults of all variations are found in the Lander Resource Area. Overthrusting along major faults throughout the resource area represents good prospects for future oil and gas exploration.


There are several geologic features throughout the Lander Resource Area that are of special interest because of their unusual characteristics: the scenic Red Canvon National Natural I andmark located a few miles southeast of Lander and the picturesque badlands near Dubois. Lysite and Castle Gardens. The Beaver Rim escarpment located along the south border of the Wind River Basin and Table Mountain just south of Lander are remnants of several thousand feet of sedimentary rocks that once filled the Wind River Basin, The Sweetwater Canvon, Devil's Gate and Wind River Canyon are outstanding examples of how rivers have cut through mountain ranges while the ranges were being formed and how basin erosion has occurred. There are outstanding glacial features in the Dubois area along the north flank of the Wind River range.

Paleontological resources have been found throughout the entire resource area, and the Wind River Formation contains vertebrate fossils of national significance. A wide variety of gemquality minerals can be found throughout the Lander Resource Area.

Oil and Gas

There are approximately 2.7 million acres of U.S. mineral estates within the Lander Resource Area. Nearly all of this acreage is available for oil and gas leasing, and approximately 70 percent, or 1.9 million acres, has been leased. About 5 percent (129,000 acres) of the total Lander Resource Area has been withdrawn or closed to leasing because of previous land-use decisions involving 81,000 acres and 48,000 acres of wilderness study areas.

Oil and gas are produced from 43 fields within the resource area (see map 3-1). These fields have accounted for over 130 million barrels of oil and



Oil and Gas Field

1.1 trillion cubic feet of natural gas since their discoveries. Approximately 3 percent of the oil and 13 percent of the gas produced in Wyoming have come from fields within the Lander Resource Area. Fremont County's market share of Wyoming's oil and natural gas production over the past 10 years has averaged 5 percent for oil and 16 percent for natural gas. In 1983, the county ranked eighth in oil production and second in natural gas production (DEPAD 1983). The oil and gas industry's share of property assessed for taxation in Fremont County for fiscal year 1984 was 73.42 percent, the eighth highest in the state (Petroleum Assoc. of Wyoming 1984). The leasing and development of federal minerals by the petroleum industry contribute very significantly to the employment and income of the population within the Lander Resource Area and the state.

The total number of applications for permit to drill (APDs) in the Lander Resource Area from 1979 through 1983 are shown on table 3-1. Also shown are the general areas where the permits have been authorized. For a 5-year average, the majority of the wells have been drilled in the Fuller Reservoir/Haybarn Hill fields, primarily as development wells. The next highest average is for the wildcat category. Drilling activity was highest in 1980 and decreased through 1983.

TABLE 3-1

NUMBER OF OIL AND GAS WELLS
PERMITTED IN LRA AND
PERCENTAGE BY GENERAL AREA

Number of Wells	Year					Average	
Permitted General Area	1979	1980	1981	1982	1983	5 Years	
Lysite, Lost Cabin Area	35%	32%	20%	10%	13%	22%	
Haybarn Hills, Fuller Reservoir	16%	18%	27%	57%	25%	28.6%	
In Field Drilling Beaver Creek, Big Sand Draw, Crooks Gap/Happy Springs	16%	37%	10%	8%	13%	16.8%	
S. Sand Draw				8%	13%	10.5%	
Wildcats	33%	13%	43%	17%	36%	28.2%	
Total Number of Wells Permitted	43	73	56	61	55	57.6	

Under the present management of the federal mineral estate in the Lander Resource area, noncompetitive and competitive oil and gas leases have been issued with specific restrictions (stipulations) to protect various surface resources. The most common lease restrictions include seasonal drilling periods in crucial wildlife habitat areas and no occupancy on the surface of a lease (or portion of a lease) in specific areas because of steep slopes (more than 25 percent), historical trails, cultural resource sites, developed recreational sites, intermittent or live drainages and other water developments, certain elk crucial winter ranges, and sage grouse leks. Lease restrictions are based on past land-use planning decisions. These land-use decisions are listed in Alternative A. In most cases, a lease restriction can be modified by a lessee when specifically requested and approved by the District Manager of the BLM.

Geophysical exploration operations in the Lander Resource Area are authorized, using restrictions similar to those applied to oil and gas leasing. All seasonal closures are enforced and distance limitations are used to protect reservoirs, springs, water wells, riparian areas, and inhabited dwellings. An additional closure period during hunting season is used on Green Mountain for operations using helicopters and explosives. The number of notices of intent to conduct geophysical operations in the Lander Resource Area for the past 5 years are shown on Table 3-2. Operations in 1983 and 1984 had nearly doubled from any of the three previous years.

There are 40 named and unnamed known geologic structures (KGSs) within the resource area. Since the acreage within a KGS boundary

TABLE 3-2

NUMBER OF NOTICES
OF INTENT TO CONDUCT
GEOPHYSICAL OPERATIONS
IN THE LANDER RESOURCE AREA

	Year				
	1980	1981	1982	1983	1984
Number of Notices	29	31	39	74	63

defines the presumed productive limits of an oil and gas trap, most drilling and development activities will take place within this acreage. The concentration and number of surface disturbing activities within the KGS will vary, depending on whether the field produces oil, gas (and condensate), or both, and on the geologic formation depths from which the hydrocarbons are produced. Many of the gas fields were operated under Wyoming Oil and Gas Commission well spacing orders of 80 acres, 160 acres and 640 acres. The Beaver Creek, Big Sand Draw and Crooks Gap fields produce oil and gas but are excluded from any specific spacing orders (Commission Rule 302). The Madden and Frenchie Draw fields produce mostly gas from depths of approximately 10,000 and 20,000 feet. and the spacing of wells is 640 acres. Thus, the number of acres disturbed by operations in these fields may be greater or less than that of oil producing fields, but the total acreage committed to the KGS is far greater.

For an oil and gas producing field, operations that affect surface resources usually include the following: construction of an access road to a well site; construction of a drill pad and reserve pits; installation of the well-head, pump-jacks, flow line(s), production separator (oil-gas separation), heater treater (oil-water separation), stock tanks (oil storage), water disposal tanks or pits. dehydration unit (gas-water separation), and metering units. Each producing well may have all of these, or the production from several wells may go to one centralized location (battery) on lease. Other facilities within a field may include gas plants, storage vards, warehouses, and field offices. All of these facilities remain as a surface use for the life of the well(s) and the field.

In the Lander Resource Area, an average of 10 acres per well are disturbed. This acreage includes construction of roads, drill pads and flowlines. Wildcat and development wells were used to determine this acreage. Deeper gas wells (18,000) feet or more) within larger well spacing fields will require longer access roads and flowlines. Shallower oil or gas wells within 40-acre or smaller spacing fields will require shorter access roads and flowlines; but more of each. Constructed roads remain as long as wells produce. Surface disturbances created by installing buried flowlines and major pipelines are reclaimed within 3 to 5 years. If a well is plugged and abandoned, all disturbances are reclaimed to near original conditions within 3 to 5 years. Acreage utilized for producing wells generally decreases after drilling. The reserve pits used for drilling are backfilled and reclaimed and if water disposal pits are needed, the surface area required is less.

Oil is transported by truck or by pipeline from the fields. Roads used for transport are used as long as the fields produce and no reclamation is done. Oil and gas are shipped through major pipeline systems. The surface disturbances from pipeline construction are generally short terms. Decause reclamation is completed in 3 to 5 years.


Geophysical operations within the resource area usually employ one of the following exploration methods: conventional shot-hole drilling and subsurface charges, vibroseis, surface charges, and portable operations that use portable drills and subsurface charges or simply surface charges. For all methods used, construction of trails and drainage crossing are not authorized unless absolutely necessary. Shot-holes are plugged according to the Wyoming Oil and Gas Commission rules-holes are filled with nonpermeable drilling fluids and sealed at the surface. Any surface disturbances from bulldozers or other equipment are reclaimed to as near original conditions as possible immediately after operations cease.

Rehabilitation of disturbed lands from oil and gas exploration and production are required. Reclamation generally includes recontouring of drill pads, production facility locations, all access roads; seeding to reestablish vegetation; and annual monitoring. BLM's rehabilitation guide-lines and procedures are found in BLM Manual, sections 3045 and 3109.

An oil and gas potential rating system for the Lander Resource Area has been devised in order to better evaluate and address the effects that land-use planning are having, or will have in the future, on oil and gas exploration, leasing and development. It is difficult to accurately rate the public mineral estate in terms of the potential for the discovery of oil and gas and to predict the locations for future oil and gas drilling and production. However, the rating system will remain dynamic and as new information is gathered, necessary rating changes can be made. The ratings for the Lander Resource Area are shown on map 3-2, which includes known geologic structures (KGSs), high, moderate, low, and no-potential ranges.

However, the rating system will remain dynamic and as new information is gathered, necessary rating changes can be made. These ratings are defined as follows:

Known Geologic Structures: A KGS is technically the trap in which an accumulation of oil or gas has been discovered by drilling and determined to be productive, the limits of which include all acreage that is presumed productive.





High: Geologic structures and formations highly favorable for the accumulation of oil and gas are known to exist.

Moderate: Many favorable nonproducing geologic structures and formations are present, but all potentially productive formations have not been drilled and tested.

Low: Geologic structures and formations are well defined and potentially productive formations have been drilled, tested and failed to produce oil and gas.

No: Geologic structures and formations are well defined and the potential for oil and gas accumulations does not exist.

These ratings will also be used to evaluate the effects that management alternatives could have on oil and gas resources.

Growth rates in drilling activity and success ratio have been determined by using the ratings of high. moderate and low potential. Based on data from Petroleum Information (1984), potential areas were evaluated to establish annual drilling activity and whether a well had produced or not. Figures 3-1, 3-2, and 3-3 show the historical levels of drilling activity and success rates by production potential area from 1880 to 1990. Growth rates of 1.5 percent for high-potential areas, -0.14 percent for moderate-potential areas, and -0.58 percent for low-potential areas are shown as the headlines in each figure. These growth rates were calculated using linear regression analyses techniques over a 34-year period. Historical success rates by potential oil and gas rating from 1950 to 1985 are shown in Figures 3-1 and 3-3.

In high-potential areas, the success rates averaged 65 percent, in moderate areas 10 percent, and in low areas 4 percent.

Table 3-3 shows the success rates for producing wells in high-, moderate- and low-potential areas over the past 34 years. The table also shows the total number of producing wells anticipated by 1990 and 1995. Based on an annual percent increase in drilling and average acreage disturbance of 10 acres per producing well, total acreage disturbed by 1990 and 1995 has been projected. These figures will be used to evaluate the effects of present land-use decisions and the effects of the alternatives on oil and gas exploration, leasing and development.

Coal

There are five coal fields within the Lander Resource Area, none of which has active mines The coal fields include Hudson, Beaver Creek, Big. Sand Draw, Alkali Butte, and Powder River (Arminito). The Hudson field has accounted for 99.8 percent, or 3,973,402 tons, of the Wind River Basin's coal production (Glass and Roberts 1978). Coal beds are located in the Frontier, Cody, Lance, Fort Union, and Wind River formations, but the thicker and more important coal beds are found in the Upper Cretaceous Measaverde and Meeteetse formations (Glass 1978), Thicknesses for the numerous coal beds range from 3 to 30 feet, with an average of less than 10 feet. Wind River Basin coals compare favorably with coal produced in other basins in Wyoming in terms of moisture, ash and sulfur contents, and heating values. In the past 5 years, however, there has been little interest in exploring or leasing coal resources on public lands. Wind River Basin coal deposits are far from markets and good transportation systems, and the steep dips, deeper occurrence depths, and relatively thin nature of the beds have all contributed to the lack of interest in developing this coal (Glass 1978).

Phosphates

Phosphatic rock occurs in the Permian Phosphoria Formation in three general locations within the Lander Resource Area. The largest and most well known occurrence area ranges from the North Fork Popo Agie River located west of Lander and then southeast along the northeast flank of the Wind River Range to the Sweetwater River. The other occurrence areas are the Crooks Mountain and the Covant Creek Anticline, These areas are shown on map 3-3. The Wind River Range deposits, better known as the Lander deposits, were first mapped in detail in 1924, and several other detailed mapping and sampling programs have been conducted by the Geological Survey, Bureau of Mines, and private industry since that time. Very little information is available about the Crooks Mountain and Covant Creek Anticline phosphate resources. The Lander deposits were first leased in 1962, and eight federal




Figure 3-1 High Production Potential Areas for Oil & Gas-Success Rates




Figure 3-2 Moderate Production Potential Areas for Oil & Gas-Success Rates





Figure 3-3 Low Production Potential Areas for Oil & Gas-Success Rates



Phosphate Resources

Coal Resources

Geothermal Resources

TABLE 3-3

LANDER RESOURCE AREA OIL AND GAS WELL STATISTICS

Productive	Total Wells	Percent of Wells	Average acres	Average Annual Growth Rate 1950-1984	Proje Total N of Pro- We	lumber ducing
Potential Category	Drilled Through (1984)	That Produced	Disturbed per Producing Well	of Wells Drilled	1990	1995
KGSs & High	1,904	65%	8	1.50%	1,410	1,442
Moderate	268	10%	8	14%	28	30
Low	283	4%	8	58%	13	13

leases, totalling 12,628 acres, were held by the Susquehanna Corporation until 1885. Susquehanna Corporation conducted exploration activities under prospecting permits before issuance of the leases. However, no mining operations occurred on the leases during their existence.

Phosphatic rock of the Phosphoria Formation is found within the upper Retort and lower Meade Peak Members in the Lander area (King 1947). Phosphate resource tonnages have been estimated for the area between Baldwin Creek. located about 5 miles southwest of Lander, and the Sweetwater River, 30 miles southeast of Lander. Chemical analyses from trenching and core samples range from 15 percent to 29.7 percent phosphorous peritoxide (P2O5). For purposes of grade estimates of phosphate bearing rock, the term phosphate rock is restricted to rock containing at least 39.2 percent bone phosphate of lime (B.P.L.), which is equivalent to 18.0 percent PoOs by weight. Phosphate rock containing 18.0 to 24.0 percent P2O5 is classified as low grade, 24.0 to 31 percent is medium grade, and 31.0 percent or greater is high grade (De Voto and Stevens, June 1979). The average grade of phosphate rock in the lower Meade Peak Member is 23.6 percent P2O5, (low grade), but it ranges up to about 29 percent P2O5 (medium grade). The rock in the upper phosphate zone, the Retort Member, is all low grade with an average of 17.1 percent PoOs (King 1947 and Coffuran 1967). Bed thicknesses range from less than 3 feet to 6 feet in the upper and lower zones throughout the Lander area. Two specific areas, the lands between the Little Popo Agie River and Cherry Creek and the Twin Creek area immediately east of Highway 28, have been identified as having the highest grade phosphate rock with the thickest beds. Extensive work by the Bureau of Mines in 1957 included studies of the feasibility of mining and processing of the Twin Creek resources. To date, no mining has taken place on any of the phosphate occurrences.

Phosphate resource tonnages for the Lander area have been estimated. The estimates were based on an above drainage entry level and 100 feet below drainage entry level and used a minimum bed thickness of 3 feet. Total resources for both phosphatic rock members for the above drainage entry level (prospectively strippable resources) are 159,400,000 tons of 18 percent P205. Below the 100 feet entry level, total resources were 28,300,000 tons of 18 percent P20c.

The Lander Resource Area has 1.4 percent of Wyoming's phosphate resources. Wyoming's phosphate resources are an eastern extension of the much larger Western Phosphate Field, which includes deposits in Idaho, Montana and Utah. Mining and processing of phosphate rock is active in southeastern Idaho and north-central Montana. Strip mining predominates underground mining. A phosphate mine is scheduled to start near Vernal, Utah, and phosphate ore will be slurried to Rock Springs, Wyoming, where Chevron has started construction of a phosphate processing plant. The Lander phosphate deposits are located about 9 miles from a rail line located at the abandoned iron mine near Atlantic City. This track ties into the Union Pacific Railroad just east of Rock Springs. A transportation system for shipping phosphate ores is available and the closest plant would be located at Rock Springs. Both of these facilities help to make the Lander phosphates more attractive for future leasing and development.

Although the Lander phosphate deposits are located near transportation facilities, several factors currently make the deposits uneconomical to develop. The deposits are thin and deep

compared to other deposits in the Western Phosphate Field. In addition, problems such as high capital charges for new mines, the cost and time required to permit new mines, increasing severance taxes, underutilized phosphate rock capacity, large inventories, and weak demand for phosphate products create a poor economic climate (USDI, Bureau of Mines 1985). Therefore, new mines are unlikely to be developed in the thinner deposits, such as the Lander deposits, until economics improve.

Uranium

Fremont County has accounted for over 26.000.000 tons of uranium ore since mining began in the 1950s. The county presently ranks second in the state for total uranium produced. Within the Lander Resource Area there are three major uranium mining districts, including Gas Hills, Crooks Gap (to include Green and Crooks mountains) and Bison Basin. Mining in the Gas Hills area has been predominantly by open-pit method. In the Crooks Gap area, both open-pit and underground mining occur. The Bison Basin operation is in situ. The Gas Hills district is the largest and has three operational mills. The Split Rock mili near Jeffrey City and Crooks Gap was the first uranium mill in Wyoming. There are several other known occurrences of uranium throughout the Lander Resource Area, some of which have produced small volumes of ore (map

Uranium deposits in the Gas Hills area are located in the Eocene Wind River Formation. In the Crooks Gap area, ore is mined from the Eocene Battle Springs Formation. At the Bison Basin project, uranium oxides are leached from ore bearing sandstones in the Eocene Wasatch-Green River Formation. Another significant deposit, Copper Mountain, contains uranium in the Eocene Tepee Trails Formation and Precambrian granites and quartz monzonites (Hausel 1978).

Presently, only one mill is operating in the Lander Resource Area. Operations in all nearby areas have closed and stockpiles are being milled. In the past 4 years, exploration activities have also slowed dramatically. Some drilling is taking place on Green Mountain. Mining claimants are doing enough assessment work to hold their claim properties until the market improves. Reclamation in all areas of previous mining is continuing.

BLM's management responsibilities for uranium exploration and development are to enforce the Surface Management Regulations (43 CFR

subpart 3809) and to protect the public lands from unnecessary and undue degradation.

Gold

Gold in the Lander Resource Area is located primarily in the historical South Pass district (South Pass Management Unit) on the south-eastern end of the Wind River range and in the Tin Cup district of the Granite Mountains. Other occurrences of gold have been prospected in the old Bridger district in the Copper Mountains or Owl Creek range (see map 3-4).


The fist discovery of gold in Wyoming was made in 1845 along the Sweetwater River. Placer gold was later traced to the Carissa Lode located near South Pass City. This discovery led to the establishment of the historical South Pass, Atlantic City, Miner's Delight, and Lewiston districts, all of which were short lived. Gold production records for the districts are as diverse as the many inexperienced miners, mining and milling problems, and fraudulent schemes that characterized the old districts. Many of the old mines reportedly closed because of technical problems, not because of a lack of gold.

Mines in the Tin Cup district operated sporadically throughout the early to mid 1900s. Production figures are not available. Very little is known about mining activities in the Bridger district.

Gold occurs with copper in Precambrian rocks in the Bridger district. In the Tin Cup district, gold occurs in quartz veins associated with pegmatites in areas containing metamorphic schists. Gold in the South Pass area occurs in quartz veins or placer deposits derived from the veins (Bailey 1973).

The Lander Resource Area has received about 20 notices for the South Pass area in 4 years, which have been filed under the surface management regulations (43 CFR 3809). Under these notices less than 20 acres of public lands have been disturbed by small operations. No mining operations in the Tin Cup and Bridger districts have been reviewed under the regulation requirements.

BLM's management responsibilities in the gold occurrence areas are to enforce the Surface Management Regulations (43 CFR subpart 3909), to protect the public lands from unnecessary and undue degradation, and to keep mineralized lands available for prospecting and location under the 1872 Minino Law.



Uranium

Zeolites

Gold, Silver, Copper, Tungsten, Iron

Bentonite

Feldspar

Zeolites

Zeolites in the Lander Resource Area occur mainly along Beaver Rim, with smaller deposits in the Granite Mountain area, Barras Springs area, the western portion of Crooks Mountain, along the Middle Fork of the Popo Agie River, and near Dubols. The most significant deposits are along Beaver Rim in the Beaver Creek Management Unit. They occur mainly in tuffs of the Eocene Wagon Bed Formation that were formed when acidic volcanic ash from the Yellowstone volcanic field was deposited and altered by carbonate-rich lake water (VanHoutern 1964).

Zeolites have not been mined in the Lander Resource Area. The Beaver Rim deposits were extensively explored under sodium prospecting permits in 1973. Mining claims were located on the zeolites after they were declared a locatable mineral under the General Mining Law.

The marketability and use for natural zeolites are in an infant stage. However, the properties of zeolites make them potentially useful in water softening, in the manufacture of catalysts, in pollution control, and may one day be used to remove radioactive products from radioactive wastes (Hansel 1978).

BLM's management responsibilities in zeolite occurrence areas are the same as those for gold and uranium.

Other Minerals

The Lander Resource Area is rich in additional mineral resources. Many of these minerals are known to occur, but for various economic reasons, they have never been mined to any significant extent. Such minerals include copper, tungsten, mica, beryl, bentonite, vermiculite, and precious stones such as rubies and sapphires. Other minerals have been exploited but have not received the recognition that uranium and gold have. These minerals include locatable minerals of nephrite jade, iron, silver, fieldspar, and salable minerals of building stones, limestone, and sand and gravel. Jade has been found in nearly every part of the Lander Resource Area. Small mining operations in the Granite Mountain area account for a good portion of the jade mined in Fremont County annually. Sand, gravel, sandstone, limestone, and shale are mined from public lands for uses in highway and road construction, Small volumes of building stone, more commonly referred to as moss rock, are sold by the Lander Resource Area each year.

Salable minerals are managed by the BLM under the 43 CFR subpart 3600 regulations and are disposed of under a contract or free-use permit.

SOILS, WATER AND AIR QUALITY

The Lander Resource Area consists of 2.5 million acres of public lands in west-central Wyoming. The area includes most of Fremont County and includes portions of Hot Springs, Natrona, Sweetwater, and Carbon counties.


The Wind River Mountains to the west of the Lander Resource Area create an orographic effect, which blocks the moist air currents from the Pacific Coast. Most of this moisture occurs on the west slope of the mountains. This situation has resulted in the evolution of the semiarid rancelands that cover most of the area.

The following sections describe the physiography, relief soil erosion, and drainage of the Lander Resource Area.

Physiography, Relief and Drainage

The Lander Resource Area is bounded on the west by the Wind River Mountains. The Absaroka Mountains meet the Wind River Mountains above Dubois. The Shoshone Mountains, northeast of Dubois. lie between the Absaroka range on the north and the Owl Creek Mountains on the south. Extending across the northern boundary of the Wind River Indian Reservation are the Shoshone and Owl Creek mountains. The Owl Creeks end in the east at Wind River Canyon, Continuing east from Wind River Canyon are the Bridger Mountains. The Bighorn Mountains occur in the very northeastern corner of the area. The Rattlesnake Mountains are a small range in western Natrona County. The Green Mountains are located south of Jeffrey City and separate the Great Divide Basin from the Granite Mountain Uplift. Along the Sweetwater River are the Granite Mountains-Sweetwater Rocks (see map 3-5).

The majority of the area is included in the Wyoming Basin, with very limited acreage in the Great Divide Basin. There are several subdivisions of the Wyoming Basin: the Shoshoni Basin, the Wind River Basin, and the Granite Mountain Uplift. The Shoshoni Basin is located between the Rattlesnake and Wind River mountains on the south and the Owl Creek and Bridger Mountains.



on the north and the Oil Mountain anticline on the east. The Wind River Basin covers the western part of the Shoshoni Basin (Fenneman 1931), Both the Shoshoni and Wind River basins are covered with Tertlary material of the Wind River Formation. Beaver Rim is the northern boundary of the Grantite Mountain Uplift. Cyclone Rim and the Green Mountains are the southern boundary, which separate the Wyoming Basin from the Great Divide Basin to the south. The White River Formation provides most of the parent material for the soils of the Granite Mountain Uplift (Sweetwater Arch). The Wasatch Formation covers that part of the Great Divide Basin found in the Lander Resource Ares).

The Wind River Mountains have a broadly exposed granitic core characterized by narrow crests between deep, glaciated gorges. The area is not typical because the foothilis occur in the basin, away from the mountain front. This relief is the result of geologic processes that began with the formation of the mountains. After the mountains were formed, Tertiary sediments were deposited in the basin. This process was followed by a period of erosion. Next, valley fill of stratified sand, gravel, cobbles, and boulders was deposited. The erosion cycles continued and most of the valley was carried away. (SCS - Soil Survey - Riverton area).

The rough, rugged country of the Absaroka Mountains is essentially a broad elevated plateau comprised of layers of magma that were laid down in the Tertiary period. Erosion of this plateau has created the Absarokas. Volcanic conglomerate and breccias are the geologic materials that make up these mountains.

The Wiggins Formation comprises most of the Shoshone Mountains. This is gray to brown coarsely bedded volcanic conglomerate interbedded with blocky tuffaceous claystone.

The Owl Creek and Bridger mountains have a granitic core. Limestone overlays the granite in parts of the Owl Creeks and the western Bridger Mountains. The mountain front has many faults and the rock strata are steeply dipping.

The southwest flank of the Big Horn Mountains is located in the northeastern corner of the resource area. The Bridger Creek syncline intervenes between the Bridger Mountains and the Big Horn Mountains. Like the Bridger Mountains, the Big Horns are an anticlinal range, but they are greatly modified by faulting. Unlike the Bridgers, the Big Horns in the area have Mesozoic rocks exposed on their southern flanks. These Mesozoic rocks are the ocher-colored slitstone of the Dinwoody Formation and cherty dolomite and dark colored, phosphatic slitstone and shale,

which make up the Phosphoria Formation. Precambrain granite, gneiss, and schist, which are all cut by dikes of pegmatite, form the core of the Big Horns.

The Rattlesnake Mountains, which run from the northwest to southeast, are located in western Natrona County. The Rattlesnakes were carved by erosion from the Rattlesnake anticline. They are made of volcanic dikes, laccoliths, sills, plugs, and multiple vents. There is an exposed core of Precambrian schist. The igneous rocks that make up most of the Rattlesnakes are flanked by strate of Madison limestone and Flathead sandstone.

Some of the foothills of the Green Mountains are made up of members of the White River Formation. The rugged Owl Hills on the northeast corner of Green Mountain are made of Precambrian grantitic rock. Crooks Gap Conglomerate is the chief component of the material that covers the Green Mountains, with some minor amounts of the Wagon Bed and Wasatch Formation materials occurring mostly in the park areas on top of Green Mountain.

The Sweetwater Rocks, or Granite Mountains, are the remnants of an ancient mountain range that were buried by alluvium after subsiding. This area was uplifted and erosion has exposed the Precambrian granitic rock that makes up this range.

The Lander Resource Area can be divided into two major drainage systems: the Missouri River Basin and the Great Divide Basin. The Missouri River Basin can be further subdivided into the Wind River Drainage, the Sweetwater River Drainage, and a small area in Natrona County that drains into the North Platta River directly. The Great Divide Basin is a hydrologically closed

Soil Erosion

Soil erosion is the wearing away of the surface of the earth, mainly by wind and water. The Dubois Badlands and Sweetwater Canyon are two striking examples of the results of natural erosion in the Lander Resource Area.

Erosion is both destructive and constructive. The redeposited eroded materials are the basic parent material of young soils on the floodplains. This natural erosion is important to soil development on the floodplains.

There are two general classes of erosion: natural and accelerated erosion. Natural erosion is usually a gradual process. Volcanism,

geologic uplift, climatic changes, or fire may cause more rapid rates of natural erosion. However, for the most part, natural erosion is the normal soil loss that occurs in an undisturbed landscape. Accelerated erosion refers to erosion that results from disturbance to a natural landscape by man. It can be caused by burning, forest cutting, excessive grazing, road construction, and other land uses that eliminate or decrease the vegetate cover. With this loss of cover, exposed soil is susceptible to increased erosion if not managed properly.

Water erosion occurs by raindrop impact, runoff, frost heaving, and gravitational creep of very wet soils. Three types of water erosion are sheet, rill and gully erosion. These are differentiated from one another by the relative depth and stability of the channels cut by runoff. The most widespread form of erosion, sheet erosion is the most inconspicuous. Sheet erosion is the generally uniform removal of soil without the development of apparent water channels. Rill erosion removes soil by small, conspicuous channels cut by runoff. Rill erosion channels can be up to 6 inches in depth. Gully erosion is the most visible form of water erosion, but does less damage than sheet and rill erosion to the soil resource. Channels range upward from 6 inches deep to canyon size.

Gully erosion patterns generally occur in two basic forms: V-shaped and U shaped. V-shaped gullies form in soils made up of coherent materials throughout and U-shaped gullies are commonly developed in soils made up of materials that have low coherence. Undercutting by water erosion of soft strata at the head of the gully causes its advance upstream; this is called head-cutting. In this type of gullying, columns that form along the sides of the channel are common. They eventually crumble into the bottom and are carried away (see figure 3-4).

Wind erosion is also an important process occurring in the area. Anything that causes a loss of vegetative cover or reduces soil surface stability will accelerate the rate of erosion by wind. Generally, soil blowing is greater on gentle and level slopes than on steep slopes. Blowouts, depressions caused by wind erosion, are found in the sandier areas of the Lander Resource Area. Areas susceptible to severe wind erosion occur east of Ocla to the county line, south of Green Mountain, east of Jeffrey City, and on some fine textured soils in the Great Divide Basin.

Erosion rates in the Sweetwater drainage and the Great Divide Basin are moderate to slight. In the rest of the Lander Resource Area, erosion rates are slight to moderate (see table 3-4, USDA 1984).

TABLE 3-4 SOIL EROSION CLASSES

Magnitude of Impact	Amount of Impact		
None to slight	Less than 1 ton/acre/year		
Moderate	1 to 2 tons/acre/year		
Severe to very severe	More than 2 tons/acre/year		


Watershed

There are two principal river systems that occur extensively in the Lander Resource Area: Sweetwater River and Wind River. Both the eastward flowing Sweetwater River and the northward flowing Wind River are members of the Missouri River Basin drainage system. A minor area in Natrona County contributes directly to the North Platte River, which the Sweetwater River joins at Pathfinder Reservoir. Southern parts of the area contribute drainage to the Great Divide Basin, a hydrologically closed basin (see map 3-6).

Watersheds in the Lander Resource Area consist almost entirely of rangelands, with limited acreages of forest land. A water deficit exists on the rangelands in most of the RMP area. This implies that there are few perennial streams and runoff is largely intermittent. Most of the perennial streams originate in the mountains, which are water surplus areas where snowmelt contributes to the majority of the runoff. As a result of the water deficit that exists on the semi-arid rangelands of the area, the amount of water from BLM-administered lands to the major streams is not great. Most of the precipitation is lost through evapotranspiration and sublimation instead of creating runoff or recharging groundwater acquifiers (Leopold 1960).

BLM's watershed program is concerned with the protection, enhancement, and rehabilitation of soil, air and water resources. Water availability, quantity and quality are of major importance to everything from local communities, agriculture and industry to recreation and wildlife. The major use of water in the area is for livestock and wildlife (BLM 1979).

A deep narrow gully is incised in the un-consolidated valley fill by excessive runoff. As the flood plain grows in width, flows spread over broader areas. Natural irrigation supports a vigorous plant cover which promotes further appradation and protects the accumulating sediments from local scour. Apprachation occurs as enhemeral flow spreads across the broad channel that once carried much higher discharges. Eventually the old channel is buried and flows spread over the apprading flood plain. Initial channel cut in bedrock by high flows during Pleistocene Epoch, Runoff diminished and became ephemeral after close of Pleistocene Epoch.



8

The second gully widens progressively by eroding its banks until eventually another period of appradation begins

7

Valley trenching interrupts aggradation before the old channel is completely filled. For the second time a gully is incised the full length of the valley reach.


6

As aggradation continues, flows spread across the full width of the gully bottom affording natural irrigation to the developing plant cover which induces further aggradation.

5

As the gully meanders and widens progressively by eroding its banks, the depth and mean velocity of flow decrease until the stream drops the coarser fraction of its load and aggredation beains.

Figure 3-4
Diagrammatic Sketch Showing the
Development of Cut & Fill Terraces
in a Hypothetical Valley Reach





Water Quantity and Quality

Water Quantity

Natural waters that provide dependable, yearround watering for livestock and wildlife are poorly distributed. As a result, hundreds of livestock ponds and other water developments have been constructed in the Lander Resource Area. These developments provide a very significant percentage of the total water available for livestock and wildlife. Evaporation losses from these developments are large and far exceed the amount utilized by livestock and wildlife. Natural springs are important sources of water in the area. Nearly all water sources are open to and used by livestock and wildlife. A more detailed account of water discharge occurring at specific locations is available from the University of Wyoming Water Research Center, Water Resource Data Systems, Laramie, Wyoming. The data were generally collected by USGS and can also be obtained from its offices in Cheyenne, Casper, and Riverton.

Water Quality

The perennial streams in the resource area are generally of good quality. Amounts of suspended sediment and dissolved solids are greatest during years of above average precipitation and runoffs: however. subsequent large concentrations of dissolved solids are highest during years of low runoff and also during periods of low flow. Wind River and Sweetwater River nutrient levels are generally low. In general, the surface waters and groundwater are suitable for watering livestock and wildlife. However, there are a few springs, wells and ponds with concentrations of total dissolved solids (TDS) in excess of 3,000 milligrams/liter (mg/1). TDS concentrations above 3,000 mg/1 are potentially hazardous to wildlife and livestock (Office of Water Planning and Standards 1975). Major perennial streams in the resource area are usually within the recommended federal drinking water standard of 500 mg/l of total dissolved solids (CFR 40, Parts 141 and 143. Wyoming DEQ 1979). Many enhemeral and intermittent streams, such as West Alkali and East Alkali creeks are capable of producing high TDS concentrations at times. East Alkali creek had a TDS concentration of 4,187 mg/ 1 during May 1977, and West Alkali creek had a TDS concentration of 1,468 during the same month (BLM 1982).

Ground water usually contains more dissolved mineral matter than surface water because ground water remains in contact with rocks and soils for longer periods. River water, because of contribution from many different sources—springs, snowmelt and other precipitation—varies more in chemical character than ground water (Leopold 1960).

Sediment content and fecal coliform bacteria are two other major surface water quality factors of special concern in rangeland watersheds. Fecal coliform contamination in various waters is caused primarily by livestock and wildlife. Levels of fecal coliform bacteria are used as indicators of the presence of infectious agents.

Suspended sediment, because of soil erosion, is the most serious surface water pollutant in the resource area. Sediment yield is highest during the spring and summer when runoff from snowmelt and rains occur. This is reflected by slight to moderate erosion rates, with slightly higher rates occurring in the Great Divide Basin and Sweetwater River drainage (SCS 1984).

Selected water quality measurements for the two major rivers in the area are given in tables 3-5, 3-8 and 3-7. A more detailed account of water quality at specific locations can be obtained from the University of Wyoming Water Research Center, Water Resources Data Systems, Laramie, Wyoming. The data were generally collected by USGS and can also be obtained from them offices are in Cheyenne, Casper and Riverton.

Water Rights

BLM water policy and guidelines for development and use of water on public lands is set forth in USDI-BLM-WY-SO Instruction Memorandum No. WY-80-9 (7250 (9321) Water Policy, Oct. 10, 1979.

BLM had been instructed to join with the state of Wyoming in a general adjudication of all rights to use water in the Big Horn River System.

The Joint Motion of the state of Wyoming and the United States brought before the District Court of the Fifth Judicial District, state of Wyoming was, "an effort to settle disputes concerning the existence and extent of the non-Indian claims of the United States to water in this adjudication, those parties had by stipulation agreed to the terms of the Decree affecting those rights and moved for an appeal of that Decree" (Bighom Adjudication 1983).

In the Sweetwater River drainage, water development projects would be considered but would be subject to existing laws and restrictions such as the Wyoming-Nebraska North Platte River Compact. This decree limits irrigation in Wyoming

TABLE 3-5
WATER QUALITY OF THE WIND RIVER
ABOVE BOYSEN RESERVOIR NEAR SHOSHONI, WY

	Hardness (Ca ₂ Mg)	Dissolved Solids (Sum of Constituents)	Chloride	Dissolved Sulfate (SO ₄)		Phosphorus (P)	Dissolved Nitrite Plus Nitrate (N)	Dissolved Oxygen	Fecal Coliform
Water Yea	r October	1974 to Septer	nber 1975						
Discharge (Weighted Average) ¹	241.3	416.4	3.4	164.9	0.6	_	0.2	9.9	351.9
Range of Concen- trations	76-310	115-528	0.1-0.5	29-230	0-8	_	0.03-0.71	8.0-12.1	39-811
Water Yea	r October	1976 to Septen	nber 1977						
Discharge (Weighted Average) ¹	267.3	476.5	7.9	190.9	_	0.07	0.19	9.6	536.5
Range of Concen- trations	160-330	293-678	5-16	120-300	_	0.02-0.21	0.01-0.44	7.3-11.8	54-2,500

¹ All readings in mg/1.

on the main stem of the North Platte River above Guernsey Reservoir and on the North Platte tributaries above Pathfinder Dam to 168,000 acres of land. The decree severely limits the possibility of any Irrigation storage projects on the Sweetwater, because approximately 157,000 acres are being irrigated within the area and a storage capacity that will irrigate land in excess of 18,000 acre-feet has been constructed, thus exceeding the 168,000-acre limitation.

Air Quality

Air quality in the Lander Resource Area is generally very good, with ambient concentrations of pollutants being low and background visibility at about 105 miles. The Lander Resource Area has been designated as Class II under the Wyoming Department of Environmental Quality's approved State Implementation Plan. Class II areas are those that may be industrialized with release of certain pollutants up to a specified level of concentration.

There are no major sources of air pollution in the Lander Resource Area. Major emission sources in Wyoming must not produce concentrations of air pollutants beyond either the Class II increments (or the Class I increments in Class I areas) and/or the Wyoming Ambient Air Quality Standards. No areas of violation (nonattainment) exist within the Lander Resource Area. An atmospheric deposition monitoring station recently began operations southwest of Lander in Sinks Canyon. This site is part of the National Atmospheric Deposition Program/

In the Lander Resource Area, natural gas wells that have high concentrations of hydrogen sulfide (H₂S) have been encountered. Hydrogen sulfide rich natural gas is known as sour gas. Natural gas from these wells, sour with H₂S, must be cleaned, or sweetened, of this substance at specialized plants. These sweetening plants, sour natural gas pipelines, and the wells themselves can pose a danger to the public, livestock and wildlife through accidental H₂S release.

² Coliform per 100 ml.

TABLE 3-6
WATER QUALITY OF THE WIND RIVER
BELOW BOYSEN RESERVOIR NEAR SHOSHONI, WY

	Hardness (Ca ₂ Mg)	Dissolved Solids (Sum of Constituents)	Chloride	Dissolved Sulfate (SO ₄)		Total Phosphorus (P)	Dissolved Nitrate (N)	Dissolved Oxygen	Fecal Coliform
Water Yea	r October	1974 to Septer	nber 1975						
Discharge (Weighted Average)	206.6	401.6	8.8	175	0.25	0.02	0.12	10	4
Range of Concen- trations	150-270	286-509	5.3-13.0	130-240	0-3	0-0.05	10.05-0.32	7.2-13.8	4
Water Yea	r October	1976 to Septer	nber 1977						
Discharge (Weighted Average)	221.6	464.6	8.1	193.3	-	0.02	0.16	10.9	4.9
Range of Concen- trations	180-260	367-567	1.9-14.0	160-270	_	0.01-0.03	0.01-0.03	8.2-14.6	4-44

Source: Water Resources Data for Wyo. Water Year 1976, Vol. 1, Missouri River Basin, USGS Water Data Report.

FISH AND WILDLIFE

Fish

Introduction

Rainbow, brook, brown, and cutthroat trout are found throughout the resource area. No other gamefish or important fish species would be affected. Both stream and reservoir habitats would be altered under some of the management actions considered.

Whiskey Mountain is the only resource management unit where fisheries would not be affected. The Beaver Creek, Red Canyon, Green Mountain, South Pass, and Lander Slope management units have been previously analyzed under various livestock grazing management alternatives (Green Mountain Grazing EIS 1982). Grazing management decisions for this area

(Green Mountain Rangeland Program Summary 1983) are expected to improve the condition and production of some of the trout habitat in this area in the future. Since grazing management changes are not being considered, no further discussions of these resource management units in relation to livestock grazing will be included in the fisheries section.

One of the better fisheries in the Lander Resource Area, Sweetwater Canyon, has been considered in the Wilderness EIS supplement and, therefore, will not be addressed here.

The waters of the resource area have not been subdivided into various standard habitat types. Taken as a whole, these waters are the least plentiful of all habitats. The presence of open water is partly responsible for the high diversity of wildlife species in adjacent riparian habitats, and many fish and wildlife species are totally dependent on open water (e.g., trout, waterfow, aquatic furbearers). Aquatic habitats have very high priority and are very sensitive to human disturpance.

¹ All readings in mg/1.

² Coliform per 100 ml.

TABLE 3-7
WATER QUALITY OF THE SWEETWATER
RIVER AT THE DUMBELL RANCH¹

	Hardness (Ca ₂ Mg)	Total Dissolved Solids	Chlorine	Sulfate	Carbonates	Phosphorus	Nitrates	Dissolved Oxygen	Fecal Coliform ²	Suspended Sediments
Water 1	ear 1974 t	o 1975								
Discharge (Weighted Average)	108	192	11.5	34.2	126.8	.034	.065	8.5	51.4	48.5
Range of Concen- trations	75-200	128-383	6.5-28	19-73	84	008	007	6.4-11.3	22-88	10-92
Water	Year 1976	-1977								
Discharge (Weighted Average)	146	283.2	18.5	625	170	.024	.125	10.0	348.3	27.5
Range of Concen- trations	130-190	227-380	8.6-44	45-100	130-210	007	034	8.8-10.7	2.2-818	4-82

Source: Geological Survey, 1976, and Geological Survey, 1978.

Note: Total water discharge for April-September during water years 1974-75 was 95,620 acre-feet. Total water discharge for April-September during water year 1976-66 was 23,756 acre-feet. There are no discharge records for October-March.

¹ The Sweetwater River at the Dumbell Ranch is the best representative sample area for water quality, because data from the Sweetwater Station, Wyoming, was not available.

Streams

Forty-nine trout streams are included in the affected environment (see table 3-8). Streams without a viable trout population, but with the potential to support trout, have not been discussed.

The majority of the stream fisheries affected are small, low-production waters containing brook trout, which are either in a plains or a foothills setting. The most important water likely to be affected is the Wind River in the Dubois Management Unit.


Trout streams affected cover the entire range from steep, rocky mountain streams to low-gradient plains streams that flow through meadows and sagebrush. The productivity of trout streams is highly dependent on the condition of adjacent riparian habitat types, and poor conditions are in evidence along many of the affected streams. A highly significant loss of woody riparian vegetation has occurred over the last 50 years in many areas. A combination of


grazing practices, total fire suppression, mortality because of herbicide spraying on adjacent vegetation, and lack of beaver management is probably responsible for the majority of loss of woody streamside vegetation. Sagebrush and conifer have become the dominant species along many streams. This has in turn led to conditions detrimental to trout stream habitat. These conditions are lower summer flows, lack of beaver and debris dams, lack of trout cover, increased temperatures, sedimentation of stream bottoms, etc.


Reservoirs


Two reservoirs in the Beaver Creek Management Unit along the Sweetwater River could be affected: Antelope Springs and Silver Creek (see map 3-7). These small livestock-watering reservoirs are highly productive rainbow trout fisheries that are popular with local fishermen. A small reservoir on Green Mountain, Spring Creek, could be affected (see map 3-8).

² Fecal coliform is measured by counting the number of coliform colonies in 100 milliliters of water.









Map 3-8 Affected Fisheries Green Mountain

TABLE 3-8
AFFECTED FISHERIES IN THE LANDER RESOURCE AREA

Fishery	Resource Management Unit	Wyoming ¹ Game and Fish Classification	Gamefish Present ²	
Sweetwater River Drainage				
Sweetwater River	Beaver Creek	3	BR.RB	
Dry Creek ³	Gas Hills	4	BK	
Sage Hen Creek	Gas Hills	4	BK	
East Sage Hen Creek	Gas Hills	4	BK	
Middle Sage Hen Creek	Gas Hills	4	BK	
West Sage Hen Creek	Gas Hills	4	BK	
Willow Creek I	Green Mountain	4	BK	
Cottonwood Creek	Green Mountain	4	BK	
East Cottonwood Creek	Green Mountain	3	BK	
Middle Cottonwood Creek	Green Mountain	4	BK	
West Cottonwood Creek	Green Mountain	4	BK	
Crooks Creek	Green Mountain	4	BK	
Sheep Creek	Green Mountain	4	BK	
Alkali Creek	Beaver Creek	4	BK	
Sulphur Creek	Beaver Creek	4	BK	
West Alkali Creek	Beaver Creek	4	BK	
Pine Creek	Beaver Creek	4	BK	
Slaughterhouse Gulch	Beaver Creek	4	BK	
Willow Creek III	South Pass	3	BK.CT	
Big Hermit Gulch	South Pass	3	RB	
Little Hermit Gulch	South Pass	3	BB	
Deep Gulch	South Pass	4	BK	
Spring Gulch	South Pass	4	BK	
Rock Creek	South Pass/	3	BK,BR,RB	
	Beaver Creek	-		
Smith Gulch	South Pass	4	BK	
Big Atlantic Gulch	South Pass	3	BK,CT	
L. Beaver Creek	South Pass	4	BK,CT	
Slate Creek	South Pass	4	BK	
Wind River Drainage				
Vind River Popo Agie River	Dubois	2	RB,BR,BK,WF	
Beaver Creek	Beaver Creek	3	BK,BR,RB	
Little Beaver Creek	Beaver Creek	4	BK	
Horace Gulch	South Pass	4	CT	
Irish Gulch	South Pass	4	CT	
Little Popo Agie River	Red Canyon	3	BK,BR,RB,WF	
Twin Creek	Beaver Creek	4	BK	
Tweed Creek	Beaver Creek	4	BK	
Stormbaugh Creek	Beaver Creek	4	BK	
Red Canyon Creek	Red Canyon	4	BK.BR	
Cherry Creek	Red Canyon	3	BK,BR,RB	
Deep Creek	Red Canyon	4	BK	
Barrett Creek Middle Popo Agie River	Red Canyon	4	BK	
Crooked Creek	Lander Slope	4	BK	

TABLE 3-8 (Continued) AFFECTED FISHERIES IN THE LANDER RESOURCE AREA

Fishery	Resource Management Unit	Wyoming1 Game and Fish Classification	Gamefish Present ²
North Fork Popo Agie			
Mexican Creek	Lander Slope	4	BK
East Fork Wind River	Dubois	3	BK,BR,CT, RB,WF
Wiggins Fork	East Fork/Dubois	3	WF,RB,BR,CT
Bear Creek	East Fork/Dubois	3	WF.RB.BR.CT
Horse Creek	Dubois	4	BK,BR,RB,WI
Badwater Creek Dry Creek			
West Fork Dry Creek	Gas Hills	4	BK

1 Wyoming Game and Fish Department Stream Fishery Classes:

Class 1 - Blue-Premium trout waters-fisheries of national importance

Class 2 - Red-Very good trout waters-fisheries of statewide importance

Class 3 - Yellow-Important trout waters-fisheries of regional importance

Class 4 - Gray-Low production waters-fisheries frequently of local importance but generally incapable of sustaining substantial fishing pressure

Class 5 - Not colored. Very low production waters-often incapable of sustaining a

fishery

² Abbreviations: BK=eastern brook trout BR=brown trout

RB=rainbow trout

WF=mountain whitefish

3 Indentation denotes tributary status

Summary

The affected fisheries have been divided into the groups: those falling within the old Green Mountain Grazing EIS area (maps 3-7 to 3-11), those in the Gas Hills Management Unit (map 3-13 to 3-15).

The Gas Hills Management Unit contains few fisheries and the stream fisheries affected in this unit are small, little-known brook trout streams.


The Dubois vicinity has large, important streams that contain several species of gamefish.

The remaining area contains a diverse group of affected fisheries. The South Pass Management Unit contains the largest number of streams and receives the most fisherman use in the resource area (see map 3-9).


Wildlife


Introduction

Many wildlife populations and habitats are located throughout the Lander Resource Area. Analysis of various management alternatives for each of the major resource issues indicates that some wildlife populations and habitats would be significantly affected by one or more of the management alternatives. Wildlife resources that would be significantly affected are described under one of the following, categories: wildlife habitat, big game, game birds, raptors, waterfowl and shorebirds, threatened and endangered species, and important furbeaers.




























Because of the abundance, high adaptability, very low density, wide ranging habits or affinity for impact resistant, nonimpacted or abundant habitsts, many wildlife species will not be alignificantly affected by the types of management alternatives being considered. Such species/groups will not be addressed further in this document. Other species will not be specifically addressed because of inadequate inventory data, lack of information necessary to predict impacts or their significance, and low public interest.

Wildlife that will be omitted from further specific consideration include amphibians, coyotes, reptiles, bobcats, most song birds, fox, bats, mourning doves, mice and voles, rabbits and hares, ground squirrels, red squirrels, most furbearing mammals, most small predatory mammals, nongame fishes, and warm-water fishes.

Effects of management alternatives on certain important standard wildlife habitat sites, especially those of limited occurrence and those that support abundant and diverse wildlife populations, will addressed. Analysis of effects on these standard habitat sites will provide a measure of impacts on a variety of wildlife species dependent on these habitats. Many of the animals included in the above listing are highly dependent on these habitats.

Wildlife Habitat

The Lander Resource Area contains many diverse wildlife habitats. During the summer of 1982, the Gas Hills, Dubois Area, Dubois Badlands, East Fork, and Whiskey Mountain management units, were categorized into 27 standard habitat sites. (A report describing these sites is available for review at the Lander Area office.) Each standard habitat site has a unique vegetative composition and structure and supports a predictable wildlife community.

The Green Mountain Grazing EIS area, which includes Green Mountain, South Pass, Red Canyon, Lander Slope, and Beaver Creek management units have not been categorized into standard habitat types but contains many of the same habitat types found in the remainder of the resource area. Vegetative types and subtypes, as well as standard habitat types for the resource area have been combined in table 3-9 to describe the vegetation as it relates to wildlife habitat for the entire resource area. Acreage estimates by vegetative type or standard habitat type have not been computed for the resource area.

Using sampling transects, casual observations, information from other agencies, and literature sources, over 390 vertebrate species have been documented in the Lander Resource Area. A computer listing of these species and their habitat types (27) is available at the Lander Area office.

Habitat types that provide diverse structural vegetation (e.g., cottonwood floodplain, aspenconifer woodlands, and lodgepole pine forests) support a great diversity of wildlife because of the large number of sites that can be used for reproduction and/or feeding.

Habitat types associated with running and standing water (e.g., wetlands, sub-irrigated meadows, and willow floodplains) also support a large number of wildlife species. These wetland/ riparian habitats are important to a large number of migrants as well as to a diverse population of seasonal residents. The diverse plant composition and structure provided by these habitats supports wildlife numbers and diversity several times greater than the surrounding upland sites. All riparian habitat types share the following characteristics: (1) they create well defined habitat zones within the drier surrounding areas; (2) they make up a minor proportion of the surrounding area; (3) they are more productive in terms of plant and animal biomass; and (4) they are a critical source of diversity within the rangelands (Thomas et al. 1980).

The woodland and forest habitats provide many of the same types of structural layers as the wetland/riparian sites. However, because of the absence of open water, wildlife species diversity is usually less than that found in the riparian areas.

Shrublands lack the true canopy of the forest and woodland sites, which reduces the total number of wildlife species utilizing these types. Still, the various shrub types support a fairly diverse population of wildlife species, and provide key wintering habitat for a large number of big game animals. The big sagebrush-mixed grass steppe, tall sagebrush steppe, and mixed shrub steppe make up a large percentage of the big game wintering habitat.

The 27 standard habitat sites within the Gas Hills Planning Unit have been ranked by management priority into three categories (table 3-10). The habitat types that commonly support a large number of wildlife species are not common in the planning unit.

Because moderate-priority habitats are usually of lesser importance to wildlife and normally are in greater supply than high-priority habitats, they require sound management to ensure main-

TABLE 3-9
MAJOR VEGETATION TYPES

Vegetative Type	Subtype	Grasses/Grasslike	Forbs	Shrubs/Trees	Associated Wildlife Habitat Type
Grass	Short Grass	Western wheatgrass Thickspike wheatgrass Bluebunch wheatgrass Needleandthread Sandbarg bluegrass Indian ricegrass Blue grama Idaho fescue Prairie junegrass Threadleaf sødge	Phlox Wild buckwheat Pussytoes Aster	Big sagebrush Douglas rabbitbrush	Highland short steppe Sagebrush-mixed steppe Sagebrush-mixed grass steppe Lowland short steppe
Meadow/Riparian	Wet meadow Riparian	Thickspike wheatgrass Quackgrass Kentucky bluegrass Tufted hairgrass Mat muhly Rushes Sedges Alkali cordgrass Inland saltgrass	Thistle Iris Lupine Phlox Horsetail Western yarrow	Rubber rabbitbrush Narrowleaf cottonwood Water birch Dogwood Common chokecherry Currant Juniper Shrubby cinquefoil Willow Big sagebrush Wild rose	Riparian grassland Aspen riparian woodland Cottonwood floodplain Willow floodplain Wetland Subirrigated meadow Saline subirrigated meadow
Sagebrush	Big sagebrush Rabbitbrush Black sage- brush	Western wheatgrass Thickspike wheatgrass Bluebunch wheatgrass Sandberg bluegrass Indian ricegrass Threadleaf sedge Needleandthread	Phlox Wild buckwheat Lupine Pussytoes Aster Milkvetch Indian paint- brush Plains prickly pear Penstemon Vetch	Basin big sagebrush Black sagebrush Wyoming big sagebrush Douglas rabbitbrush Rubber rabbitbrush Broom snakeweed Silver sagebrush	Greasewood-agebrush steppe Big agebrush-rabbitbrush steppe Yucca-mixed grass steppe Black sagebrush steppe Black sagebrush steppe Silver sagebrush steppe Tall sagebrush steppe
Greasewood/ Saltbush	Black greasewood Saitbush	Inland saltgrass Alkali sacaton Needleandthread Thickspike wheat- grass Bottlebrush squirreltail	Pursh seepweed Dock Phlox Lomatium Plains prickly pear Pepperweed	Black greasewood Big sagebrush Gardner's salltbush Winterfat Bud sagebrush Douglas rabbitbrush Broom snakeweed	Greasewood-sagebrush steppe Saltbush steppe Greasewood steppe Mixed shrub steppe Spiny hopsage steppe

TABLE 3-9 (Continued) MAJOR VEGETATION TYPES

Vegetative Type	Subtype	Grasses/Grasslike	Forbs	Shrubs/Trees	Associated Wildlife Habitat Type
Blue grama	Globernallo Birdsfoot sagebrus				
Mountain shrub	Bitterbrush Mountain mahogany Other mountain shrubs	Bluebunch wheatgrass Sandberg bluegrass Spike fescue Idaho fescue Mountain brome Threadleaf sedge	Western yarrow Violet Common dandelion Lupine Cinquefoil Arnica Balsomroot Wax current Bush backspirea	Antelope bitterbrush Snowberry Big sagebrush Skunkbush sumac Ruber rabbitbrush Silver sagebrush Common chokecherry Wild rose Ceanothus	Bitterbrush-sagebrush steppe Mountain shrubland Sumac-wyethia steppe
Juniper	Juniper	Western wheatgrass Threadleaf sedge Bluebunch wheatgrass Idaho fescue Indian ricegrass Needleandthread Green needlegrass	Indian paint- brush Larkspur Penstemon Goldenweed	Utah juniper Common juniper Big sagebrush Winterfat	Utah juniper woodland Mountain shrubland Utah juniper woodland - Limber pine woodland
Conifer	Lodgepole pine Limber pine Engelmann spruce Douglas fir Aspen	Bluegrasses Sedges Mountain brome Idaho fescue	Arnica Balsomroot Oregon grape Penstemon Bedstraw Vetch Hawksbeard	Limber pine Lodgepole pine Serviceberry Common chokecherry Quaking aspen Huckleberry Antelope bitterbrush Douglas fir Englemann spruce	Limber pine woodland Quaking aspen woodland Aspen-conifer woodland Douglas fir forest Lodgepole pine forest
Waste	Rock Barren Steep slope Dense timber	associated with the	e waste subtypes in	of the plant species the Lander RMP area rtgrass, sagebrush, types above.	Limber pine woodland Utah juniper woodland Mountain shrubland Badland Castle Garden rockland Sweetwater rockland

tenance or improvement of the vegetative composition and structure.

Low-priority habitats usually have a reduced vegetative diversity, with only one or two structural layers. These types can be more heavily used by conflicting resources without causing significant wildlife impacts because of their abundance and lower wildlife value.

Big Game Mammals

Six species of big game mammals, elk, mule deer, pronghorn antelope, bighorn sheep, moose, and white-tailed deer, are yearlong residents of the Lander Resource Area. The location of the herd unit area boundaries for each big game species are shown on maps 3-16 through 3-20. Since white-tailed deer populations are so scattered and relatively little data are available on population levels, no herd unit areas have been established in the resource area. Crucial and important ranges and habitat areas for big game and sage grouse are shown on maps 3-21 through 3-26.

Tables 3-11 through 3-15 show statistics for each big game herd such as population objective, acres of habitat in the Lander Resource Area and acres of high-value habitat. The data in these tables are related to the major resource management units in the right column of the tables.

Grazing by domestic livestock occurs in all the herd unit areas. The extent of grazing and its impact on big game species varies throughout the resource area. Wild horses compete for forage with other grazing animals, mainly in the Green Mountain and Beaver Creek management units.

The opportunity to improve wildlife habitat, using prescribed burns and innovative methods of fire suppression, exist in all the management units, except the Dubois Badlands where vegetation is too sparse to sustain a fire.

The following narrative describes the general habitat requirements of each big game species and identifies management units where specific big game management practices are currently taking place.

TABLE 3-10
RANKING OF STANDARD HABITAT TYPES¹


High Priority ²	Moderate Priority ³	Low Priority ⁴
Wetland Cottonwood floodplain Willow floodplain Aspen-conifer woodland Subtirrigated meadow Lodgepole pine forest Castle Gardens rockland Saline subtrigated meadow Open aquatic	Tall sagebrush steppe Douglas fir forest Utah juniper woodland Limber pine-Utah juniper woodland Sinly hopsage steppe Sinly hopsage steppe Sinly hopsage steppe Higfland short steppe Sumac-wyethia steppe Big sagebrush-mixed grass steppe	Greasewood-sagebrush steppe Greasewood steppe Lowland short steppe Silver sagebrush steppe Saltbush steppe Mixed shrub steppe Badlands Black sagebrush steppe Yucca-mixed grass steppe

¹ Ranking is based on the wildlife communities (total species, number of breeders, number of rare species) combined with the availability of each type.

² High-priority habitats are defined as those habitats that require Intensive management actions (data collection, enhancement, protection) in order to maintain their productivity as diverse wildlife communities.

³ Moderate-priority habitats are defined as those habitats that require less intensive management to maintain their productivity as wildlife communities.


⁴ Low-priority habitats are defined as those that can be more heavily used by conflicting resources in order to maintain the more important (higher priority) wildlife habitats.



Herd Unit Number and Name

- 18 Upper Nowood
- 26 Steamboat
- 35 Wiggins Fork
- 36 Warm Springs
- 37 Lander

- 38 Green Mountain
- 39 Ferris
- 42 Rattlesnake
 - Shamrock



Herd Unit Number and Name

8	Big '	Trails

18 Copper Mountain

28 Table Rock

42 Dubois

44 Lander

45 Hall Creek

46 Green Mountain


47 Ferris

48 Beaver Rim

49 Badwater


50 Chain Lakes

58 Rattlesnake




Herd Unit Number and Name

3	Copper Mountain	33	Sweetwater
15	Red Desert	34	Badwater
31	Wind River	36	North Ferris
32	Fremont	45	Rattlesnake



Herd Unit Number and Name


- 5 Franc's Peak
- 10 Temple Peak
- 14 Sweetwater Rocks
- 22 Dubois Badlands
- * Jakey's Fork
- ** Dinwoody




Herd Unit Number and Name

20 Lander


21 Dubois








Important Range
Crucial Range



Important Bighorn Sheep Range


Crucial Range

Potential Re-introduction Range




Crucial Winter, Winter, and Winter Yearlong Range

Severe Winter Relief Range



Crucial Range
Unoccupied Range
All Other Range



Sage Grouse Breeding - Nesting Areas

TABLE 3-11

ELK HERD UNIT AREA DATA - LANDER RESOURCE AREA

Elk Herd Unit Area Name and Number	Wyoming Game and Fish Department Population Objective	Approximate Percent of Population in Lander R.A.	Acreage of Occupied Habitat in Lander R.A.	Acreage of High- Value Habitat With Potential to be Significantly Impacted by One or More Resource Management Alternatives	Major Resource Management Units in Herd Unit Area
Lander (No. 37)	2,300	100%	93,497	35,271 (Winter) 21,213 (Crucial/Winter) 7,259 (Winter-Yearlong)	Lander Slope Red Canyon South Pass Sweetwater Canyon Beaver Creek
Green Mtn. (No. 38)	375	100% Yearlong	87,833	15,551 (Crucial/Winter) 17,567 (Winter) 5,283 (Calving)	Green Mountain Beaver Creek
Wiggins Fork (No. 35)	3,519 (Stable)	95% Winter Less than 5% Summer	55,059	30,140 (Crucial/Winter) 23,684 (Winter) 3,766 (Calving)	East Fork Dubois Badlands Dubois Area
Warm Springs (No. 36)	750 (Stable)	50% Winter 5% Summer	25,767	19,749 (Winter)	Whiskey Mtn. Dubois Area
Upper NoWood (No. 18) (Copper Mtn.)	900	5% Winter 20% Summer	49,143	15,453 (Winter-Yearlong) 7,219 (Calving)	Gas Hills Copper Mtn.
Rattlesnake (No. 42)	150	50% to 100% Yearlong	28,804	28,804 (Winter-Yearlong)	Gas Hills
Ferris (No. 39)	350	5%-Yearlong	8,000		Gas Hills
Steamboat (No. 26)	700	10% Severe Winters	3,910 (Occasional Use)		Beaver Creek Sweetwater Canyon
Shamrock1	75		0		Beaver Creek

1 Herd unit number undetermined.

TABLE 3-12 BIGHORN SHEEP HERD UNIT AREA DATA - LANDER RESOURCE AREA

Bighorn Sheep Herd Unit Area Name and Number	Wyoming Game and Fish Department Population Objective	Approximate Percent of Population in Lander R.A.	Acreage of Occupied Habitat in Lander R.A.	Acreage of High- Value Habitat With Potential to be Significantly Impacted by One or More Resource Management Alternatives	Major Resource Management Units in Herd Unit Area
Temple Peak (No. 10)	250		18,648	4,724 (Crucial/Winter- Yearlong) 13,924 (Winter-Yearlong)	Lander Slope Red Canyon
Francis Peak (No. 5)	1,000		3,155	370 (Crucial/Winter) 2,785 (Summer)	East Fork Dubois Area
Badlands (No. 22)	60	100%	15,644	933 (Crucial/Winter) 14,020 (Crucial-Yearlong) 691 (Summer)	Dubois Area Dubois Badlands East Fork
Sweetwater Rocks Rocks (No. 14)	Undetermined (Current Population Less than 10)	100- Yearlong	Undeter- mined	44,925 (Winter-Yearlong) Potential Re-establishment Area	Beaver Creek Gas Hills Sweetwater Rocks
Jakey's Fork¹	560	100%	20/36	3,602 (Crucial/Winter- Yearlong) 15,765 (Summer) 769 (Winter)	Dubois Area
Dinwoody ¹	400	100%	14,132	2,945 (Crucial/Winter- Yearlong) 2,034 (Winter)	Whiskey Mt.

¹ Herd unit number undetermined.

Elk

A variety of standard habitat types provide the seasonal requirements for several herds of elk in the Lander Resource Area. Habitat selection varies from season to season, with the elk being most restricted during severe winter conditions. Elk require a combination of feeding sites (upland meadow, sagebrush-mixed grass and mountain shrub), security and thermal cover (aspen and conifer woodlands) for their daily activity.

During the summer, elk use the higher elevation woodland types for security and thermal cover. The upland meadows and sagebrush-mixed grass sites provide summer forage.

With the onset of winter, the elk migrate to the lower elevation winter ranges, concentrating on the crucial winter ranges during periods of severe weather. Snow depths limit elk to the more open,

windswept areas, usually consisting of sagebrushmixed grass, big sagebrush-rabbitbrush, and some mountain shrub communities.

The following management units provide habitat of major importance to elk herds in the resource area.

Green Mountain Management Unit. Green Mountain provides both summer and winter habitat for about 375 elk. Maintenance of adequate elk cover, as part of the forest ecosystem, is a primary wildlife objective. Currently, small tracts of merchantable timber stands are logged until a cover-forage ratio of approximately 40 to 60 percent has been reached.

Uranium exploration, mining, oil and gas activity, livestock and wild horse grazing, and ORV use can potentially create conflicts with elk management, depending on their intensity.

TABLE 3-13
MULE DEER HERD UNIT AREA DATA - LANDER RESOURCE AREA

Mule Deer Herd Unit Area Name and Number	Wyoming Game and Fish Department Population Objective	Approximate Percent of Population in Lander R.A.	Acreage of Occupied Habitat in Lander R.A.	Acreage of High- Value Habitat With Potential to be Significantly Impacted by One or More Resource Management Alternatives	Major Resource Management Units In Herd Unit Area
Dubois (No. 42)	4,000	100%	162,913	44,860 (Crucial/Winter- 102,149 (Winter-Yearlong)	East Fork Dubois Badlands Whiskey Mtn. Dubois Mgmt. Area
Beaver Rim (No. 48)	3,100	90% Summer & Fall 95% Winter & Spring	700,385	65,367 (Crucial/Winter) 292,628 (Winter-Yearlong)	Sweetwater Rocks Gas Hills Beaver Creek
Badwater (No. 49)	7,500	65% Summer & Fall 70% Winter & Spring	242,223	92,826 (Crucial/Winter) 141,097 (Winter-Yearlong))	Copper Mtn. Gas Hills
Big Trails (No. 8)	13,892	Less Than 1% Spring-Summer & Fall	3,478		Gas Hills
Lander (No. 44)	4,700	100%	97,848	45,283 (Crucial/Winter) 30,603 (Winter-Yearlong)	Lander Slope Red Canyon
Hall Creek (No. 45)	4,100	97% Summer & Winter	449,512	90,776 (Crucial/Winter) 65,353 (Winter-Yearlong)	South Pass Sweetwater Canyon Beaver Creek
Green Mtn. (No. 46)	2,000	98% Yearlong	163,201	4,302 (Crucial/Winter) 42,216 (Winter-Yearlong)	Green Mtn.
Copper Mtn. (No. 18)	4,500	2% Yearlong	10,210	2,569 (Crucial/Winter)	Gas Hills
Chain Lakes (No. 50)	200		22,918 (Occasional Use)		Beaver Creek
Table Rock (No. 28)	450		25,933 (Occasional Use)		Beaver Creek
Rattlesnake (No. 58)	2,000	25% Yearlong	142,414	25,120 (Winter-Yearlong)	Gas Hills
Ferris (No. 47)	5,000	5% Yearlong	18,572	582 (Winter-Yearlong)	Gas Hills

TABLE 3-14
PRONGHORN ANTELOPE HERD UNIT AREA DATA LANDER RESOURCE AREA

Pronghorn Antelope Herd Unit Area Name and Number	Wyoming Game and Fish Department Population Objective	Approximate Percent of Population in Lander R.A.	Acreage of Occupied Habitat in Lander R.A.	Acreage of High- Value Habitat With Potential to be Significantly Impacted by One or More Resource Management Alternatives	Major Resource Management Units in Herd Unit Area
Red Desert (No. 15)	10,000	10% Winter 25% Summer	449,146	31,403 (Winter-Yearlong	Beaver Creek Green Mtn. Sweetwater Canyo
Wind River (No. 31)	300	100%	92,748	12,198 (Crucial/Winter- Yearlong) 22,912 (Winter-Yearlong)	Dubois Area East Fork Dubois Badlands Whiskey Mtn.
Sweetwater (No. 33)	7,000	95% Winter 90% Summer	903,934	233,087 (Crucial/Winter- Yearlong)	Beaver Creek Sweetwater Rocks Green Mtn.
N. Ferris (No. 36)	5,000	15% Winter 2.5% Summer	17,658		Gas Hills
Copper Mtn. (No. 3)	2,750	Less Than 3% Spring-Summer- Fall	12,907		Gas Hills
Badwater (No. 34)	3,000	73% Summer & Fall	391,991	103,587 (Crucial/Winter- Yearlong)	Gas Hills
		75% Winter & Spring		24,685 (Winter-Yearlong)	Copper Mtn.
Fremont (No. 32)	7,100	85% Summer &	1,262,308	202,276 (Crucial/Winter- Yearlong)	Gas Hills
(10.02)		89% Winter Spring		200,955 (Winter-Yearlong)	Beaver Creek Lander Slope Red Canyon South Pass
Rattlesnake (No. 45)	6,000	10% Spring- Summer-Fall 5% Winter	36,453	19,311 (Winter-Yearlong)	Gas Hills

TABLE 3-15
MOOSE HERD UNIT AREA DATA - LANDER RESOURCE AREA

Moose Herd Unit Area Name and Number	Wyoming Game and Fish Department Population Objective	Approximate Percent of Population in Lander R.A.	Acreage of Occupied Habitat in Lander R.A.	Acreage of High- Value Habitat With Potential to be Significantly Impacted by One or More Resource Management Alternatives	Major Resource Management Units in Herd Unit Area
Lander (No. 20)	300	15% Summer & Fall 50% Winter & Spring	133,832	51,229 (Crucial/Winter- Yearlong) 8,911 (Winter-Yearlong) 14,698 (Crucial/Winter)	Sweetwater Canyon South Pass Red Canyon
				48,627 (Winter) 10,367 (Summer)	Lander Slope Beaver Creek
Dubois (No. 21)	350		163,883	38,236 (Winter-Yearlong) 125,647 (Summer)	Dubois Area Whiskey Peak Dubois Badlands East Fork

Lander Slope Management Unit. The Lander Slope and the Red Canyon Management units provide crucial winter range for a large part of the Lander elk herd. In recent years, there has been interest in oil and gas leasing and phosphate leasing and prospecting on the slope. A number of rural homesite subdivisions have been developed on private lands on the lower portions of the slope, and the state of Wyoming has improved access and proposed timber harvesting in the Squaw Creek area. All these activities pose potential conflicts with elk crucial winter range on the slope.

Red Canyon Management Unit. The Red Canyon Management Unit consisting of approximately 23.000 acres, contains the Red Canyon Wildlife Habitat Management Unit, which was established by the Wyoming Game and Fish Department (WGFD) in 1958. This habitat management unit is made up of about 1,800 acres, which are owned or controlled by the WGFD. The federal government retains title to most of the minerals in the unit and has about 90 acres of public land inside the unit fence. The Red Canyon Management Unit was established to ensure reliable high-quality winter habitat for elk in the Lander Herd Unit and to alleviate elk depredation on private lands.

Before establishment of the wildlife habitat management unit, elk in the area were forced to compete for all their forage on public grazing lands and private haylands. The unit is now managed to ensure a dependable quantity of high-quality winter habitat for at least part of the elk herd's winter needs.

In association with the Red Canyon unit, BLM and WGFD developed a Memorandum of Understanding and Cooperative Agreement, which provides for reservation of 500 animal unit months (AdMs) of grazing privileges for elk use in the greater Red Canyon elk winter range aradigacent to the unit. This area is essentially the Red Canyon Creek drainage to the Little Popo Agle River Canyon. The AUMs set aside for elk come from what is now grazing allotment No. 1908, the Slingerland allotment, and were formerly attached to the Facinelli base property, now the Red Canyon Unit.

East Fork Management Unit. The East Fork Big Game Winter Range in this management unit is one of the most outstanding "managed" elk winter ranges in the West. The winter range covers nearly 17,000 acres north of Dubois in the drainages of the East Fork of Wind River, Bear Creek and Wiggins Fork. As many as 4,000 elk summer on

the Shoshone National Forest to the north and migrate south to the lower elevations in the winter.

Migration routes between summer and winter ranges are well defined. Through fencing and habitat management on the winter range, the majority of the elk herd's winter use has been conflined to the until lands. Damage to adjacent private lands during normal winters has been greatly reduced.

Elk will normally avoid an area with unfamiliar sights, sounds, vehicular traffic, and proximity to human activity. Because of the isolation of the summer range, the East Fork elk herd is particularly susceptible to disturbances. Experience has demonstrated that any unusual activity on the winter range causes the elk to flee to surrounding private lands, often causing hay damage and other conflicts with landowners. Return to the higher timbered areas during the winter is impossible because of heavy snow packs.

As a result of WGFD purchases, the Public Land Orders and associated cooperative agreements with the Fish and Wildlife Service (FWS), the applied provisions of the Coordination Act and the Federal Aid in Wildlife Restoration Act, and the East Fork Cooperative Agreement with BLM, the surface management of the East Fork Unit is almost entirely the responsibility of the WGFD for purposes of maintenance, protection and improvement of wildlife, wildlife habitat, and wildlife-based recreation. However, approximately 87 percent of the subsurface mineral estate in the unit is under federal ownership. In 1981, BLM. FWS and WGFD entered into an agreement for the unit. It was the conclusion of the representatives of the three agencies that oil and gas exploration, development and subsequent operational activities would not be compatible with the dedicated use of this area. It was, therefore, recommended that all of the public lands and the patented lands with mineral reservations within the exterior boundaries of the East Fork winter range be excluded from oil and gas leasing. It was further recommended that existing leases continue in effect, and, if production were not obtained during the term of these leases, the leases would not be extended and new leases would not be issued.

Bighorn Sheep

The habitat requirements for bighorn sheep seem to be keyed to good foraging sites near escape cover (rough terrain). Research has shown that bighorns prefer open grassy ridgetops, slopes, or benches within 100 meters of rocky outcrops, precipitous cliffs, or steep rocky slopes.

Habitat types most commonly used are highland short steppe, sagebrush-mixed grass, big sagebrush-rabbitbrush, and mountain shrub. These habitats provide forbs and grasses, the major components in their diet from late fall to early summer. Sagebrush, rabbit brush and bitterbrush are the principal winter browse species that become especially important during periods of deep snow.

Lander Slope and Red Canyon Management Units. Several of the deep canyons that cut through the Lander Slope and Red Canyon management units are habitat for bighorn sheep. Although these canyons do not support a large number of bighorns, there is potential to improve the habitat and build these herds. The same activities that could affect elik on the Lander Slope have the potential to conflict with bighorn sheep.

Whiskey Mountain Management Unit. Bighorn sheep wintering in the Whiskey Mountain-Jakey's Fork-Torrey Creek area south of Dubois, Wyoming, are one of the largest and most visible herds in the continental United States. In 1969, after years of cooperative efforts and emerging recognition of the importance of this bighorn population, WGFD, U.S. Forest Service, Shoshone National Forest, and BLM entered into the Whiskey Mountain Cooperative Agreement. This agreement directed the three agencies to manage the area in order to protect and enhance its value as a bighorn sheep range, and it directed the field offices of these agencies to prepare a comprehensive habitat management plan to accomplish these objectives.

The goal of WGFD, BLM and U.S. Forest Service (USFS) is to manage the Whiskey Mountain area to perpetuate and emphasize bighorn sheep and their habitat. The habitat will be managed to perpetuate a bighorn sheep herd for sport hunting, aesthetics, transplant stock (over 1,300 sheep have been transplanted in five states), educational and scientific values, and to obtain a better understanding of the ecological needs of the sheep.

As a result of the Whiskey Mountain Cooperative Agreement and the Whiskey Mountain Bighorn Sheep Comprehensive Management Plan, BLM segregated 2,599 acres from all forms of appropriation, including the mining laws and mineral leasing laws in 1970. These segregations were recently reviewed and retained, pending land-use planning and possible protective withdrawal. Also, as a result of recent offers to lease a large part of the winter range for oil and gas, the entire area of federal mineral estate in

the Whiskey Mountain area outside the national forest was evaluated. As a result of this evaluation and the value of the bighorn sheep range, BLM State Director's decision was that there would be no federal oil and gas leasing on BLM-administered lands within the exterior boundaries of the Whiskey Mountain Winter Range.

BLM has also agreed to retain public lands in the winter range. WGFD has acquired three tracts of land in the foothills of Whiskey Mountain for wildlife forage: one in 1954, one in 1957, and one in 1973, totalling 5,840 acres. USFS has also designated an area on Sheep Ridge solely for wildlife forage, and BLM has designated 1,260 acres for the same purpose. WGFD has determined that bighorn sheep will have priority use over other wildlife species in the Whiskey Mountain area. From a habitat standpoint, USFS and BLM have determined that bighorn sheep will have priority over other domestic and wildlife species.

Dubois Badlands. The Dubois Badlands provide primarily yearlong range for about 50 bighorn sheep. This relatively small area with low-forage production meets the habitat requirements for sustaining a viable bighorn herd, despite periodic heavy grazing by other ungulates. The WGFD conducts a limited hunt in the area, and several trophy rams have been taken in recent years.

Deer

Mule deer are distributed throughout the seasonal ranges within the resource area. In general, mule deer prefer habitat types that are in the early stages of plant succession and contain a large quantity of shrubs. Mule deer use the woody riparian, shrublands, Utah juniper woodland, and aspen woodland habitat types extensively during spring, summer and fall. These types provide adequate forage areas with security cover. Also, cover for fawning and succulent vegetation for lactating females is provided by these habitatis.

With the onset of winter, deer are more restricted in their habitat selection. Deep snow makes many summer habitat types unavailable, concentrating deer at lower elevations. Wintering mule deer are often found in the Utah Juniper, limber pine juniper, big sagebrush-rabbitbrush, and bitterbrush habitat types.

White-tailed deer utilize the willow-waterbirch and cottonwood habitat types along the major creeks and rivers. Population levels are low and data are scarce for these isolated herds.

Pronghorn Antelope

Pronghorn antelope are the most abundant and visible big game species in the resource area. Antelope inhabit open rangelands with a wide variety of habitat types rather than a monotypic vegetative community. These types have a high density of grass, forbs and shrubs that produce an abundance of succulent vegetation.

Moose

Moose are most abundant in the resource area during the winter, when they move out of the higher elevations of the Shoshone National Forest. Wetland-riparian habitat characterized by cottonwoods, willows and aspens comprise most of the prime moose habitat. Riparian habitat types that are heavily wooded are preferred for calving.

Major forage consists of browse such as willow and other shrubs, with grasses and forbs making up the rest of the diet.

The main winter concentrations of moose occur in the South Pass Management Unit and in the upper Sweetwater River area of the Beaver Creek Management Unit. The Dubois Area, Whiskey Peak, Dubois Badlands, and East Fork management units provide summer range and in some cases winter-yearlong range for the Dubois Herd Unit

Rural development of homesites on riparian areas on the Lander Slope is resulting in a direct loss of moose crucial winter range on private land.

Upland Game Birds

Sage Grouse

Sage grouse are the most common and widespread game bird in the Lander Resource Area. Seventy-eight sage grouse strutting grounds have been documented during spring surveys. A list of the location and status of these strutting grounds is available in the Lander Resource Area office.

During the spring, sage grouse concentrate on traditional strutting grounds where courtship and breeding occur. These grounds are usually in openings within a sagebrush stand where the adjacent sagebrush canopy averages 32 percent (Wallestad and Schladweiler 1974).

Sage grouse nests are usually found under sagebrush on drier sites, in preference to the dense, tall sagebrush found on moist areas. The

majority of the nests are located within 2 miles of the strutting ground, with occasional nests found 5 to 6 miles away (Wallestad and Pyrah 1974). Sage grouse avoid large stands of dense sagebrush (Klebenow 1972 and Wallestad 1971).

Sage grouse tend to stay within 1.5 miles of water during the warm, dry summer periods. The critical spring, summer and fall ranges should have water to support the hens and their broods. During normal precipitation years, water is generally available in most of the resource area. But water is a habitat limiting factor in some areas.

To sustain current sage grouse population levels, three important habitat components—strutting/nesting grounds, brood-rearing areas and wintering areas—should be maintained. Currently, a statewide standard stipulation protects the strutting ground and a ¼ mile radius from the center of the ground from surface disturbance. From the ¼ mile distance to 2 miles from the center of the ground, nesting habitat is protected from surface disturbance during the nesting season.

The more important brood rearing areas are usually found in meadow-riparian areas along intermittent and perennial streams. Stipulations that protect these riparian areas benefit sage grouse.

Wintering areas are not well documented in the resource area. Typical wintering areas contain stands of tall sagebrush that stand above the snow and provide cover and food. Areas that blow free of snow are also used by sage grouse in the winter. These snow free areas sometimes overlap big game crucial winter ranges. Seasonal stipulations that protect big game crucial winter ranges provide protection for some sage grouse wintering areas.

Loss of sagebrush habitat can be a major cause of sage grouse population declines (Patterson 1952). The majority of the habitat alterations and losses that have occurred in the Lander Resource Area are attributed to agricultural practices such as sagebrush spraying and other sagebrush type conversion practices.

Loss of habitat within the resource area can also be attributed to:

- —Oil and gas activity (road and drill pad construction combined with habitat modification during pipeline construction).
- —Livestock grazing.

Changes in vegetative composition, density and structure

Disturbance of nesting hens and nest trampling

Removal of brood cover in meadows

- Surface disturbance caused by mineral exploration.
- Failure and or abandonment of key water projects in dry areas.
- Dewatering of lower sections of small streams because of irrigation diversions.

Chukar Partridge

Wyoming introduced chukars into the state in 1939 and began hunting them in 1955. Chukars prefer rocky slopes for escape and roosting cover. Optimum habitat consists of about 50 percent talus slopes, rock outcrops, cliffs and bluffs, and 50 percent sagebrush, bunch grasses (Agro-pyrons), bluegrasses (Poa), and annuals such as cheatgrass (Bromus tectorum1). The availability of water during the summer months is a significant habitat factor.

In the Lander Resource Area, the best chukar habitat exists along Twin Creek; in the Sheep Mountain area; along the Lander Slope and Red Canyon areas, especially in and adjacent to the many canyons; and in the Cottonwood Creek drainage. Good habitat is also found along the south slopes and drainages of the Copper and Lysite mountains. Attempts were made in the past to establish chukar populations in the Sweetwater Rocks and along Beaver Rim, but these populations were apparently not very successful.

Chukar populations appear to fluctuate, primarily with the severity of winter conditions and weather conditions during spring nesting in areas with established populations.

Hungarian Partridge

Hungarian Partridge or "huns" are found hear agricultural lands in some parts of the resource area. (These populations are thought to have originated from private releases in the vicinity of Lander and may have spread south to the Badwater Creek country from Montana via the Big Horn Basin.) Populations exist in the lower Beaver Creek area around Yellowstone Ranch, in the vicinity of Red Canyon and the Lander Walley, in Lyons Valley, and in the Bridger Creek and Lysite Creek drainages north of Badwater Creek.

Huns prefer grass-dominated, prairie-type habitats for nesting. Forbs in these communities

provide concealment of nests in spring and sources of food throughout the year. Fort-dominated communities, such as alfaifa fields, are not preferred nesting areas but offer some of the earliest spring vegetative cover when residual grass cover is absent (Weigard 1977).

Mowing of hay, application of insecticides, burning of waste areas, and trampling of nests by livestock are potential causes of mortality in huns. However, agricultural operations that leave good cover in agricultural edge areas are usually beneficial to huns in areas where populations are present

Blue and Ruffed Grouse

Blue grouse and occasionally ruffed grouse are found in preferred habitats on Green Mountain and on the east end of Crooks Mountain. The forest-wood land edges in the vicinity of South Pass, the Lander Slope, and Upper Wind River Valley (Dubois) also support appreciable stands of preferred habitat and fair populations of blue and ruffed grouse.

Preferred standard habitat types include the mountain shrubland, aspen-conifer woodland. quaking aspen woodland, Douglas fir forest. limber pine woodland and the lodgepole pine forest. The edges between these types and small riparian areas within these types are especially preferred. Breeding, nesting and brood rearing areas are typically found in the edge areas. Fire and timber harvesting as well as other large scale surface disturbing operations such as mining can damage or destroy blue and ruffed grouse habitat. These activities can also have beneficial effects if proper vegetative structure and diversity is created or restored as a result of the activity. Grazing pressure forces grouse out of areas where herbaceous forage utilization is excessively high. Grouse move to areas of steep slopes and heavy thickets less utilized by livestock.

Blue and ruffed grouse habitat condition or trend is not adequately documented in the resource area, but conditions are known to vary from poor to excellent in different sites.

Raptors

Raptors or birds of prey include eagles, falcons, hawks, and owls. Because they occupy an ecological position at the top of the food chain, they act as biological indicators of environmental quality.

Seventeen species of raptors are recorded in the resource area. Two species, the peregrine falcon and the bald eagle, are listed as endangered by the U.S. Fish and Wildlife Service. Fourteen species are known to nest in the resource area.

The nesting-reproductive season is considered to be the most critical period in the raptor life cycle since it determines population productivity, short-term diversity, and long-term trends. Most species have specific have specific have specific have specific have specific have self-time state selection and reproductive success. These generally include nesting strata, available prey base, and nest site disturbance.

Often raptors will concentrate their nests along a cliff and use this strata for nesting year after year. These high-use/high-density raptor nesting sites are called raptor concentration areas. Protection of these areas from surface disturbances and human activity is important, not only to maintain a stable raptor population but also to balance the predator-prey relationships that influence rodent populations. Although raptor nesting surveys have not been completed for the entire resource area. Beaver Rim and the Canyon Walls on the Lander Slope and Red Canyon are documented raptor concentration areas. The Sweetwater Rocks and Copper Mountains probably have concentrations of nesting raptors. but good surveys are lacking. Swainson's hawks and ferruginous hawks concentrate nesting activity in the Muskrat Creek/Badwater area. Accipiters prefer the Green Mountain Management Unit. However, specific concentration areas have not been identified.

By far the greatest impact on raptor production and population trends is human disturbance at the nest site during critical periods. Incubation is the most critical period. When disturbed, raptors are much more likely to desert their nest during incubation than after hatching. Once the eggs hatch, raptors exhibit a strong maternal instinct and usually will not desert their young. The second critical period is fledging. If the nest is disturbed during fledging, the young could leave the nest before they are able to fly. Consequently, the fledgings fall to the ground where they are easy prey for coyolos and other predators.

Waterfowl and Shorebirds

Many species of waterfowl and shorebirds occur in the resource area. Their abundance varies from year to year, depending on the availability of water.

Wetland-riparian habitat provides nesting and brood-rearing areas.

The various sources of water in the resource area such as natural lakes, streams, and manmade reservoirs are important resting areas for a variety of ducks, geese and shorebirds.

In 1977, a survey of all standing waters on public land in Wyoming was completed using 1:24,000 topographic maps and color infrared aerial photographs taken between June 25, 1974, and September 30, 1976. Table 3-16 summarizes the standing water data for the Lander Resource Area. These acreages of reservoirs and lakes, plus miles of perennial streams, provide an estimate of the potential waterfowl and shorebird habitat in the resource area.

TABLE 3-16

POTENTIAL WATERFOWL AND SHOREBIRD HABITAT ON PUBLIC LAND IN THE LANDER RESOURCE AREA

	Reservoirs (acres)1	Natural Lakes and Ponds ¹	Perennial Streams
Seasonal	526,10	920.60	233.91 (miles)
Permanent	296.60	868.70	
Unknown	294.75	95.10	

¹ Estimated maximum surface acreage.

Heavy grazing pressure is a problem in a majority of the riparina zones on public streams, small reservoirs and ponds throughout the resource area. This results in trampling and removal of nesting cover for waterfowl and shorebird species that nest in riparina zones. Because of heavy grazing pressure, waterfowl reproduction is considered to be well below the potential in the resource area.

Projects to protect and improve waterfowl and shorebird habitat along with habitat for a variety of other species has been limited to a small number of riparian-wetland protective fences, some goose nesting platform installations and one project involving nesting island construction. All projects constructed have included consideration for livestock watering needs. Projects currently functioning and being maintained include the following:

Ninemile Reservoir protective fence
Lone Horse Reservoir protective fence
Dobie Hills protective fence
Little Durf Pit Reservoir fence
Soda Lake protective fence
Lost Creek Reservoir fence and Island
Construction Project

Little Lost Creek Reservoir protective fence West Fork Crooks Creek pothole blasting Jackson Lake Goose Nests

Threatened or Endangered Species

Five endangered species may be present in the Lander Resource Area: the bald eagle, peregrine falcon, black-footed ferret, grizzly bear, and gray wolf (U.S. Fish and Wildlife Service letter 1984) The following sections briefly summarize the ecological requirements of these species. These species will be addressed in detail in a biological assessment being prepared in 1985 for the U.S. Fish and Wildlife Service, as required by the Endangered Species Act.

Black-Footed Ferret

No black-footed ferrets are known to exist in the resource area. Every year reports of ferret sightings are received at the Lander BLM office. These possible sightings are investigated by BLM or the Wyoming Game and Fish Department. Because most ferret activity is nocturnal and crepuscular, it is difficult to verify their presence. A known population of ferrets, discovered in 1981, is located about 80 miles north of the ElS area near Meetestes, Wyoming, Black-footed ferrets have been found to be closely associated with prairie dog towns. All prairie dog towns are potential black-footed ferrets haive

Peregrine Falcon

In the resource area, the peregrine is a rare migrant and no recent nesting activity has been documented. Peregrines typically nest on tall cliffs that provide sanctuary from human disturbance. Most frequently used nesting cliffs exceed 100 feet in height, and the majority are within 1 mile of a stream or river (Call 1978).

In the resource area, there are potential cliff nest six suitable for peregrines in the North Fork Canyon of the Popo Agle River, in the Sweetwater Rocks adjacent to the Sweetwater River and in the Sweetwater Canyon. Principal food items are passerine birds, waterfowl and shorebirds.

Baid Eagle

The 1980-81 mid-winter bald eagle survey documented 484 bald eagles wintering throughout the state. This wintering population is increasing.

Another important component of bald eagle winter habitat is perch sites. Perch sites serve as a vantage points for hunting, vigilance against predators, loafing, sunning, and in some case double as night roosts (Fisher et al. 1981). Cottonwood trees along the rivers are utilized as perch sites.

In the resource area, an estimated 15 bald eagles winter in three small areas during a typical winter. Two of these areas are located on the North Popo Agie River, and one is located on the Little Popo Agie River. Two of the three wintering areas are heavily used. The Wyopo wintering area northeast of Lander is less frequently utilized, possibly because of human disturbance in the area.

The primary source of food is carrion (Oakleaf, personal communication 1982). Fish and waterfowl are also utilized.

No historical or recent bald eagle nesting activity has been documented in the resource area

Grizzly Bear

Grizzly bear populations and distributions have been greatly reduced in the Western United States since the early 1900s because of loss of habitat and conflicts with man. There has been no confirmed sighting of the grizzly bear in the resource area in recent years. An old grizzly bear skull was recovered in the Red Caryon area in 1975. There have been unconfirmed reports of grizzly bear sightings in recent years along the northern edge of the Dubois Area.

Because of conflicts with man, grizzly bears have mainly survived in large remote sanctuary-type areas such as Yellowstone National Park and the Bob Marshail Wilderness Area. Grizzly bears have been known to travel considerable distances outside Yellowstone Park in search of winter killed elk and deer.

Grizzly bears use a wide variety of foods, including roots, berries and other vegetable matter. In addition, carrion, small rodents and insects are eaten.

Gray Wolf

Like the grizzly bear, the gray wolf has been extirpated from most of its historical range. Today the gray wolf occurs in remote wooded areas away from human activity.

Sightings and scats reported in the Grass Creek Resource Area in the last 8 to 10 years indicated that a remnant population of wolves might still exist in Wyoming. It is possible, though improbable, that a wolf could occasionally be found on part of this resource area.

Furbearers, Predators and Trophy Game Animals

Several wildlife species fall under the category of furbearers, predators or trophy game. Some of these species such as the beaver are economically important to Wyoming. Others are hunted as trophies such as mountain lions and black bears.

Beaver

Beaver are found in most perennial streams throughout the Lander Resource Area. They are usually common in streams where willows and aspen are plentiful.

Major beaver-habitat areas are associated with streams of the South Pass Area, including the many small streams of the upper Sweetwater. Beaver Creek and Twin Creek drainages; streams of the Lander Slope, including the upper Popo Agie drainages; and streams of the Green Mountain area. Beaver habitat is very limited on public lands in the Copper Mountain-Badwater country, in the Dubois area, and in most of the central Wind River Basin and Natrona County portion of the resource area. Most of the beaver habitat remaining in these latter portions of the resource area have deteriorated. This can be attributed primarily to the naturally more limited areas suitable for production of beaver habitat and historically excessive use of these areas by livestock.

Black Bear

Wyoming has both a spring and fall hunting season for bears. During the 1983 hunting season, 178 black bears were harvested in Wyoming. In the Lander Hunt Area, 9 bears were killed by hunters in 1983. On public lands in the resource area, black bears are found in the Dubois area and the Lander Slope, Red Canyon, South Pass, and Green Mountain areas. Occasionally, they are seen in less desirable habitat areas.

Mountain Lion

Mountain lion habitat is essentially that of their prey—mule deer. In Wyoming, mountain lions prefer conifer woodlands and juniper, mountain shrub and rockland habitat types. In recent years, mountain lions have been reported in the Green Mountains, Muddy Gap, Sweetwater Rocks, Rattlesnake Mountains, Copper Mountains, Lander Slope, and Dubois areas of the resource area.

FOREST MANAGEMENT

Introduction

The Green Mountain, Lander Slope, South Pass, Red Canyon, Dubols, Whiskey Mountain, and East Fork management units have potential commercial timber resources within their boundaries. But the only units that would be significantly affected by various resource management actions would be Green Mountain, Lander Slope, South Pass, and Dubois. Red Canyon has small amounts of timber stands, which are isolated because of access problems associated with private lands. These problems are not worth trying to solve because of the small amount of timber involved.

The Dubols Management Unit contains the largest amounts of timber in the Dubols area, mainly near Hat Butte and Sand Butte (500 to 600 acres); however there are access and topographic problems associated with potential harvesting.

The Whiskey Mountain and East Fork management units contain small amounts of timber that are isolated because of access and topographical problems, which reduce the harvest potential. These two areas are also crucial wildlife wintering areas that are managed by BLM and other federal and state agencies.

The following forestry resources would be significantly affected by one or more of the proposed management actions: timber quantities, sustained yield, timber condition, timber demand, access, logging and regeneration, and fire. No other resources would be significantly affected.

Timber Quantities

Green Mountain Management Unit

The Green Mountain area includes the timbered areas of Crooks Mountain and Whiskey Peak and adjacent areas. The majority of the harvesting in the Lander Resource Area over the last several years has taken place here. The area contains mainly lodgepole pine, with small amounts of spruce, limber pine and aspen. Lodgepole pine is the main commercial species in the area.

Before harvesting began in about 1960, there were between 6,000 and 7,000 acres of sawtimber on the area. In that first cutting, about 175 acres of sawtimber were clearcut. Since then, about 800 additional acres have been harvested. The commercial timber lands also include approximately 5,300 acres of pole-sized timber (3 to 8 inches in diameter), 300 acres of seedling and sapling stands (up to 1 inch in diameter) and 35 acres of Engelmann spruce.

In 1976, a U.S. Forest Service type Stage II intensive forest inventory was completed on Green Mountain. Table 3-17 shows the total acreage and volumes determined by this inventory. The cubic foot volumes in this table, for each type, are in trees greater than 5 inches and less than 9 inches in diameter (DBH), and the board foot volumes are in trees greater than 9 inches in diameter.

Table 3-17 shows the acres and volumes for the different types of timber harvest. There are many acres of aspen in the area, mainly in small, scattered blocks along the fringes of conifer stands. Because they have not been harvested or burned recently, many of these trees are not perpetuating themselves and the confiers are generally taking over.

Much of the limber pine on the mountain has been killed by the mountain pine beetle. In the Willow Creek drainage, there are several relatively large, dead stands of pine. Because this species does not regenerate rapidly, some of the stands in the wetter areas may be taken over by aspen and/or lodgepole pine.

The Engelmann spruce occurs only in one drainage, the East Cottonwood Creek drainage (section 3, T.27N., R.91W.; and section 34, T.28N., R.91W.), which runs through the Cottonwood Campground. These trees occur immediately adjacent to the stream bottom. Dissemination of seed and regeneration of the spruce is very slow adjacent to the stream bottom.

TABLE 3-17 ACREAGE AND VOLUME

Types	Original Acres	Volume Per Acre (MBF)	Original Volume (MBF)	Acres Cut or Burned	Present Acres	Present Volume (MBF)
LP9W ¹ LP9M ² LP9P ³	740 2,025 2,272	9.28 6.52 4.60	6,867 13,203 10,451	278 22 290	462 2,003 1,982	4,287 13,060 9,117
Subtotal Sawtimber	5,037	6.807	30,521	590	4,447	26,426
LP8W ⁴ LP8M ⁵ LP8P ⁶	1,804 1,594 1,904	2.60 2.80 1.30	4,672 4,430 2,426	190 320 129	1,607 1,274 1,775	4,162 3,541 2,261
Subtotal Pole Timber	5,302	2.307	11,528	646	4,656	9,964

¹ LP9W = Lodgepole pine - sawtimber - well stocked.

7 Average volume per acre.

Lander Slope Management Unit

Commercial forest acreage is 4,675, and volume is 43,000 MBF for this unit

The timber west of Suicide Point is mostly lodgepole pine, with several smaller stands of fir along the drainages on the eastern edge of the unit. Most of the conifer stands are fringed with aspen trees.

South Pass Management Unit

There are approximately 1,535 acres of commercial timber land in the South Pass area. Approximately 900 acres of this timber land were included in a cooperative sale in 1976 in which timber bigger than 8 inches in diameter was harvested. This amounted to a virtual clearcut in most areas; however, they have all regenerated to lodgepole pine or aspen. The remainder of these acres are along Beaver Creek, adjacent to private lands. The majority of the timber is lodgepole pine, with one narrow strip of Douglas fir trees. This varies from one to two Douglas fir trees per acre to 10 to 20 trees per acre. Some of these Douglas fir trees are 30 to 40 inches in diameter and 60 to 70 feet tall. The standing volume of Douglas fir is estimated to be 75 to 100 MBF.

There are many stands of aspen in the area. most of it occurs in small clumps along drainages or adjacent to pine stands. Parts of some of these pine stands were removed during logging operations in 1976 to 1980 and have regenerated to aspen. In some of the areas, the aspen have partially replaced the pines. In some cases, this has proven to be a benefit to the wildlife habitat in the area (see wildlife section). Most of the aspen stands appear to be young and vigorous enough to regenerate themselves with the right type of management.

Dubois Area Management Unit

The commercial forest acreage is 1,960 acres with an estimated total volume of 14,739 MBF. based on the 1979 Stage II intensive inventory. The scattered timbered areas are located in the Sand Butte, Ramshorn Basin, and Warm Spring Canvon areas.

Sand Butte

The Sand Butte Compartment has the most timber land in one contiguous unit (1,440 acres) and one of the highest average volumes per acre of all the compartments (1,672 cubic feet/acre to 7,524 board feet/acre). These stands contain

² LP9M = Lodgepole pine - sawtimber - medium stocked.

³ LP9P = Lodgepole pine - sawtimber - poorly stocked.

⁴ LP8W = Lodgepole pine - pole timber - well stocked. 5 LP8M = Lodgepole pine - pole timber - medium stocked.

⁶ LP8P = Lodgepole pine - pole timber - poorly stocked.

mature and overmature lodgepole pine, Douglas fir, subalpine fir, and Engelmann spruce. Most of the larger lodgepole pine trees are dead or dying, because of old age and diseases.

Ramshorn Basin

This compartment contains 280 acres of timber land, with an average volume of 10.319 board feet per acre. These stands also contain all four species mentioned in the Sand Butte area, plus large amounts of aspen. Many of these stands were clearcut in the early 1960s and are composed of regeneration up to 8 to 10 feet tall. The uncut stands cover small acreages and are composed of large, mature and overmature timber.

Approximately 50 acres in this unit have been clearcut and 50 acres have been partially cut.

Warm Spring Canyon

This unit contains about 240 acres of mature and overmature Douglas fir stands. These stands have an average of 7,907 board foot/acre, one of the heaviest volumes of any of the compartments.

This area contains part of the flume system that was used to carry ties to the river during the tiehack days in Dubois (see the Cultural Resources section for more details).

Sustained Yield

Green Mountain Management Unit

The analysis of the 1976 forest inventory of Green Mountain shows the total volume in all types of stands to be approximately 100 MMBF. Using these figures and disregarding the possibility of intensive management to increase growth and timber production, the mountain should sustain an annual cut of approximately 1 MMBF, using a rotation age of 100 years. This is the standard rotation used most often with lodgepole prine in this area.

Many authorities recommend a rotation age of not more than 80 years in lodgepole pine in order to reduce the possibilities of a beetle epidemic. However, if contiguous blocks of mature timber are somewhat isolated from each other, the chance of a beetle epidemic can be greatly reduced. The present demand from logging contractors and woodcutters on Green Mountain is about 2.0 to 2.2 million board feet. The cut on the mountain could easily be accelerated for the next 10 to 20 years from the 1 MMBF to the 2.2 MMBF needed to meet the present demand. This would salvage the beetle-killed timber and greatly reduce the potential fuel on the area.


This 2.2 MMBF is very close to the figure recommended in the computer allowable cut calculations, using the "Resource Area Control" solution that was recommended by the district and Wyoming State Office staffs.

The reason for the difference in allowable cut figures (1.0 MMBF vs.2.2 MMBF) is that the Resource Area Control solution was based on acreages and volumes for the entire district and the 1.0 MMBF figure was based on the inventory of Green Mountain itself. The 2.2 MMBF figure was based on a recommendation to shift the majority of the harvesting in the district to Green Mountain for the first 20 years of the rotation in order to salvage a large portion of the beetle-killed timber.

The present allowable cut of 750 thousand board feet (MBF) per year is based on a previous management decision to develop a timber products program to supply 750 MBF of multiple timber products annually. This decision was based on an allowable cut calculation using data from the 1976 inventory of Green Mountain. This figure has been exceeded for about the last 3 to 5 years because of the large demand for fuelwood. This demand coincided with the start of the beetle epidemic on the mountain. The expectation was to offer 750 MBF annually of live timber for the sawlog market (regulated volume), and approximately 625 MBF annually of unregulated volume).

When the large public demand for fuelwood started, it outstripped the projected demand, Therefore, for the last 3 to 5 years, approximately 1.5 to 2.5 MMBF have been harvested each year.

Figure 3-5 illustrates the level of the allowable out for regulated and nonregulated volume and the actual harvest. The total of nonregulated volume for the 10-year period is 8,250 MBF. The yearly totals fluctuate. The yearly totals of regulated volume fluctuate greatly, because of market conditions, but the total for the decade is about 6,900 MBF, close to the 7,500 MBF allowable parvest for that period.



Actual Cut (Regulated)
Actual Cut (Unregulated)

Figure 3-5 Allowable Cut

Lander Slope and South Pass Management Units

The timbered lands in these two areas are included in the acreage base for calculation of the district's sustained yield figure. However, no management has been taking place on the Lander Slope, and the majority of the harvestable timber is depleted at South Pass. No individual sustained vield figures for these areas have been calculated.

Dubois Area Management Unit

This entire area is included as part of the total district sustained yield allowable cut. Using the figures from the inventory, the total area could roughly sustain an annual cut of 200 MBF.

Timber Condition

Green Mountain Management Unit

The type of timber stands and the condition of the entire forested area of Green Mountain varies. Most of the sawtimber size trees on the top of Green Mountain are over 200 years old, which is about 100 years beyond the recommended rotation age for lodgepole pine. The pole stands are 60 to 100 years old and are stagnated because of the crowded growing conditions, which makes them vulnerable to attack from beetles.

There are very few areas of pure sawlog sized trees. This is due to a number of factors. In some areas, the timber was logged in a partial cutting system that removed only the biggest and best trees. This was completed 40 to 50 years ago, and the residual trees have grown and created a new stand. In some areas, fire burned through random patterns, creating stagnated pole stands.

The dwarf mistletce and general old age of the trees have broken down stands in large areas, which has left many dead, standing trees with profuse regeneration underneath. The regeneration in these areas was heavily infested with dwarf mistletce from the larger trees before the died. Many of these stands of regeneration (4 to 15 feet in height) are so heavily infested that they will not grow after a precommercial thinning.

Most of the pole stands are 60 to 100 years old. They originally regenerated so heavily that they have stagnated. Some of the individual trees are growing slowly, but the large amount of suppressed trees, which are dying, offset the growth; therefore, the stand will show a net average growth of near zero.

A previous management decision to replace the mistletoe-infested, stagnated, overstocked pole-timber stands on the estimated 1,200 acres on the area with young, vigorous stands in 50 years refers to these types of stands. As a result, about 20 acres have been clearcut and have regenerated to healthy seedlings. This type of operation is mainly dependent on market demand, and will be undertaken as demand permits.

BLM receives funding from the Pest Control Division of the U.S. Forest Service to try and manage the mistletoe and insect problems on Green Mountain. These stands have no, or very few, products that can be sold. The objective has been to contract for the destruction of the present stand and provide for regeneration on the area. The stands identified for precommercial thinning projects are mainly the regenerated areas that were clearcut in 1959 through 1962. These stands include trees 1 to 3 inches in diameter and 8 to 15 feet in height. They have been thinned to a spacing of approximately 8 by 8 feet, leaving a total of about 680 trees per acre. Trees infested with mistletoe were also removed in these thinnings.

The different types of stands (sawlogs, poles, seedlings, saplings, etc.) are scattered randomly over the entire forested area and are beetle infested.

The majority of tree mortality as a result of the small infestation was sighted on Whiskey Ridge and Whiskey Peak in 1974. Within 2 years, the infestation had spread to stands on the whole timbered area. The infestation was held to a minimum by very harsh winters, until 1980. In 1979 through 1980, the winter was very mild, and by the summer, the infestation had become an epidemic.

The present mountain pine beetle infestation on Green Mountain has killed approximately 80 to 90 percent of the trees 8 inches in diameter and larger. This has set the timber production of the mountain back several years.

The beetle's population buildup is dependent on the available food source, which is a function of the philoem (inner bark) thickness of the trees in a stand. This philoem thickness is dependent on the age and diameter of the trees, in order for the beetles to reach large populations, they need a stand of trees with an average diameter of at least 8 inches at 4.5 feet above the ground.

The mountain pine beetle is always present in lodgepole forests, to some extent, but it notly builds to epidemic proportions under the right conditions. This beetle epidemic was the result of many variables, including the overall resistance of the trees, which could be a result of the advanced age of the trees, weakening of the trees by mistletoe; or possible areas of physical tree damage. However, the main factor is the large average diameter of the trees over the entire area. Because of the condition of the timber, a beetle epidemic could have occurred anytime in the last 50 to 75 years; therefore, the right combination of factors or a particular event must have triggered the epidemic at this time.

The beetles usually have a 1-year life cycle. The adult beetles emerge from a dead tree in August or early September and fly to another tree. The beetle attack and subsequent boring into the tree for reproduction causes a disruption in the water and nutrient flow up and down the stem, which eventually kills the tree.

A blue stain fungus is also introduced by the beetle as it bores into the tree. This fungus grows quickly in the tissues of the tree and plugs up its water conduction system, which aids in killing the tree.

Once the epidemic has started, and the beetles have killed most of the larger-sized trees, they will usually go into smaller trees (down to about 5 inches in diameter), if they are available. They cannot produce enough offspring to sustain the epidemic populations in these small trees, but they can do a large amount of damage.

The size of the beetle population is governed by the health of the stands. When the resistance of the timber is kept high, through management and fire, the beetles stay below epidemic proportions.

If a drought or other disturbance accurs, the resistance of the stand is lowered and the beetle population may get out of control. An epidemic can occur that may last until the host trees are depleted. The beetle population will then return to an endemic state (Berryman 1978, 1980).

A beetle control plan was designed to alleviate the epidemic situation; however, harvesting was limited to the market demand, and the epidemic spread over the entire mountain before enough trees could be harvested to prevent a beetle epidemic.

Lander Slope Management Unit

This area is not a good quality site for Douglas fir, but scattered stands of fir exist along the drainage that are relatively young and healthy. Some of these stands were partially cut about 50 to 60 years ago, and a residual stand grew up from the uncut trees. These fir stands do not contain exceptionally good quality trees in relation to other Douglas fir stands in the vicinity. The trees are not tall (50 to 70 feet) and have excessive limbs

The large block of lodgepole pine in the Suicide Point area (over 4,000 acres) is in relatively poor condition. This, area was partially cut years ago, and only the biggest and best timber was removed. The present stand is the original residual stand that grew after logging. Some of these trees form a good stand of timber, but the remainder is crooked, has excessive limbs and is full of mistletoe. Because of the large amounts of dwarf mistletoe in these pine stands, regeneration has become infested as well.

The 1977 intensive inventory showed an average of 383 live, mistletoe-infested trees per acre on the total area. Most of these trees are under 9 inches in dimater.

There are also large areas of trees with pine diseases, such as western gall rust, that have sustained substantial damage. On the lower elevations of the mountain, the mountain pine beetle has been working around the edges of these stands, but they have not reached epidemic proportions. Some of this timber is above the elevational limit of the beetle where the weather is harsh and kills a large portion of the beetles. If enough of them continue to die during the winter, an epidemic population will not be able to sustain itself. Some of the timber in this unit will probably continue to be protected by this mechanism; however, the majority of the timber is at an age that could lead to an epidemic situation.

South Pass Management Unit

Generally, the timber in this area is relatively short and contains excessive limbs. This may be the result of the location of the stands; the area is on the very fringes of tree growth. The trees grow in small valleys or drainages that collect large

amounts of windblown snow in the winter, which melts slowly in the spring and provides moisture during a good part of the growing season. The strong wind that blows continuously and the large amounts of snowpack may be the reason for the stunted and limby characteristics of the trees. The soll in these areas is deep and well-drained and appears to be a good growing medium. There are several small areas that are protected from the wind, which arow relatively tall, straight trees.

Several of the cut areas, especially along the main Fort Stambaugh Loop Road and near Miner's Delight, have been planted with containerized seedlings, which are growing well. Some of them may have regenerated, but planting was undertaken to hasten the regeneration. Other cut areas have regenerated completely, either to pine or aspen, or both.

The quality of the timber along Beaver Creek is generally better than the timber higher on the mountain because it is protected from the wind. The timber on the lower slopes has to compete more for sunlight; therefore, it is generally taller and straighter and contains fewer limbs.

Dubois Area Management Unit

The timber on most of the management unit is healthy, with very little disease, parasite or insect problems. Most of the timber in the Ramshorn Basin unit is 20-year old regeneration and is quite healthy. The timber in the Sand Butte area is the least healthy of the area. The lodgepole and subalpine fir are beginning to die and are being replaced by spruce, Douglas fir and some lodgepole pine regeneration. Almost all of the timber stands in the area need some type of treatment to improve the health or production capability of the stands.

Timber Demand

Green Mountain Management Unit

There are several sawmills in the state that are interested in buying logs from Green Mountain, including The Louislana Pacific sawmill in Dubois. However, Louislana Pacific uses very little dead wood and may not be interested in Green Mountain because of the large amounts of deat timber on it. One small sawmill in Pavillion and one in Shoshone have also expressed an interest in harvesting timber on Green Mountain. There

is a sawmill in Laramie that has expressed an interest in Green Mountain; however, this mill's production has slowed because of the recent recession.

There is also a sawmill in Lander that has expressed an interest in increasing its purchase of deadwood on Green Mountain from 250 to 500 MBF to 1 MMBF per year. The Lander District of the U.S. Forest Service has given the owners of this sawmill a letter stating that they could probably provide the mill with about 1.0 MMBF per year. If they buy 1.0 MMBF from Green Mountain, this will sustain the mill at the capacity they want.

The main outlet for the houselogs from this mill is presently in Texas, and, according to the owners, it appears to be a stable market. The housing market in Texas was quite strong before the country came out of the recent recession, and from projections, will probably remain strong. There appears to be a stable demand for houselog material from Green Mountain.

There is a substantial demand for deadwood in this area. Many people from the Casper area come to Green Mountain to cut fuelwood for home consumption. In the past 3 to 4 years, between 700 and 800 permits were sold per year for fuelwood, totalling approximately 1.0 to 1.7 million board feet per year. This demand is expected to continue in the foreseeable future (see figure 3-6).

There are several commercial fuelwood cutters in the Casper area, and a few of them have expressed an interest in cutting on Green Mountain. A few small commercial sales have been sold. The market for this fuelwood from Green Mountain depends on the availability of timber from forest lands near Casper.

Lander Slope Management Unit

The large block of timber west of Mormon Basin (Suicide Point) contains a variety of size classes, and hence, a variety of wood products. Some trespass cutting has been observed on the north edge of the North Fork Canyon.

There has been no demand for timber on the remainder of the area, mainly because of the isolation of the area and lack of access. A timber sale could create a demand. For example, Wyoming Wood Products depends on BLM timber lands on Green Mountain and U.S. Forest Service lands in the Wind River Mountains. If the area were opened to timber sales, it would be closer to Lander than Green Mountain or the South Pass




Figure 3-6 Timber Demand

area, and the timber would be more competitive than other timber in the area. Also, a large demand for fuelwood and other minor forest products from the Lander area could be satisfied if access existed.

South Pass Management Unit

During the South Pass Insect Control Sale, the slash piles were opened to free use fuelwood gathering, which helped clean up the waste material. Since the sale ended (1980), the area has been open to fuelwood cutting (permits required). This has resulted in the virtual elimination of dead wood on most of BLM lands, except in relatively inaccessible or hard to find areas.

Many people from Lander and Riverton are dependent on the South Pass area for their fuelwood sales, because it is the closest timbered area. However, most people cut their wood on national forest lands. About 100 to 125 permits for this area are sold by BLM each year.

About 40 to 50 Christmas tree permits are sold in this area every year. The small amount of sales is a matter of low supply, not a matter of low demand.

There are no commercial wood cutters or loggers dependent on BLM timber resources in the area. However, several of these operators are dependent on immediately adjacent U.S. Forest Service land. Several operators have inquired about the possibilities of sales in this area.

Dubois Area Management Unit

There is little demand for fuelwood from BLM lands, mainly because the national forest has many areas with good timber and good access roads. A few people have requested permits salvage some of the wood from the Whiskey Mountain fire. There has been some demand for poles from a local dealer.

There are a few small capacity sawmills in the Dubois area that get their timber from the national forest lands who have been interested in getting timber from this area.

Figure 3-6 shows the total volumes sold from Green Mountain, which is the major timber producing unit in the resource area. Harvested volumes from other units have been insignificant, except for the emergency sale of beetle-killed timber from South Pass in 1976.

Access

Green Mountain Management Unit

The Green Mountain Loop Road was constructed in 1967 and 1988, which utilized seismograph trails for most of the route. The route follows very steep terrain for much of the way (14 percent grade).

The road is closed from December 1 to June 1 when the ground is soft and needs protection. The west side of the loop road is in very poor condition. Graders have been unable to maintain it for several years, because much of the surface material has eroded away, exposing large rocks.

A decision to provide a good crushed rock surface for the Green Mountain Loop Boad was an effort to improve the road by using stumpage receipts from the sale of timber on the area. The market is presently so low that there is not enough return from the timber to utilize this method. BLM maintains this road on a yearly basis; however, this is only minimum maintenance. With the volume of traffic using this road, this has not been enough, and the road has deteriorated in many places. During uranium exploration activities on the mountain (3 to 4 years ago), an attempt had been made to establish a cooperative agreement with these companies to share the maintenance responsibilities on the road. This agreement was never completed, and the road continued to deteriorate.

Many of the logging roads on the mountain that have been used for timber sales since 1974 have utilized existing roads or old seismographic trails. In 1977 through 1978, Louisiana Pacific built some additional roads for access. Wyoming Wood Products also built roads to open up previously isolated areas on the top of the mountain.

A 1880 sale southeast of Cottonwood Campground on 45 to 50 percent slopes was done as an experiment. The area was logged using conventional methods (tracked and rubber-tired skidders) to observe erosion potential on logged areas. BLM personnel established silitation monitoring stations in streams below the logged area. Observations have shown no increased sediment loads as a result of the logging. Further observation is needed to establish erosion potential from logged areas and associated roads.

BLM plans to acquire an easement on the Cooper Creek-Willow Creek roads. This easement will begin in section 22, T.28N., R.91W., at the junction of the Loop Road. It will then proceed



east, in front of the Owl Hills, go east and south until it meets the Willow Creek Road, and then up the south side of Green Mountain.

Lander Slope Management Unit

There is no legal access using existing roads into any of the timber stands. Some roads cross state or private lands. There are roads into most of the stands of timber along the U.S. Forest Service boundary, but they are 4-wheel drive and are in such poor condition that a commercial timber venture would not be possible.

There are several roads into the Mormon Basin-Suicide Point timber stands, but all of them cross some private lands. The main road that has been used in the past is the Shoshone Lake Road. This is a county road to the bottom of the slope; from there, the road is on state land for about 3 miles, and on BLM land for another 3 miles until it reaches national forest lands. In 1983, the Wyoming Division of Forestry upgraded the beginning of this road, from the private land at the bottom of the slope (end of county road), to Mormon Basin at the top. If BLM sold timber in this area, the next 3 miles of existing road would have to be upgraded, because it has washed out. Several spur roads would need to be built. depending on the size and locations of timber sale blocks.

South Pass Management Unit

The major access road to BLM lands is the Fort Stambaugh Loop Road, which starts at Highway 28 and ends near Atlantic City. Most of the timber lands are accessible from this road, or from roads leading off this road.

The Miner's Delight By-Pass Road was built recently to keep traffic out of the Miner's Delight Townsite. This north-south road connects with many roads in the area and provides access to the majority of the BLM timber stands. The road to Beaver Creek provides access to the edges of uncut stands. Most of these uncut stands are inaccessible with a vehicle. If they were logged, short spur roads would have to be built into some areas.

There is no need for an easement acquisition program in this area.

Dubois Area Management Unit

There is no legal access to any of the BLM timber stands in the area. There is physical access to most of them on existing roads; however, the roads cross either state, private or national forest lands. The stands are so small and isolated that it would not be economically feasible to purchase easements over private lands.

If timber were sold in any of the areas, the purchaser would have to either apply for access over national forest lands, or negotiate for access across private lands.

Logging and Regeneration

Green Mountain Management Unit

In all older regenerated clearcuts, the trees have been precommercially thinned to transfer growth to the residual trees. During these operations, an attempt was made to clean the stand of mistletoe by removing all regeneration that was infested.

In an effort to control mistletce, adjacent, larger trees around the edges of newly regenerated blocks would be cut. This has not been accomplished on all clearcuts. This should be done within 10 years of regeneration and the adjacent larger stand should be cut back approximately 90 feet, because seeds from mistletce plants can travel at least 30 feet utilizing a spring-like mechanism in the seed pod. The wind can blow them father.

A soil survey was conducted to determine why some old clearcuts have not regenerated and others have, and to determine what management criteria is best for different areas, based on soil characteristics.

The soil survey was also planned to study the feasibility of fertilizing trees to increase their growth. The soil surveys that have been completed on the mountain have not included any specific soil analysis to determine available nutrients. Since the soil quantities are not limiting, there is some potential for fertilization. More study will be necessary to determine if fertilization is economically feasible.

Previous logging has been done with conventional logging systems, except the partial

cutting or commercial thinnings in pole stands and in some fuelwood areas. This method will probably continue.

The steep forested slopes of Green Mountain are generally composed of moderately deep to very deep, medium textured soils. The major percentage of the area is occupied by a gravelly, sandy loam soil. Soil reaction is medium to slightly acidic. The forested slopes on Green Mountain are stable. If this area, with approximately 20 inches of annual precipitation were cut, increases in soil erosion rates and water yield could be expected. Proper harvest techniques, reforestation, and vegetation establishment will decrease erosion rates on site and decrease weter yield.

Lander Slope Management Unit

The only logging that has taken place in this area was about 40 to 50 years ago. This was done in the winter with horses and sleds. There is evidence that logging occurred in most of the stands on reasonably gentle terrain and on the steeper slopes below Cyclone Pass. Both Douglas fir and lodgepole pine were harvested, and only the best quality and largest trees were taken. The residual stand has grown into a new, thick stand, and the potential for logging exists again.

South Pass Management Unit

Large scale logging in conjunction with the South Pass Insect Control Project started in 1976 on BLM lands. Some BLM lands were cut every year, along with some national forest lands, until the sale contract ended in 1981. Trees larger than 8 inches in diameter were cut by using conventional systems (i.e., tracked and rubber-tired skidders). A few small stands on BLM lands were clearcut and piled.

Recommendations were made to purchase seedlings every year to assure regeneration of all cut areas. After 3 years, however, it was discovered that all areas would regenerate naturally without supplemental plantings.

Plans for precommercial thinning were designed to assure optimum growth on all regeneration in the area by transferring growth potential onto residual trees. This was completed on all cutover areas in which the regeneration was large enough to benefit from thinning. This is an ongoing program.

There is potential for logging on about 200 acres in the South Pass area. This area has not been logged nor cut by fuelwood cutters.

Dubois Area Management Unit

Several timbered areas in the Dubois area have been logged in the past. Most of these are in the Ramshorn Basin Unit and were logged in the early 1960s. These areas contained lodgepole pine, subalpine fir, Engelmann spruce, and Douglas fir. All of these areas have regenerated, mainly with lodgepole and subalpine fir. The regeneration is from 3 to 15 feet in height, and will need to be thinned soon to enhance the productivity of the site.

There are several areas that have the potential to support an economical timber sale, depending on demand and access.

Fire

Purposes of Burning Forested Rangelands

The following benefits can be derived from controlled burns in forested areas.

- -Manage fuels for wildfire hazard reduction:
- Aid in controlling the life cycle of the mountain pine beetle;
- -Control, or at least minimize, dwarf mistletoe:
- -Kill stagnated thickets of pine reproduction;
- -Kill or thin dense stands of big sagebrush:
- Prepare seedbed for pine seedling establishment;
- Increase production palatability and utilization of herbaceous forage for grazing animals;
- Improve grazing and browsing access in dense deadfall areas;
- Initiate herbaceous growth one to three weeks earlier on fresh burns;
- Release bound plant nutrients to the soil for plant use;
- Rejuvenate woody plants for browse production, especially aspen;
- Reduce needle and debris mats that inhibit grass and other desirable plants;
- Reduce temporarily the amount of litter and vegetation that intercepts precipitation from light rains;
- Reduce temporarily the consumption of water by less desirable brush and tree species;

- Improve ecological diversity and stability in plant communities; and
- Provide snags for cavity nesting and tree feeding birds.

Green Mountain Management Unit

Historically, plant community composition, species diversity, and stand longevity in most forested rangeland ecosystems were regulated by fires. This is especially true in lodgepole pincrests where the forest matured, then died from old age, insect infestations, or windthrow, leaving highly combustible fuel for wildfires. The forest would burn and begin again as seed was released from sentingus cones.

Lander Slope Management Unit

There have been no known wildfires of any size in this area in recent years.

The potential for prescribed burning has not been investigated completely in this area. However, there are many aspen stands that could benefit from this practice. Also, there are many acres of stagnated lodgepole pine stands, also heavily infested with mistletoe, that could benefit from a prescribed burn.

A prescribed burning policy is being prepared for this area. There appears to be some opportunities for prescribed burning that would benefit wildlife.

South Pass Management Unit

The only recent wildfire in this area was in Meadow Gulch in 1977. This burned about 60 acres of mainly slash on recently harvested timber lands. Because the fire occurred when the slash was on the ground, the seeds were destroyed by the fire and were not able to regenerate.

There is a good potential for prescribed fire management in this area. Many aspen six consist of large individual trees where very little regeneration is occurring. There is some limber pine in the areas that will eventually take over the stands if precautions are not taken.

There are several riparian areas that contain old stands of willow that are unhealthy. A prescribed burn in some of these areas would stimulate growth of the willow and grasses.

Dubois Area Management Unit

Fire has played a major role in some areas in this unit. The fire of 1939 on Whiskey Mountain created a large area that became an important habitat for parts of the large bighorn sheep population in the area.

The Crooked Creek fire of 1980 regenerated a stagnated lodgepole pine stand and created a temporary increase in forage area for domestic cattle and big game animals.

There are many areas of sagebrush and many stands of aspen in the area that could potentially benefit from prescribed burning.

RECREATION


Introduction

The Lander Resource Area contains outstanding recreational opportunities and is a major gateway to Yellowstone and Grand Teton National parks in northwest Wyoming. The mountain scenery, world class fishing, big game hunting, and wilderness opportunities in the area attract visitors from throughout the nation. The Lander-South Pass, Dubois and Boysen Reservoir areas are destination recreational areas. The recreational industry is a major part of the area's economy.

Most of the recreational use on BLM land in the Lander Resource Area is widely dispersed. Visitors generally participate in a wide variety of recreational activities, including fishing, hunting, camping, picnicking, hiking, sight-seeling, swimming, boating, horseback riding, nature observation, rock collecting, cross-country skiing, snowshoeing, hang gliding, jogging, bicycling, motercycling, four-wheel driving, and snow-mobiling, Table 3-18 shows the estimated annual recreational visits on public land in the Lander Resource Area.


There are 11 recreation management areas (RMAs) in the Lander Resource Area. Some of these areas correspond to resource management units, as shown on map 3-27.

Recreation management areas are areas with significant recreational resource opportunities and values. RMAs account for a large amount of the recreational use and activities that occur in



Type S Recreation Management Areas

- A Continental Divide
- B Oregon-Mormon Pioneer National Historic Trail
- C South Pass Historic Mining Area



Type E Recreation Management Areas

- D Castle Gardens
- E Whiskey Mountain/East Fork
- F Green Mountain
- G Lander Slope/Red Canvon
- H Dubois Badlands
- I Sweetwater Canyon
- J Sweetwater Rocks

TABLE 3-18

RECREATIONAL USE IN THE
LANDER RESOURCE AREA FOR 19831

Type of Use	Developed Sites	Undeveloped Sites	Total ²
Winter sports	_	9.500	9,500
Water sports	_	_	
Fishing	_	1,570	1,570
Camping	22.8413	39,1564	61,997
Hunting ⁵		126,379	126,379
Picnicking ⁶		166,671	166,671

- 1 BLM administered land only.
- 2 Visitor days (12 hours).
- ³ Big Atlantic Gulch, Atlantic City, and Cottonwood campgrounds average daily use times 120 days. (Includes picknicking and camping.)
- 4 Based on statewide developed/undeveloped site ratio (7:12).
- ⁵ Based on Wyoming Game and Fish data.
- 6 Based on statewide total camping/plonicking ratio (2.15:5.78).

the resource area (see table 3-19). Special recreation management areas require explicit on-the-ground management. Minimal management is frequently sufficient in extensive recreation management areas.

Only RMAs within the respective management units have been covered. Other extensive RMAs that do not have significant recreational resource conflicts will not be discussed further in the analysis.

This analysis focuses on recreational resource opportunities that would be significantly impacted by management actions: These activities include big game hunting, fishing, camping, sight-seeing, scenery, cultural resources, and recreational access. It does not address those recreational resource opportunities that would not be significantly impacted.

Big Game Hunting

Hunting is the most significant recreational activity in the resource area. The species hunted include antelope, mule deer, elk, moose, and bighorn sheep. Although hunting use occurs on most lands in the planning area, it is only significant enough to warrant management action in the Whiskey Mountain, East Fork, Red Canyon/

Lander Slope, and Green Mountain management areas, because they consistently produce excellent hunting opportunities. The largest concentration of Rocky Mountain bighorn sheep in the continental United States spend their winters on Whiskey Mountain. East Fork big game winter range supports the largest natural foraging elk herd in Wyoming. Red Canyon/Lander Slope is crucial winter range for mule deer, elk and bighorn sheep. There are problems or conflicts between hunters and private landowners in the Lander Slope area. Green Mountain consistently produces excellent hunting for deer and elk.

There is considerable support from sportsman groups in the region for any measures that would increase or enhance the hunting opportunities available in these areas.

Hunter-day information for these areas is shown on table 3-20. This information corresponds with Wyoming Game and Fish hunt areas and the percentage of winter range support provided by these management areas for big game populations (WGFD 1983).

Fishing

Some excellent fishing opportunities exist for brook, brown and rainbow trout in several streams and reservoirs. Significant fishing opportunities exist in the South Pass, Beaver Creek, Green Mountain, and Dubois management areas. The top-ranked fishing opportunities in these areas include:

Streams

Sweetwater River
Wind River
Big Atlantic Gulch
Willow Creek (South Pass)
Baldwin Creek
East Fork Wind River
Little Popo Agie
Willow Creek (Green Mountain)
Big and Little Hermit Gulch
East and Middle Cottonwood (Green Mountain)

Reservoirs

Antelope Springs Snyder Creek Silver Creek

TABLE 3-19 ESTIMATED VISITOR USE ON BLM ADMINISTERED PUBLIC LANDS

Recreation Management Areas	Туре	1983 Estimated Visits and Visitor Days ¹	Approximate Acreage ²	Primary Recreation Activities ³
Continental Divide National Scenic Trail	Special	150 visits/ 30 days	13,400	S, M, H, HB, SM
Oregon/Mormon Pioneer National Historic Trail	Special	45,100 visits/ 5,020 days	23,040	T, H, HI, P, SM, X
South Pass Historic Mining Area	Special	62,600 visits/ 22,200 days	15,000	HU, CA, S, F, SM, X
Castle Gardens	Special	2,500 visits/ 500 days	80	P, S
Whiskey Mountain/East Fork	Special	3,636 visits/ 303 days	2,000	HU, W, CA, SM
Green Mountain	Special	53,100 visits/ 7,400 days	55,890	CA, HU, P, S, F, SM, X
Lander Slope/Red Canyon	Special	83,600 visits/ 10,900 days	40,090	SM, X
Dubois Badlands	Special	3,300 visits/ 750 days	4,520	S, HU, HR, OR
Sweetwater Canyon	Special	1,150 visits/ 295 days	9,056	CA, HU, H, HI, F/C, SM, X
Sweetwater Rocks	Special	3,500 visits/ 1,100 days	32,575	R, CA, HU, H, O
Other Extensive4:	General	24,000 visits/ 2,000 days	1,120	HU, ORV
Totals		282,636 visits/ 50,498 days		

¹ Compilation of land, water and snow-based recreation uses.

3 Recreation Activities:

² Public lands only - does not include other ownership in the management area.

K - Cross-country sking C - outdoor education
 K - I Cross-country sking C - outdoor education
 K - I Cross-country sking C - outdoor education
 W - wind country
 K - I Number C - outdoor education
 W - wind country
 W - real country

treks/sightseeing

⁴ Includes Warm Springs Canyon, Beaver Rim, Government Draw, Lysite Badlands, and Copper Mountain

TABLE 3-20 HUNTER DAYS

Management Area	Species	Percent Winter Range Support	Hunter Days
Whiskey Mountain	Bighorn Sheep	100.0 44.0	782 2,666
	Mule Deer Moose	1.0 3.0	34 4
Total			3,486
East Fork	Elk Mule Deer Antelope Bighorn Sheep Moose	70.0 7.2 50.0 100.0 5.3	9,588 245 66 18 7
Total			9,921
Red Canyon/ Lander Slope	Elk Mule Deer Antelope Bighorn Sheep Moose	100.0 100.0 10.0 100.0 50.0	6,021 1,020 88 157 50
Total			7,336
Green Mountain	Elk Mule Deer Antelope	100.0 80.0 25.0	1,066 1,904 848
Total			3,818

¹ Hunter Days = Total number of days hunted divided by the number of hunters.

The public lands provide approximately 5 percent of the fishing opportunities in the entire area. Even though overall use is comparatively low, fishing opportunities on public land are significant because they are unique, high-quality fisheries and are more accessible and provide winter and early summer fishing.

Camping

Much of the camping use occurs in combination with hunting and fishing. Generally, camping dispersed over the entire resource area. Developed camping and picnicking opportunities are located in the Green Mountain and South Pass management units (see map 3-28).

There has been increased use of riparian areas for undeveloped camping, especially along the banks of the Sweetwater River, upstream from

Sweetwater Station. Easily accessible areas such as BLM (Phelps Dodge) Bridge are being used heavily as fishing camps.

Concentrations of livestock along the banks of fishing areas conflict with recreational users and vice versa.

A self-pay fee permit system was initiated for the South Pass and Green Mountain campgrounds in 1983. The overnight camping fee is based on rates charged for similar non-BLM facilities. The 1983 fee of \$3.00 per unit brought in almost \$3.000 for the 1983 season. (This almost equaled maintenance costs.) The fee system has been well received by the users and has helped resolve a long-time problem of homestead camping.

Lodgepole pine in the South Pass and Green Mountain areas are infested with the mountain pine beetle, which has caused deterioration in the timbered areas. The infestation has reached epidemic proportions, threatening the scenic beauty of the campgrounds. Commandra bilarrust and dwarf mistletoe also occur in the trees and are decreasing their vigor and increasing fire danger.

A tree-spade transplant of 3 to 5 foot native stock lodgepole at Big Atlantic Gulch campground in the fall of 1983 was very successful (see Forestry for South Pass and Green Mountain management areas).


Abandoned mineral exploration roads, mine shafts and adits pose a hazard to users in the Green Mountain and South Pass Historic Mining areas.

Sight-seeing

There is a wide variety of scenery in the Lander Resource Area. All recreational management areas contain Class A quality resources.

The resource area has three classes of scenic quality: Class A, high-scenic values; Class B, moderate-scenic values and; Class C, low-scenic values. Scenic quality is the degree of harmony, contrast and variety within a landscape.

The resource area contains wide-open spaces, with significant areas of predominatly unmodified natural environment. A low concentration of users in most areas and few user controls or restrictions are important recreational resource values or opportunities to most people.



A Campground

A Picnic Site

Interpretive Site

Viewing and enjoying wildlife and natural and cultural resources is a significant recreational resource. The significant areas in the Lander Resource Area include:

Whiskey Mountain

An estimated 25,000 people (1980 WGFD) visit his area to see the Rocky Mountain Bighorn sheep on their winter range. These sheep are of national significance. This area shares a common boundary with the Fitzpatrick Wilderness Area managed by the U.S. Forest Service. A portion of the area includes 487 acres under interim wilderness management. There is concern for ORV damage to the winter range habitat in this area

Red Canvon

This area contains approximately 500 head of elk during the winter. It also contains the Red Canyon National Natural Landmark, a geologic landmark that requires special management for protection of its natural values. The 1982 average daily traffic count along the Red Canyon overlook was 1,180 vehicles per day (Warburton 1982).

Dubois Badlands

The Dubois Badlands, a 4,500-acre unit east of Dubois, was formerly a wilderness study area but was dropped because of its small size. This unit contains unique geology, with its colorful banding and unusual landforms; a herd of bighorn sheep; and a winter range for elk. The primary concern for this unit is ORV use.

The badlands area is a possible candidate of Outstanding Natural Area Designation and Management. The area presently has no ORV management.

Warm Spring Canyon

Two natural limestone arches and a spring occur within the canyon. Warm Springs Creek is also an excellent trout fishery, and the steep canyon walls provide nesting sites for raptors. A flume, built in 1928, was used for transporting timber for hand-hewn railroad ties.

Beaver Rim

Beaver Rim is an 1,100-acre unit about 25 miles northeast of South Pass. The area can be easily viewed from Highway 287. It is prime raptor habitat, with nesting occurring on the high rocky ledges of the rim. Recently, the area has been used for launching hang gliders.

Castle Gardens

Castle Gardens is an area with beauty and cultural interest. It is a well known area and is widely publicized. The recreational use in Castle Gardens is destination oriented. It is an isolated phenomenon in a sea of sagebrush. There are no other recreational attractions in this area, resulting in low numbers of extended day use in the area (see Cultural Resources for a further discussion of Castle Gardens).

The future level of recreational development at Castle Gardens will be minimal, although additional interpretative information could be provided. BLM's primary objective is to maintain the natural character and beauty of the area. The low level of use does not warrant additional facilities. It may be necessary to harden foot paths in places to minimize erosion, but trails should remain primitive, with minimal disturbance and use of natural looking materials. There are plans to replace log parking barriers with native rock.

The area is very sensitive to off-road vehicle use because of highly erosive soils and sandstones and is easily scarred. A closure to ORV use outside the main access road should be made on the withdrawal area.

South Pass Historic Mining Area

The recreational/cultural values in this area are significant. The natural setting is complimented by the historical sites. BLMs interest in this is based on the state's efforts to preserve the historical values at South Pass City. In 1968, BLM developed a plan to develop recreational values on the public lands in the area. Funding was available in the early 1970s and BLM built two campgrounds, constructed the Fort Stambaugh Loop Road, and put up fencing around hazardous and abandoned mine shafts and structures. BLM also did some stabilization work on a few of the mine buildings, particularly at the Old Miner's Delight Townsite.

Oregon/Mormon Pioneer National Historic Trail

There has been increased use, interest and awareness of the trail recently. Legislation is also pending for adding the California Emigrant and Pony Express trails to the existing trail corridor.

Since the 1976 Bicentennial Wagon Train Reenactment, trail use has steadily increased. Most use has been from universities, schools, historical interest groups, scouts, or church outings. Applications for special recreational use permits are being filed for commercial and educational use of the trail. Special area permits will be required for groups of 10 people and 5 or more passenger vehicles. There is an increasing interest in individual use of the trail. Most recreational uses are for trail reneatment, using foot travel, horses, and wagons or handcarts; however, support vehicles are often used. Some groups have used motorcycles.

The Devil's Gate and Split Rock interpretive sites receive very high use. There are from 50 to 100 vehicles per day at Split Rock and from 30 to 40 vehicles per day at Devil's Gate during the summer tourist season. The view of the Sweetwater Valley from these interpretive sites is critical to the purpose of these developments.

Access

Inadequate ORV management has resulted in a large number of roads and trails across the country. ORV access is needed and is necessary for use and recreational enjoyment of the public lands; however, proper management of access must consider other recreational resource values. including the aesthetic, natural, wildlife, etc. Each mile of road or trail affects approximately 2 acres of land. Based on the number of roads on the range lands, roads remove a sizeable acreage of forage production from wildlife and livestock use. which also affects the hunting opportunities and experience. Management of off-road vehicles must address the need, location and problems of motorized travel on the public lands. Road and watershed resource damage is a problem in almost all areas during inclement conditions and highsoil moisture.

Priority areas for ORV management are:

Lander Slope - Red Canyon area Green Mountain Whiskey Mountain Other Areas: South Pass Historic Mining area, Sheep Mountain, Beaver Rim, Sweetwater Canyon, Castle Gardens, Dubois Badlands and Government Draw.

Legal access is an issue in the following areas:

Lander Slope - Red Canyon area Beaver Creek Sweetwater Rocks Copper Mountains Dubois area

Other isolated areas, including mixed landownership.

Access to public land in these areas could be or is being restricted by private landowners. Access recommendations for the recreation program are integrated with the transportation plan.

Recreation Opportunity Spectrum (ROS)


Public lands are managed to provide a broad spectrum of recreational opportunities in the Lander Resource Area. BLM's management objective is to provide a range of opportunities for recreational experiences now and in the future (see map 3-30 for designation of ROS classes in the Lander area).

The ROS is divided into six classes: primitive, semi-primitive/nomotorized, semi-primitive/nomotorized, semi-primitive/motorized, roaded natural, rural, and urban. The spectrum has a combination and mix of activities, settings, and probable experience opportunities. The ROS provides a framework for stratifying and defining classes of outdoor recreational opportunity environments. Its use on the public lands will facilitate the consideration, determination and implementation of the recreation management role.

Visual Resources

A wide variety of scenery exists in the resource area (see map 3-29). The Visual Resource Management (VRM) goal is to minimize adverse impacts to the land, while maintaining the effectiveness of land-use allocations. It is a positive program that makes a project look better through mitigative impacts.


The objective is to make a project less obtrusive, more inconspicuous, and in better harmony, by using three techniques:





See VRM Class Definitions

Note: The Oregon-Mormon Pioneer National Historic Trail is managed as Class 1 and Class 2 VRM.





- Careful location.
- 2. Minimized disturbance.
- Repetition of elements of line, form, color, and texture. The sagebrush color that best blends in with 90 percent of the landscape in the Lander Resource Area is Standard Environmental Color Carlsbad Canyon - Munsell Color No. 2.5 Y 6/2.

Map 3-31 shows the scenery quality classes for the resource area.

Visual resources will continue to be evaluated in all planning projects. This evaluation will consider the significance of the proposed project and the visual sensitivity of the affected area. Stipulations will be attached as appropriate to assure compatibility of projects with management objects for visual resources (see map 3-29 for VRM classes).

Visual resource management classes are the degree of acceptable visual change within a characteristic landscape. A class is based on the physical and sociological characteristics of any given homogeneous area and serves as a management objective. The five classes area:

- Class I: Areas (preservation) provide for natural ecological changes only. This class includes primitive areas, some natural areas, some wild and scenic rivers, and other similar sites where landscape modification activities should be restricted.
- Class II: (partical retention of the landscape character) includes areas where changes in any of the basic elements (form, line, color, or texture) caused by management activity should not be evident in the characteristic landscape.
- Class III: (partical retention of the landscape character) includes areas where changes in the basic elements (form, line, color, or-texture) caused by a management activity may be evident in the characteristic landscape. However, the changes should remain subordinate to the visual strength of the existing character.
- 4. Class IV: (modification of the landscape character) includes areas where changes may subordinate the original composition and character; however, they should reflect what could be a natural occurrence within the characteristic landscape.
- Class V: (rehabilitation or enhancement of the landscape character) includes areas where change is needed. This class would apply to

areas where the quality class has been reduced because of unacceptable intrusions. I should be considered an interim short-term classification until one of the other classes can be reached through rehabilitation or enhancement.

ORV DESIGNATIONS

Off-road vehicle designations were completed for 1,120,088 acres as part of the Green Mountain EIS area. Those designations stem from land-use decisions made in the 1975 Sweetwater and Moneta Management Framework plans. They became effective August 3, 1981, and were formally implemented in the field in 1982.

ORV regulations contained in 43 CFR 8340 apply to all ORVs, regardless of the purpose for which the vehicles are being used. Only emergency vehicles in emergency situations will be allowed to violate these designations without prior written permission. Permits may be issued for nonemergency use when feasible alternatives have been exhausted and the use is compatible with established resource management objectives

BLM recognizes the differences between offroad vehicles and over-snow vehicles will be permitted in all areas (unless otherwise specifically limited or closed to over-snow vehicles), if they are operated in a responsible manner without damaging the vegetation or harming wildlife. ORV designation policy in Wyoming directs that the "limited" designation category (rather than the "open") be used. The ORV designations are either open, limited or closed.

Open: Vehicle travel is permitted in the area (both on and off roads) if the vehicle is operated responsibly in a manner that will not cause, or is unlikely to cause significant, undue damage to the soil, wildlife, wildliff habitat, improvements, cultural, or vegetative resources, or other authorized uses of the public lands.

Limited: Vehicle travel is permitted only on existing roads and vehicle routes that were in existence before the date of designation in the Federal Register. Vehicle travel off of existing whicle routes is permitted only to accomplish necessary tasks and only if such travel does not result in resource damace.

Vehicle travel is permitted only on roads and vehicle routes designated by BLM. In areas where

final designation has not been completed, vehicle travel is limited to existing roads and vehicle routes as described above. Roads are posted as open or closed in those areas, and seasonal closures may be imposed.

Existing roads and vehicle routes are defined as rosties existing before the date of designation, were constructed or created by the frequent passage of motor vehicles, and receive regular and continuous use. Additional vehicle routes may be authorized as needed.

Necessary tasks are defined as work requiring the use of a motor vehicle. Examples include picking up big game kills, repairing range improvements, managing livestock, mineral activities where surface disturbance does not total more than 5 acres, as described in the "5-acre exemption" under the 43 CFR 3809 requisitions.

Resource damage is defined as leaving longterm signs of vehicle use (ruts) or causing erosion or water pollution and creating undue degradation of other vegetative or wildlife resources.

Closed: Vehicle travel is prohibited in the area. Access by means other than motorized vehicle is permitted. (See map 3-32.)

ACCESS

As recreational demand increases, so will the associated access problems. Public lands can accommodate much of the demand if legal access to these lands is obtained. Limited funds for recreation will prohibit both extensive access acquisition and continued road maintenance. Priorities need to be assigned to acquisition of access and to road maintenance, unnecessary easements currently identified need to be eliminated; and poorly located and unneeded roads should be closed. (See map 3-33 for existing BLM and county roads in the resource area.)

CULTURAL/NATURAL HISTORY RESOURCES

Introduction

The following is a discussion of the cultural and natural history resources of the area, with emphasis on those resources likely to be


significantly affected by management actions listed in the various alternatives. Most of the narrative will deal with cultural resources, because of the fewer natural history resources have been identified in the area. Following a general discussion on the nature of resources found in the resource area, this section will concentrate on those resources that could be significantly affected by the management actions of the alternatives.

Resources Not Significantly Affected by the Management Actions of the Alternatives

Cultural resources are common in the Lander Resource Area and may be affected by the various management actions proposed within this RMP. However, there are certain standard protective measures in place already that are designed to minimize or negate adverse effects to cultural resources from proposed management actions (see the Management Guidance Common to All Alternatives section for details). These measures are required by laws, regulations, and policy and will continue to be used in the future. Continuance of these standard protective measures will ensure that certain cultural resources will not be adversely affected by the RMP management actions. As a result, those cultural resources not significantly affected by management actions will not be extensively discussed in the RMP (i.e., those prehistoric, protohistoric, and historic resources whose values can be recovered through data recovery methods and are also important only for their potential to yield information important in prehistory or history). Unavoidable impacts on significant resources of this type can usually be mitigated through the standard data recovery measures (collection, testing, excavation, etc.) included in the standard protection guidelines.

Affected Resources

Cultural and natural history resources that cannot be mitigated by data recovery methods and/or having other important values often require measures beyond the standard protective measures to avoid adverse effects. The other values include cultural resources having intact associations with significant historical events or persons; outstanding qualities of construction, workmanship, style, or art; or distinctive characteristics of a period, type, method of construction, or significant entity of our past. Natural history



Scenery Quality Classes



Class B

Class C

values in this category include natural history resources with outstanding geological, ecological, paleontological, and/or topographical features. These types of resources usually cannot escape adverse effects to their values by the standard protective measures. Common avoidance measures often cannot prevent adverse effects on the integrities of these resources, and data recovery measures may not be sufficient or appropriate and may themselves cause adverse effects on the resources. Therefore, these cultural and natural history resources could experience significant effects from some of the RMP management actions and will be extensively discussed.

Cultural Resources (General)

Cultural resources in the Lander Resource Area represent human occupation over many thousands of years. Cultural history in this area is generally believed to have begun at least 12,000 years ago, when the first human groups entered this region. Since that time, human occupation of the resource area appears to have continued basically uninterrupted up to the present time.

Within the 12,000-year history of the area, there are three broad overlapping periods: the Prehistoric, Protohistoric, and Historic. Remains from each period are found throughout the resource area and are numerous in many areas (see table 3-21 for the status of these sites).

Cultural Periods

The Prehistoric Period

This period dates from at least 12,000 years before the present (B.P.) to around 300 years B.P. The Prehistoric Period is characterized by a stable cultural phase, where the way of life appears to have changed very little throughout its time span. The peoples utilizing this region during the Prehistoric Period were Native American hunters and gatherers who adapted their lifestyle to the high-plains environment and roamed the region in search of food and shelter. The movements of these nomadic peoples were, to a large degree, determined by seasonal changes in resource availability. These people generally travelled in small bands, spending only a limited amount of time in any one location. For the most part, the material items of these groups were made from

naturally available resources. These resources included items such as stone, wood, bone, pelts, sinew, and plant fibers.

Although the Prehistoric Period was characterized by similar lifestyle strategies, several different cultural traditions appear to have dominated separate parts of the Prehistoric Period. These traditions and parts are defined by Frison (1978), and include the Paleo-Indian Period (7500 through 12,000 years B.P.), the Middle Archaic Period (2500 through 5000 years B.P.), the Late Archaic Period (1500 through 5000 years B.P.) and the Late Prehistoric Period (300 through 1750 years).

Common cultural resources of the Prehistoric Period include: lithic scatters, stone circle habitations, petroglyphs and/or pictographs, game drive lines, firehearths or firepits, lithic quarries, and rockshelter habitations. Area sites from the Prehistoric Period, which are removed from ourselves by centuries or millenia, generally contain mostly nonperishable remains such as stone, charcoal, pottery, or bone. Sometimes they have been affected by erosive forces, causing displacement or burial of the sites. Unlike some prehistoric sites in other regions, those in the Lander Resource Area generally do not contain nonperishable architectural features. For these reasons, prehistoric sites in this area are mostly important for the information they posses. although sites such as petroglyph/pictographs, may be considered important for their stylistic, artistic, or workmanship qualities.

The Protohistoric Period

This period is one of transition from the Prehistoric Period to the Historic Period. The Protohistoric Period is generally considered to have lasted about 100 years, beginning in the late 17th or early 18th century and extending to the early 19th century. The peoples and cultures native to this region experienced significant changes during this relatively short period of time. These changes were the result of the introduction of objects and ideas of recent European or Asian origin into the area. The most significant factor of change was probably the introduction of the horse. The introduction of this highly useful animal, along with imported glass, metal, and firearms (before actual contact between Furo-American groups and Native Americans) resulted in pronounced social, technological and economic changes that affected many aspects of the indigenous cultures. The events that occurred

TABLE 3-21

STATUS OF CULTURAL SITES IN THE LANDER RESOURCE AREA

Site Type	On the National Register or Determined Eligible by the Keeper of the National Register	Considered Eligible for the National Register	Not	Uncertain Eligibility	No Information	Destroyed	Total
Prehistoric ¹	5	143	636	317	137	3	1,241
Historic	9	41	62	150	9	0	271
Total	14	184	698	467	146	3	1,512

¹ Protohistoric sites are included in this category due to their related characteristics.

during this period are usually placed by authors in either the Historic or Prehistoric periods, depending on the orientation of their work. Common site types of this period are similar to those of the prehistoric period, but they also include early trade Items and objects indirectly derived from foreign sources. These sites are important because of their information potential, but they may also be considered important for their associations to certain present-day cultural groups, or for their religious artistic, stylistic, and workmanship qualities.


Historic Period

This period is generally considered to be the time during which written documents were maintained of the events that occurred in the area. The Historic Period is generally considered to have begun in the early 19th century, with the arrival of large, well organized fur trading expeditions into the region. The fur traders were followed by explorers, missionaries, emigrants, miners, stockgrowers, and merchants. The history of the land within the Lander Resource Area shares in many of the major events in Western American history. These events include: early Rocky Mountain fur trade, early military explorations, transcontinental emigration, Indian wars, gold mining, open-range stock grazing, transcontinental railroad-related development. agricultural development, and energy exploration. Common cultural resources of the Historic Period include: mining operations and settlements, stage stations and trails, emigrant trails, sites and landmarks, livestock improvements, agricultural/ commercial settlements, ranch developments, railroad installations, and oil and gas exploration installations.

Sites of the Historic Period are usually better preserved because of their recent age. Erosive forces have had less time to cause damage and decomposition, and perishable as well as nonperishable items may often exist at these sites. Architectural features are often intact, and we have the help of written sources to supplement our knowledge of many historical sites. For these reasons. Historic Period sites can be important in several ways. The historical associations of a site may be related to significant events or persons, thus making the site important to our history. A site may possess outstanding workmanship, stylistic qualities, or religious values that make the site unique and valuable, or a site may contain information potential that could vield important data about our history.

Present Cultural Resources Inventory Data Base

Files search (Class I) inventories and intensive field inventories (Class III) have been conducted for BLM-sponsored or sanctioned projects since about 1975 in the Lander Resource Area. Since that time, approximately 89,000 (as of September 1984) acres of land have been inventoried at a Class III level. The inventoried acreage include approximately 3.5 percent of the resource area's total area within BLM surface jurisdiction (map 3-34 shows the general locations that have



Areas Field Inventoried (Class III Level) For Cultural Resources

received Class III inventories). These inventories have primarily been related to oil and gas exploration/development, uranium mining, and utility rights-of-way.

Resource Data

The Lander Resource Area maintains a file of known cultural resources within the area. The resource area's cultural resource data has been gathered from various sources, including archeological and historical contractors, local informants and sources, BLM and state government agencies, and historical accounts. The files include information on prehistoric, protohistoric, and historic cultural resources of many types. However, most cultural resources under 50 years of age (recent) are not formally recorded unless they are of special significance; as a result, the files do not include most known cultural resource sites of recent origin.

Table 3-22 details the recorded sites in the resource area and their current status. This status is defined in terms of each site's National Register importance and quality (National Register definitions are detailed in the Glossary).

Specific Affected Cultural Resources

The following describes the specific important cultural resources that would be affected by the proposed management actions of the RMP. Table 3-22 also briefly describes those resources, and map 3-35 shows the locations of these sites.

Oregon/Mormon Trail

The Oregon/Mormon Trail is two trails that follow the same route in the Lander Resource Area. The trails mark the mass emigration route of pioneering Americans who were headed west in search of a new life (see map 3-36 for trail location). The trails' destinations varied, but Oregon, California, and Utah were the main goals for the majority of the emigrants. The Oregon/Mormon Trail was in use from 1840 to 1912. It is nationally recognized as the symbol of one of the most important and influential movements of people in U.S. history.

The Oregon National Historic Trail

This is the famous trans-continental route that was a natural migration route for prehistoric, protohistoric, and early historic groups and later became the main highway for European-American emigrants looking for new land and a new beginning in the largely unsettled western territories. The emigrants were spurred on by economic hardship in the East and a sense of destiny that America should compete with foreign powers and claim the western lands for the United States. This westward movement occurred primarily from the 1840s to the 1860s, but the trail remained in use as a wagon trail as late as 1912. Estimates of the number of people who used the Oregon Trail range from 300,000 to 500,000 during the trail's entire history. The majority of the emigrants travelled with wagon trains, spending an average of 6 months walking and riding over the arduous route. For many, the trials of the trail were too much. At least 20,000 died along the way.

The final destinations of the travelers varied, but many early emigrant groups made their goals the territories of Oregon and California. A large number of the emigrants were interested in settling the widely available lands in Oregon and California or in setting up commercial pursuits to serve the settlements. Later, precious mineral discoveries became an impetus for migration to the West and often provided the basis for settlement of lands previously bypassed by the emigrants.

In the 1850s and 1860s, the trail was used extensively by the military and commercial interests. The supply needs of settlements, travelers, and Indian tribes under treaty enabled freighting companies to operate, while military garrisons were assigned to posts along the trail to protect the emigrants and freighters. Communication services also sprang up along the trail; the most famous was the Pony Express. Although the Pony Express was driven out of business after just two years (in 1861) by the transcontinental telegraph, it remains etched in our national memory as an outstanding American achievement. Stage lines also operated on the Oregon Trail, but some were forced to move to the more southern Overland Trail because of fears of Indian attacks.


The contributions of the use of this early road to the settlement and the economic development of the Western United States were enormous. Congress recognized this in 1978 by designating the Oregon Trail as a National Historic Trail. Under national trail status, the federally administered

TABLE 3-22 SELECTED CULTURAL SITES AND NATIONAL REGISTER STATUS

		cted Cultural/Natural History Resource	Туре	National Register Status	Size	Location or Resource
1.	Cas	stle Gardens	Prehistoric and Historic Rock Art Site	Enrolled on the National Register.	80 acres	Gas Hills M.U.
2.	Ore	egon/Mormon Trail	Historic Emigrant Trail	Designated as a National Historic Trail; many segments eligible for the National Register.	89 linear miles, surrounded by ½ mile corridor.	Gas Hills, Beaver Creek M.U.'s
3.	Ore	egon/Mormon Trail Sites				
	A.	Devil's Gate Landmark	Historic Emigrant Landmark	Within the enrolled Sun Ranch National Historic Landmark.	400 acres	Gas Hills M.U.
	B.	Martin's Cove	Historic Emigrant Disaster Site	Enrolled on the National Register.	600 acres	Gas Hills M.U.
	C.	Split Rock Landmark	Historic Emigrant Landmark	Enrolled on the National Register.	640 acres	Beaver Creek M.U.
	D.	Ice Spring Slough	Historic Emigrant Trail Site	Considered eligible to the National Register but no official designation at present.	1,700 acres	Beaver Creek M.U.
	E.	Rocky Ridge	Historic Emigrant Trail Site	Considered eligible to the National Register but no official designation at present.	840 acres	Beaver Creek M.U.
	E.	Gilespie Place/ Radium Springs	Historic Structure/Campsite	Considered eligible to the National Register but no official designation at present.	40 acres	Beaver Creek M.U.
	G.	Willies Handcart Site	Historic Emigrant Disaster Site	Considered eligible to the National Register but no official designation at present.	40 acres	Beaver Creek M.U.
	H.	Burnt Ranch	Historic Emigrant Campsite/ Station	Determined eligible to the National Register.	561 acres	Beaver Creek M.U.

TABLE 3-22 (Continued)
SELECTED CULTURAL SITES AND NATIONAL REGISTER STATUS

	Affected Cultural/Natural History Resource	Туре	National Register Status	Size	Location or Resource
1.	Aspen Grove Campsite	Historic Fur Trappers Campsite	Considered eligible to the National Register, but no official designation at present.	280 acres	Beaver Creek M.U.
5.	South Pass Historic Mining District	Historical Gold Mines, Settlements, and Military Sites	Certain sites with the District enrolled on the National Register; many others considered eligible; whole District considered eligible to the National Register.	16,080 acres	South Pass M.U.
6.	Warm Spring Canyon	Historical Tie-Flume and Natural Features.	Considered eligible to the National Register, but no official designation at present.	190 acres	Dubois Area M.U.
7.	Sparhawk Cabin	Historical Cabin	Considered eligible to the National Register, but no official designation at present.	10 acres	Green Mountain M.U.
8.	Red Canyon	Outstanding Topographical Natural Feature	Designated as a Natural National Landmark.	5,760 acres	Red Canyon M.U.
9.	Beaver Rim	Outstanding Geological and Stratigraphical Natural Feature	Identified as a potential National Natural Landmark.	1,120 acres	Beaver Creek M.U.
10	. Dubois Badlands	Outstanding Topographical Natural Feature	Identified as a potential National Natural Landmark, (but needs more study).	4,520 acres	Dubois Badlands M.U




Oregon-Mormon Trail

Special Cultural or Natural History Site

National Natural Landmark

Proposed National Natural Landmark



Oregon Trail

Mormon Trail

portions of the trail are protected from unwarranted impacts and are maintained for public enjoyment and use.

The Mormon Pioneer National Historic Trail

In the midst of the massive migrations to Oregon and California, there was a smaller migration headed toward Utah. Most of these emigrants were Mormons (members of the Church of Jesus Christ of Latter-Day Saints), which was founded in 1830. The Mormon emigrant's goal was to get to the great Salt Lake Valley where the new center of the Mormon Church had been established.

In 1846 to 1847, an advance party, led by church leader Brigham Young, headed west from Illinois and finally chose their new home in the Great Salt Lake Valley. The route these first pioneer Mormons used is the Mormon Pioneer National Historic Trail. In the two decades following the pioneering trek, thousands of Mormons, from the eastern U.S. and Europe, travelled to Utah to live in the "promised land."

The route the Mormons used to get as far as mid-Nebraska differed from the Oregon Trail. The two trails then met on the Platte River and from there to Fort Bridger (in southeast Wyoming), the two trails basically followed the same route (see map 3-37). For that reason, the name Oregon/Mormon Trail is used in the Lander Resource Area.

The Mormon Pioneer Trail compliments the Oregon Trail as a major symbol of our nation's expansion. Whereas the Oregon Trail contributed more to the settlement and economic development of the far western states, the Mormon trail was one of the major factors in the initial development of the interior West. Congress observed the importance of the Mormon Pioneer Trail by designating it as a National Historic Trail in 1978. As with the Oregon Trail, the Mormon Pioneer Trail is now afforded protection from unwarranted disturbances and is maintained for public enjoyment and use.

Present Status of the Oregon/Mormon Trail and Related Sites. Now, well over 100 years old, the trail and its historical sites have suffered from weathering, erosion, and modern development in many areas. Much of the trail made by the emigrant wagons and people has disappeared, and most stage stations, campsites, telegraph lines, forts, and other-related sites no longer exist or are difficult to locate. Through the Western U.S., the present condition of the Oregon/Mormon Trail and its sites varies widely from location to location.

Nonetheless, the present condition of the trail in the Lander Resource Area is generally good. primarily because modern development along the trail has not been as intensive as in other parts of the nation. Much of the trail in the resource area has never been impacted by more than minor. modern vehicle traffic and erosion. As a result. much of the trail in the resource area retains similar settings and conditions as when the pioneers traveled the route. This situation has prompted the National Park Service to describe the segment within the Lander Resource Area as one of the very best stretches of the Oregon Trail left in any of the six states through which the trail passes (Oregon Trail Comprehensive Management and Use Plan 1981). The trail itself sometimes exhibits the original ruts of the emigrant wagons, which can be seen in a few rocky or protected areas. There are other stretches where the trail appears as one or more swales (dished-out areas caused by erosion), which indicate the paths of the wagons. Sometimes the swales are relatively deep and narrow, but sometimes they are very wide and shallow, better resembling a "swath of disturbance" that is known to spread up to 1/2 mile wide.


Where the trall is impacted by minor erosion and modern vehicular traffic, one may see a two-track road surrounded by the above mentioned swales, or sometimes a two-track road on top of or next to the original rut areas. All of these conditions, when matched with settings largely undisturbed by modern intrusions, can contribute to an impression of how the original trail must have appeared.

Land status along the trail is predominantly private and BLM lands, with some state land. All segments of the trail on BLM lands are within a protective corridor, which may prohibit modern intrusions or uses within the trail corridor. Map 3-36 details the location of the trail within the RMP area, and table 3-22 describes the present status of major sites on BLM-administered land related to both the Oregon and Mormon Pioneer trails.


Important Oregon/Mormon Trail sites in the Lander Resource Area

The following describes the specific important Oregon/Mormon Pioneer Trail resources in the Lander Resource Area. Map 3-38 shows the locations of these sites.

Devil's Gate Historic Landmark. Devil's Gate, part of the Sweetwater Rocks, is one of the most well-known landmarks along the Oregon/Mormon



Map 3-37 Major Emigrant Trails of the Western United States



Oregon-Mormon Trail

Sites

Trail. Devil's Gate is a unique location where the Sweetwater River has cut through the Sweetwater Rocks leaving a narrow cleft measuring about 370 feet deep, 2,500 feet long, and less than 50 feet wide in places. Located 5 miles southwest of Independence Rock, Devil's Gate lies near the point where the Oregon/Mormon Trail began to parallel the Sweetwater River. Many diaries of the ploneers include remarks about Devil's Gate, and some of the emigrants wrote or carved their names on the cliffs around this landmark.

The Devil's Gate vicinity was used both as a temporary camping area for emigrant parties and as a semi-permanent outpost for business enterprises and military garrisons during the western migration period. Two trading posts and a stage station were located at Devil's Gate in the 1850s, and during the early 1860s a Pony Express station was operated for a short time. At the same time, soldiers were stationed at Devil's Gate to protect emigrants and stage lines from Indian attack. None of the original buildings from this era still stand, but the area still retains much of its original historical and natural setting. Several gravesites are also known in the Devil's Gate area, although only one (T.P Baker, who died in 1864) is now marked and identified. The Sun Ranch, located just west of Devil's Gate along the Sweetwater River, was one of the first open-range ranches in Wyoming. The original ranch house, built in 1872, still stands at the present-day ranch headquarters.

Land status of the actual Devil's Gate, where the Sweetwater River flows through the rocks, is comprised entirely of public lands administered by BLM. The Devil's Gate and lands around it have been withdrawn from all forms of appropriation since 1970.

The Oregon Trail passes through BLM, state and private lands, and the portions on BLM are currently within a protective corridor. The various local posts, stations, and early ranch developments lie on both private and BLM-administered lands. Those sites on BLM lands are currently under application for withdrawal. Devil's Gate and its related sites are also within the boundaries of the enrolled Sun Ranch National Historic Landmark.

Martin's Cove Historic Site. Martin's Cove describes a sheltered recess among the Sweet-water Rocks where disaster struck a group of Mormon emigrants in 1856. The cove is located next to the bare granitic hills of the Sweetwater Rocks, just north of the Sweetwater River, about 2 miles west of Devil's Gate and 1 mile north of the Oreon/Mormon Trail.

The setting of this disaster involved Captain Edward Martin's 6th Handcart Company, a large group of Mormon converts who were headed to the Salt Lake Valley of Utah. The company originated in England, and they planned to walk across the interior of the United States, while pulling two wheeled handcarts. An early winter storm caught them weak and unprepared, and the emigrants took refuge in Martin's Cove. Before the company was rescued, 145 people in the company died from exposure and starvation.

Land status of Martin's Cove Site is entirely composed of public land administered by BLM. Martin's Cove site is also enrolled as a National Historic Place on the National Register.

Spit Rock Historic Landmark. Split Rock is a prominent and highly visible landmark 18 miles west of Devil's Gate, which served as a geographical guide for Indians, furtraders and emigrants. This high cleft in the granite of the Sweetwater Rocks could be seen soon after the emigrants left Devil's Gate, and the area near Split Rock was a favorite campspot. During the 1860s, the Pony Express, Overland Stage Line, and the Sixth Ohio Cavalry maintained posts in the local area. Although little, if any, of the 1860s station sites remain, the general area is little changed from its 19th century historical setting.

Land status of the Split Rock Landmark is composed of BLM land, and the site and the lands around it have been withdrawn from appropriation of all types since 1970. The Oregon Trail in the vicinity of Split Rock is primarily located on BLM land, but some of the trail also lies on private land. The trail segments on BLM land are within a protective corridor at the present time. The early segment on BLM land are within a protective corridor at the present time. The early segment on but BLM and private lands, and most of these sites on BLM land are under application of withdrawal from appropriation. Split Rock Landmark is enrolled as a National Historic Place on the National Register.

Ice Spring Slough Historical Site. Ice Spring Slough is a wide, shallow, swampy drainage that was often mentioned by the emigrant travellers on the Oregon/Mormon Trail. This spring-fed boggy area, about 23 miles west of the Split Rock Landmark, was paralleled by the trail for a short distance before the trail crossed it. The emigrants used the slough for water and reportedly for a source of summertime ice. The ice, found underneath peat and water layers, could be obtained even in the hot summer months, and this oddity was a constant and welcome surprise to the pioneers. Along the banks of the slough was

a stage/Pony Express station, which operated in the 1860s. The slough presently contains modern intrusions over some of its length, but much of the rest of the slough and its surroundings still appear the same as when the pioneers encountered it. No remains of the stage/Pony Express station have been discovered.

Land status of the slough is split between private and B.M. lands. The Oregon/Mormon Trail, in the vicinity of Ice Spring Slough, is situated on B.M. and private lands, and the segments on BLM land are within a protective corridor at this time. The stage station has not been definitely located, and it could lie either on private or B.M. land. The Ice Spring Slough is considered eligible for nomination to the National Register of Historic Places, but no formal nomination procedures have been completed for this sit.

Rocky Ridge Historic Area. The Rocky Ridge was a landmark of a different sort for the Oregon/ Mormon Trail emigrants. This area, about 19 miles west of Ice Spring Slough, was a spot where the emigrants were forced to leave the lowlands along the Sweetwater River and cross a high, barren and rocky ridgeline located north of the river. Many of the pioneers' diaries speak of the rough jarring ride they endured and the difficulty of the steep climb over the ridge. The area today still exhibits rust stains on the rocks from the irontire wheels of the early wagons. Piles of rocks, moved out of the paths of the wagons by the emigrants, can also be seen. The Rocky Ridge area is very isolated and still retains most of its historical and natural character.

Land status of Rocky Ridge and the Oregon rail in this local area is nearly all BLM, but some private land is nearby. Some of the trail and surrounding ridge has been withdrawn from appropriation since 1970. The Rocky Ridge appears to be eligible for National Register nomination, though it has never been formally evaluated.

Gliespie Place/Radium Spring. Gliespie Place/ Radium Spring is a historical site located along the Oregon/Mormon Trail just east of the historical mining camp of Lewiston. This site consists of two standing structures, several foundations with wall remains, and a flowing spring. The Gliespie Place/Radium Spring site, located along a major transportation route, was associated with several historical events of Wyoming's early territorial and state history.

The earliest historical use of the site probably occurred during the Oregon/Mormon Trail era when early emigrants passed through the region

in the 1840s. Although no emigrant diary accounts of this site are known at this time, the site's spring was probably often used as a convenient water source. Some overnight emigrant camping probably also occurred here. Radium Spring probably continued to be used by travelers over the entire emigrant trail era. U.S. millitary units, common along the Oregon/Mormon Trail in the 1860s, may have also utilized the spring and surrounding area. In the 1880s, mineral exploration began in earnest in the Lewiston Mining District, which included the Radium Spring area. Although no records are evailable, some small-scale exploration probably occurred in the local area.

After the turn of the century, the structures were built on the site. Presently, we do not know exactly when they were constructed, but artifactual evidence points to pre-1920s dates of occupation for at least some of the structures. This evidence corresponds to newspaper accounts of a Mrs. S.F. Gillespie having settled on 160 acres in the immediate area sometime around 1910 (Wyoming State Journal 1918). Touted as Wyoming's Copper Queen, Mrs. Gillespie seems to have been heavily involved in mining ventures in the local area around Lewiston (including Gilespie Place). Sometime during this period, the spring was claimed to have radium in its waters and was advertised to have healthful properties, but no use of the spring for this purpose is known.

Apparently, the site was occupied by Mrs. Gillespie until the early 18939, based on local informants (Halstead and Mataeson 1984). The Gilespie Place/Radium Springs lies completely on public lands, and presently is in fair shape. Cattle trampling is moderate to heavy over the site, and the two remaining structures are used by cattle for shade and could be in danger of collapsing from cattle rubbing. Although the site has never been recorded, it appears that its associations with the Oregon/Mormon Trail and the early Lewiston mining boom make it eligible for nomination to the National Recister.

Willies Handcart Site. This site is the scene of a second Mormon handcart company disaster. The site, located about 6 miles west of Radium Spring/ Gilespie Place, lies in the narrow floodplain of Rock Creek, near the spot where the Oregon Trail crosses the creek.

This disaster occurred as a result of an early winter storm that engulfed the region in November of 1856. This is the same storm that trapped Martin's Handcart Company, Willies Handcart Company, having gotten a slightly earlier start on their trek from the Midwest to Utah, were

overtaken by the storm and took shelter in the meager protection of shallow creek bottoms in the South Pass area. Between their stops at Rock Creek and Willow Creek, a total of 77 people in the company perished from exposure before they were rescued. The locations of the gravesites are not precisely known, but a marker now lies at Rock Creek commemorating the fallen emigrants. An annual commemorative meeting is also held along Rock Creek.

Land status of the Willies Handcart site at Rock Creek is split between private and BLM-administered lands. The commemorative marker is situated on private land, and the commemorative meeting site is located a short distance south of the marker on BLM-administered lands. The Willies Handcart site on Rock Creek appears to be eligible for National Register nomination, although no formal documentation on the site has been submitted.

Burnt Ranch, Burnt Ranch is a famous Oregon/ Mormon Trail emigrant campsite, way-station and stage stop. It was also the location of the ninth and last crossing of the Sweetwater River for the emigrants. Named Burnt Ranch because of the numerous times the station was burned down, this site was a major crossroads throughout the Oregon/Mormon Trail era. The Seminoe Cut-off rejoined the main Oregon/Mormon Trail at Burnt Ranch, and the Lander Cut-off also began at this spot, making Burnt Ranch a well known site. As a consequence of its location, the Burnt Ranch area was heavily used by emigrants, soldiers and commercial interests. Near Burnt Ranch was a U.S. mail station, commonly known as the Mormon Mail Station because it was used on the mail route to Salt Lake City.

The Burnt Ranch site is privately owned and is managed for livestock ranching and farming. Several standing structures are located at the site. These structures were probably built in the early 1900s for ranching related purposes. The historical setting of the Burnt Ranch area is intact, and the site is considered eligible for nomination to the National Recister.

South Pass Mining Area

The South Pass mining area is a historical gold mining region located in west-central Wyoming on the southern end of the Wind River mountain range. South Pass was and still is the largest gold mining area in Wyoming, and it has yielded well over a million dollars of gold during its history.

When compared with other mining centers in the West, this yield is considered small. However, the influences of this marginal gold mining area on the early development of the Wyoming Territory and the state of Wyoming were considerable.

Gold was first discovered in the South Pass mining area in 1842 by a trapper with the American Fur Company. This was followed by limited prospecting in the 1850s and early 1860s, but no organized operations were established during that time because of Indian hostilities and/or unprofitable diggings. It was not until 1867 that large numbers of prospectors entered this area, which was known at that time as the "Sweetwater Mines" area. The year 1867 was a very active period, which included the discovery of most of the major gold deposits, including the Carrissa, Miner's Delight, and King Solomon lodes. By 1868 an estimated 1,000 to 1,500 people lived in the area, and the towns of South Pass City and Atlantic City were established. However, the mining boom died quickly, and by 1872, the original gold prospects were played out and the area (including the towns) became almost deserted. Recurrent periods of gold mining activity occurred in the South Pass area in the 1880s, 1907 to 1911, and the 1930s, but the efforts were never very profitable.

Although the mining activities proved short-lived and mostly unprofitable, development in the South Pass region had major social and cultural impacts on Wyoming. The South Pass towns were some of the first permanent settlements in the region, and they generated a new economic base. The economic stimuli from mining operations also encouraged growth of the budding regional economy.

Freighting companies, merchants and speculators benefitted from the importation of equipment and the sales of basic supplies, land and claims. Stagecoach lines also sprang up to carry people, goods and mail to and from the mining area market. The increased economic activity even had impacts on markets as far away as Salt Lake City and Denver, Settlement of the Wind River Basin and the development of the Lander Valley's economy were also highly influenced by the South Pass mining activity. The first settlers in the Lander area came mainly from the South Pass settlements, and the early farming communities in the valleys were able to rely on the mining area markets for much of their livelihoods.

The mining settlements also provided added impetus to the coming cattle industry, by contributing capital and markets for some of the first cattle ranching outfits in the state.

Along with the mining industry came early military and transportation endeavors. Fort Stambaugh, built in 1870, was an army post constructed near Atlantic City to offer protection to the miners and other settlers from hostile Indians. Occupied until 1877, the fort was not much involved in hostilities against Indians, and instead, became an important supoly station for the local area.

Stagescoach lines sprang up to serve the needs of the miners and bring new people into the area. Stage roads from Green River, Point of Rocks and Lander all went through the South Pass area. They continued to provide an important service until the early 1900s.

The South Pass settlements have survived up to the present by supporting limited gold mining operations, cattle and sheep grazing, small commercial concerns, and recent iron-ore extraction operations.

Interest in gold mining has continued and is again becoming more popular because of higher gold prices. The majority of the gold mining interest has been manifested by small-scale operators working previously mined locations over intermittent periods. Atlantic City and South Pass City are still small towns and share a slowly increasing tourist economy in addition to the more traditional mining, livestock and mercantile pursuits.


Present Status of Historic Sites in the Area. The known historical sites of the South Pass mining area are in various states of preservation. They range from good to destroyed in their condition. Most of the sites still remaining are complex because they have been reused over the years and have often been altered to accommodate new mining technologies. As a result, there are many historical sites that have elements of several different periods at the same spot. The elements within each site are in varying stages of deterioration. For example, at Miner's Delight townsite, the original 1867 to 1880 elements are only in evidence from structural foundations and some decaying mining equipment. The site's 1910-era elements consist of several standing buildings that range from good to ruinous condition, and several mining equipment items. The 1930s-era components of Miner's Delight townsite consist of the remodeled interiors of some of the 1910era structures, several outhouses, and various pieces of mining equipment.

Part of the South Pass mining area appears to be eligible for the National Register as a National Register District. Several individual sites within the area have already been enrolled on the National Register, but no formal nomination procedures for the whole area have been initiated. Land status of the South Pass area is split between BLM, private and state lands. BLM administers the largest amount of land, but the historical mining resources are probably spread equally between BLM and private lands. Twenty-four acres of BLM land have been leased to the state of Wyoming for historical purposes, and 820 additional acres of BLM land have been segregated from mineral entry because of historical values. Not all of the historical sites in the South Pass mining area are known, but there is good knowledge of most of the major sites. Map 3-39 shows the locations of some of the major sites within the South Pass mining area, and Table 3-23 describes the present status of those sites.

Castle Gardens Petroglyph/Pictograph Area

The Castle Gardens Petroglyph/Pictorgraph area is a well-known rock art area located in central Wyoming. The area contains a large number of prehistoric drawings etched in and/ or painted on sandstone. The rock art is recognized as some of the best in the Wyoming region, and has become well known within the Northwestern Plains, Several styles of art are evident, and many excellent shield motif representations are present. The age of the prehistoric rock art is unknown, but the functions of the drawings are assumed to be primarily concerned with spiritual beliefs. The rock art can be found over a large portion of the Castle Gardens uplifted area, which covers an area 6 miles long by 1 mile wide. The majority of the rock art is, however, located at the far eastern end of the Castle Gardens area.

There are also other prehistoric cultural resources known in the area. Lithic scatters and campsites are both known to occur, as well as isloated artifacts. One of the campsites was excavated in 1982 (Walker and Todd 1984), and was found to be an area where small prehistoric groups had camped on two different occasions. These groups produced stone tools, processed some plant foods, and butchered at least two bison, parts of which were cooked at the site. Through radio-carbon dating techniques, the occupations at the campsites were determined to have occurred around 650 and 750 years ago. Evidence from other local prehistoric sites indicate occupation of the Castle Gardens area occurred at several other times in prehistory.



South Pass City and surrounding lands

Miners Delight Townsite and Mining Complex

Fort Stambaugh

☆4 Carrie Shields Mine

\$\times B & H Mine\$
\$\times 6 Barr Mine\$

\$\times 6 Lemley Mill\$

%8 King Solomon Mine

9 Carissa Mining Complex

10 Caribou/Diana Mining Complex

∜11 Gold Dollar Mine

%12 Snowbird Mine

TABLE 3-23
NATIONAL REGISTER STATUS OF SITES IN THE SOUTH PASS MINING AREA

	Site	Туре	Natural Register Status	Land Use Status	Site Owner(s)/Administrator(s)	Site Size
1.	South Pass City (includes all of Section 20)	Histric Mining Town and Mining Operations Site	Enrolled on the National Register	Public land portions segregated from new mineral entry; old South Pass City is run as a State Historical Site.	Private, State, and BLM	640 acres
2.	Miners Delight Townsite and Mining Complex	Historic Mining Town and Mining Operations Site	Enrolled on the National Register	Public land portions segregated from new mineral entry; Miner's Delight Townsite managed by BLM as Historical Ghost Town.	BLM and Private	266 acres
3.	Fort Stambaugh	Historic U.S. Army Fort	Enrolled on the National Register	Portion of site on public land is segregated from new mineral entry.	Private and BLM	160 acres
4.	Shields Mine	Historical Mine and Habitations	Considered eligible to the National Register	Segregated from new mineral entry.	BLM	10 acres
5.	B & H Mine	Historical Mine and Habitations	Considered eligible to the National Register	Segregated from new mineral entry.	BLM	10 acres
6.	Barr Mine and Cabins	Historical Mine and Habitations	Considered eligible to the National Register	Segregated from new mineral entry.	BLM	5 acres
7.	Lemley Mill	Historical Ore Mill	Considered eligible to the National Register	Open to mining.	BLM	10 acres
8.	King Solomon Mine	Historical Mine	Probably eligible to the National Register	Open to mining.	BLM	10 acres
9.	Carissa Mine and Mill Complex	Historical Mine	Considered eligible to the National Register	Open to mining.	Private	40 acres
10.	Caribou/Diana Mining Complex	Historical Mining Areas	Probably eligible to the National Register	Open to mining.	Mostly Private	approx. 240 acres
11.	Gold Dollar Mine	Historical Mine	Considered eligible to the National Register	Open to mining.	BLM	20 acres
12.	Snowbird Mine	Historical Mine	Considered eligible to the National Register	Most of public land portions segregated from new mineral entry.	BLM and Private	40 acres

At the present, a picnicking and interpretation area is located near the major rock art panels. Fences have been placed around the panels to deter yandalism.

The Castle Gardens Petroglyph/Pictograph site was first recorded in the early 1940s (Sowers 1941). Since then, it has become well-known, and the rock art has suffered from vandalism and weathering. In the 1960s, BLM constructed a road into the site and built a pionic area and interpreties site. Although protective fences were installed around the rock art panels at that time, vandalism is still occasionally occurring. Erosion, from weathering of the sandstone faces to increased rill formation from pedestrian traffic, is also occurring and may increase if preventative measures are not taken.

Warm Spring Canyon Natural Bridge, Flume, and Geyser

The Warm Spring Canyon Natural Bridge, flume and geyser is a unique historical and natural area located on the lower slopes of the northern Wind River Mountains near Dubois, Wyoming. The natural and historical elements of this area are very closely related and will be dealt with together in this section.

The historical character of the area is manifested in a flume that runs down Warm Spring Canyon. This flume, bullt in 1923, was designed to transport wooden railroad ties from mountain timbercutting areas to the Wind River. Once on the Wind River, the ties were floated down to processing plants where railroad companies picked them for use on the many railroads lines of the region.

The flume was part of an early system of railroad tie procurement that relied on few machines. Instead, mountain camps of woodcutters were set up where the ties were roughhewn from trees, mostly by hand. The woodcutters were called tie hacks and some were so skilled they could produce an almost finished tie by hand in a short time. No adequate haul roads existed at the time. so instead the Warm Spring Canyon Flume was designed to transport the handhewn ties down to the Wind River. All of this activity began in the Warm Springs area in the 1920s, and the flume was completed in 1928, at a cost of \$64,000. The flume spanned 9 steep, twisting miles and was often suspended on the walls of the canyon because of the stream's narrow course. The flume utilized water to run the ties down to the river. and during its active life carried hundreds of thousands of ties out of the mountains. It was

finally abandoned in 1942, when a haul road was completed and more economical trucks were used to transport the ties (Pinkerton 1981).

The portion of the flume that lies on BLM land is near the lower end of the canyon. It is here where the flume encounters a natural curiosity called the "Natural Bridge." This natural bridge is a limestone cavity through which Warm Spring Creek flows. The flume was built through the natural bridge and is suspended on its walls.

Another nearby natural phenomenon unique to the area is an inactive geyser, which lies just above the canyon. This geyser now more closely resembles a warm spring situated deep inside the old geyser pipe.

The portion of the flume on BLM land has somewhat deteriorated because of the elements and landslides. Despite these ongoing processes, the flume is still in fair shape overall, and the segment within the natural bridge has been shielded and remains in good condition. However, some vandalism has affected the flume inside the bridge, and many of the bridge's natural features have been damaged by vandals. The inactive geyser has some modern trash around it, but otherwise it is in good condition. Limited access to the area has probably deterred much damage to the area's features, and this will probably continue to be the situation in the future.

Land status of the flume itself is mostly composed of U.S. Forest Service lands. A small part, near the lower end of the flume's course, lies on BLM and private land. The natural bridge and geyser are found on BLM lands. The Warm Spring Flume, natural bridge, and geyser area is considered eligible to the National Register, but no formal nomination procedures have been completed for this site.

Sparhawk Cabin

The Sparhawk Cabin is a historical site located on top of Green Mountain. It consists of a well-built log cabin that was apparently built in the 1930s. The cabin was constructed by an enigmatic character named Frank Sparhawk, who was a periodic resident of the Green Mountain-Sweetwater Vallay area and frequented the area periodically from the early 1900s until the late 1940s. No one is sure what Sparhawk's major activities were on Green Mountain, but according to an interview with an elderly area resident, Sparhawk built a flume on Green Mountain to transport timber down to the nearby Crooks Gaparea. Mr. Sparhawk was also, according to a 1939

Wyoming State Journal article, searching for a meteorite he saw hit Green Mountain in 1901, but no one knows if the meteorite was ever found (Connell 1980).

The cabin site, secluded in a stand of lodgepole pines, remains in good shape. It consists of a rectangular structure made of very large logs. Chinking can still be seen to fill gaps between the logs. The roof logs extend beyond the front and back walls to form porch-like enclosurse both the front and back of the cabin. The cabin also has Sparhawk's name spelled out above the front door with rough tree twigs and roots, making it easy for later visitors to identify the cabin's owner.

The Sparhawk Cabin site has suffered from various forms of vandalism over the years, but is still in fair-to-good shape. Most of the interior furnishings and artifacts have been stolen or damaged, and the interior floor has been dug into because of local legends of buried riches supposedly hidden by Sparhawk. The structure itself is in fair to good shape and, although the roof has somewhat collapsed, the walls are in no immediate danger of collapsing.

This historical site appears to be eligible for National Register nomination. The site is worthy of preservation because it is a well preserved and a unique remnant of the settlement of Wyoming and is a reminder of the colorful characters who were a part of early Wyoming history.

Specific Affected Natural History Resource

Natural history resources in the Lander geological and/or ecological resources that have been identified and evaluated by the National Park Service as potential National Natural Landmarks. Types of these resources include: unique vegetational communities, classic examples of geological processes, and/or outstanding statigraphic and topographical areas. Nearly all activities under BLM management involving surface disturbance would adversely affect the natural history resources in question. Map 3-35 shows the location of the natural history resources, and table 3-22 describes the present status of these resources.

Red Canyon Designated National Natural Landmark


This national natural landmark was designated in 1976 (see map 3-40). Covering an area of over 5,700 acres, the Red Canyon National Natural Landmark is located along the southeastern flanks of the Wind River Mountains in Fremont County. It is primarily significant for its "classic dissected cuesta" characteristics. As the Wind River Mountains to the west were uplifted during the Laramide Orogeny some 60 million years ago, horizontal strata of Phosphoria Formation (dolomite, limestone, siltstone, sandstone, chert, and phosphorite), Chugwater Formation (shale, siltstone, and sandstone), and Nugget Formation (sandstone) were tilted eastward. Later, erosion in the area stripped off most of the material above these strata, leaving a valley of gentle sloping resistant Phosphoria Strata on the west, soft Chuqwater deposits in the bottom, and a steep rim of nugget sandstone on the east. This situation of a valley with gentle slopes on one side bordered by steep slopes on the other is characteristic of cuesta development, and Red Canvon is a classic and scenic example of this type of geologic occurrence.

The area within the designated national natural landmark is composed of BLM, state, and private lands, and all but one landowner is signatory to agreements designed to protect the canyon's natural character. Therefore, the landmark is relatively safe from impacts and should continue to be an important geologic and seenic area.

Beaver Rim Proposed National Natural

This proposed landmark covers an area of 1,120 acres and lies along the western end of the Beaver Divide in Fremont County. This area is considered significant for its well defined stratigraphic sequence of Tertiary deposits, which are exposed along the slopes of the rim. The proposed national natural landmark includes representative exposures of virtually complete Early Eccene Epoch through Micoene Epoch stratigraphic sequences. This complete sequence is very rarely exposed and is important to the understanding of Wyoming Tertiary geology. The area also is highly representative of the geological differences







Red Canyon National Natural Landmark Wyoming Game and Fish Department Red Canyon Unit between the degrading Wind River Basin to the north and west and the more stable upland Sweetwater Plateau. The possibilities of exposed fossil materials and the stark scenic beauty of the area also add to the significance of this area. The National Park Service has recommended this proposed landmark for potential listing as a national natural landmark.

The proposed national natural landmark is composed entirely of public lands and is administered by the Bureau of Land Management. The proposed national natural landmark area is presently being managed for protection of its natural values.

Dubois Badlands Proposed National Natural Landmark

This proposed landmark covers an area of 4,520 acres and lies along the Wind River near the town of Dubois, Wyoming. This area is considered significant primarily because of its unusual topographic features. Eroded pinnacles, spires, and flat-topped hills exhibiting slopes of colorfully banded shales are the most dominant features of this proposed landmark. The vegetation of the area has not been examined in depth, but may provide protected islands of pristine vegetation. The National Park Service has rated this ecological landmark candidate as 3-B, which means "Information lacking for a confident recommendation, but may prove nationally significant upon further investigation; site is in some danger." The proposed national natural landmark is completely composed of public lands administed by BLM. The area is presently being managed for protection of its natural values

SOCIOECONOMICS

Introduction

Geographically, the Lander Resource Area encompasses the majority of Fremont County, Wyoming, and portions of Hot Springs, Sweetwater, Carbon, and Natrona counties. The resource area also includes the Wind River Indian Reservation, although BLM has no jurisdiction on those lands.

This section is designed to provide the baseline socioeconomic conditions for Fremont County and the major communities in the resource area. Those communities that are not expected to be impacted by any management actions proposed in this document will not be discussed. This includes those small portions of the adjacent counties.

Fremont County

Fremont County's economy is diverse, but has its industrial base in agriculture, tourism, and mining. Although agriculture and tourism serve as the stable economic sectors, mining has experienced a high degree of instability in recent years. Table 3-24 provides a recent breakdown of the country's economy by sector.

Decreased mining and mining related industries include the complete closure of U.S. Steel's iron ore mine near Atlantic City in 1984 and the decline of uranium mining in the Gas Hills area, with the subsequent downturn in uranium refining in Jeffrey City.

Employment in Fremont County is projected to rise to almost 16,894 by 1986, from 15,604 in 1984. The Wyoming Employment Security Commission states that the labor force between October 1983 and October 1984 declined by 10.6 percent, and unemployment declined 43.2 percent (Volume 29, number 9, October 1984. Wyoming Labor Force Trends by the Wyoming Employment Security Commission). The corresponding unemployment rate dropped by 4.1 percent.

Population levels declined by over 7 percent from 1981 to 1984, mainly as a result of mine closures. Population projection by the Wyoming Department of Administrative and Fiscal Control place population at 37,750 by 1986, from 36,101 in 1984.

From 1976 to 1981, total personal income in the county rose by 120 percent. Most of this increase was directly or indirectly attributed to growth in the mining sector. Since 1981, however, personal income and employment levels in the county have dropped significantly, as have population levels. County population has dropped by 4.3 percent since 1981. These decreases have resulted mainly from slumps in minerals activity and mine closures. Future drops in population levels and personal income are anticipated as unemployment benefits hecome exhausted.

Affected Environment

TABLE 3-24
FREMONT COUNTY LABOR ANALYSIS, 1983

	Number Firms	Average Annual Covered Employment	Average Weekly Wage
Agriculture, Forestry,			
& Fisheries	28	89	\$166.66
Mining	82	2,008	\$510.47
Construction	189	971	\$348.84
Manufacturing	41	560	\$290.91
Transportation, Communi-			
cation, & Utilities	79	701	\$375.52
Wholesale Trade	78	553	\$319.72
Retail Trade	292	2,413	\$185.90
Finance, Insurance,			
Real Estate	75	417	\$267.27
Services	341	4,569	\$288.63
Public Administration	28	704	\$308.38
Total		12,985	
Average of All Industries			\$314.02

Source: Wyoming Annual Planning Report, Fiscal Year 1985, by Wyoming Employment Security Commission, Research and Analysis Section, Nov. 1984.

As a counter measure, the county and area communities are trying to promote growth in tourism and clean industry. However, the economic outlook, according to area planners, it not favorable.

There are six major communities in Fremont County in which the majority of the populus reside. A brief discussion of the major communities follows.

Lander

Lander serves as the county seat for Fremont County. The town's diverse economy ranges from agriculture and tourism to mining.

Over the past year, layoffs in the mining sector have posed significant economic problems in Lander. The Atlantic City Iron Ore Mine ceased production in October 1983, resulting in the loss of approximately 580 jobs. Although these job losses are considered permanent, many of the unemployed have been reluctant to leave Lander. This has delayed the adverse effects that job losses

could have on the housing market. However, as unemployment compensation is exhausted, oversupply of housing could result with a subsequent increase in loan defaults and adcrease in housing prices. At the end of 1983, 3 percent of single-family housing in Lander wavcant or for sale. Present estimates by local planners indicate that in a worst-case situation, the vacancy rate could increase to 10 to 15 percent by 1985. Worst-case estimates by area planners show population declines of 10 percent in Lander over the next 2 years. These estimates include entire families and are based on the number of employees who lost jobs in the Iron ore mine.

Lander has adequate educational facilities with three elementary schools, one junior high, and one high school. Central Wyoming College also has an extension center located in Lander.

Other community services in Lander include a 107-bed hospital, the Wyoming State Training School (a 27-bed psychiatric and chemical dependency hospital), a substance abuse center, four clinics, and one nursing home. Forty doctors

Affected Environment

and eight dentists also practice in Lander, and ambulance service is provided. Police and fire protection is also deemed adequate.

Recreational facilities range from 120 acres of city parks to baseball diamonds, tennis courts, and various indoor athletic facilities. Transportation services include charter air service at the local airport and bus service.

All municipal services are adequate for the present population, with a margin upwards of 1,000 persons.

Dubois

Nestled in a valley between the Wind River and Absaroka mountains, on the Wind River, Dubois offers some of the finest wilderness and recreational areas in the West. It serves as the gateway to the Yellowstone and Grand Teton National parks.

The Dubois economy is dominated by agriculture, timber and tourism. Tourism, including outfitting activities, is estimated to produce at least 50 percent of total local income. In itself, outfitting and its related business activities account for roughly 25 percent of total local income. Almost all of the local outfitters also work at other occupations such as ranching and timber related businesses. Timber and ranching activities jointly account for 50 percent or less of total local income. With the exception of the timber industry, which fluctuates with the housing and construction industries, Dubois has a rather stable economy.

Total population for the city was estimated at 1,100 in 1982, with an annual growth rate of slightly over 5 percent. At least 15 percent of the local residents are retired and not anxious for additional local economic growth. However, most local businessmen would like to see orderly growth in tourism and light, clean industry. In general, the community flavors a relaxed lifestyle and wants to avoid boom-town impact.

The cost of living is estimated to be comparable to that in Riverton and Lander for the majority of items. However, some residents indicated that housing costs were relatively high because income levels and demand for housing by retired persons moving to, or residing in, the area forced these prices upward.

Most major services are sought in Riverton or Lander; however, Dubois does have limited shopping. The school system has one elementary school and one facility for both junior high and high school students. These facilities are adequate for present population levels. Other community and municipal services are deemed satisfactory, as is the housing situation.

Riverton

The city of Riverton is located in central Fremont County on the Wind River Indian Reservation. Both the Owl Creek Mountains to the north and the Wind River Mountains to the west are visible from the city.

Before the uranium development of the mid-1970s southeast of Riverton, life revolved around serving as a commercial center for the adjacent Indian reservation and the farms and ranches along the Wind River. The community was essentially sustained by an agricultural base, and population growth was stable. The town has always served tourists passing through on their way to the national parks. During the 1970s, Riverton began to grow and modern services sprang up along the strip north of town alongside Wyoming Route 26. Many citizens resisted the new facilities to accommodate mining growth and the expanded economic opportunities were not welcomed by many of the townspeople. Since the almost total collapse of the uranium mining industry in 1981, this attitude probably was helpful in limiting growth of services and facilities so that Riverton never "over-built." The unemployment rate is the highest in 10 years. Riverton, having assimilated mining personnel on its own terms. can (and has) integrated these people into the community with a lessening of tensions between mining newcomers and long-time residents.

Riverton provides most of its own merchandising needs and that of the surrounding population. There is oil and gas production on the Wind River Indian Reservation, and many of the Arapahoe and Shoshone are viable customers for the town merchants. Jade is found almost singularly in the United States in Fremont County, and this specialty jewelry business is a special feature of comperce in Jander and Biverton.

With minor exceptions, most community facilities and services and utility systems are adequate to meet present and future needs. These assessments include housing and educational systems.

Other major communities in Fremont County are not expected to be adversely affected by actions proposed in this Resource Management Plan; thus, they will not be discussed further.

Regional Economic Baseline

Economic activity in this area is not limited to geographic boundaries, but it can have effects elsewhere in the surrounding counties.

For the purpose of this document, the regional economy is defined as Fremont, Carbon and Albany counties. This defined area follows fairly closely to the Rawlins BLM District boundaries. The industrial sectors characteristic of this three-county area have been modeled in the Rawlins District Input-Output Economic Model designed by Colorado State University.

The main industrial sectors are shown in table 3-25, along with the corresponding final demand figures (shown in dollars of output).

TABLE 3-25
FREMONT COUNTY
LABOR FORCE TRENDS

Fremont County	October 1984	October 1983	Percent Change
Labor force	18,299	20,473	-10.6
Unemployment	1,317	2,320	-43.2
Unemployment rate	7.2	11.3	-4.1

Source: Wyoming Labor Force Trends, Vol. 21, No. 9, Oct. 1984. Wyoming Employment Security Commission, Casper.

Social Conditions

Social conditions in Fremont County appear to hinge on several factors; however, unemployment seems to be the basic one. Crime, family problems, alcoholism, and other social maladies all seem to stem from the lack of employment. Although unemployment in the county fluctuates, it topped 10 percent in 1938. Employment statistics are shown in table 3-24.

Although unemployment from mine closures has been significant, many people have remained in Fremont County, resulting in a less than purported decrease in population levels. Reasons for remaining in the area are not clear; however, unemployment compensation is probably a major factor. When it is exhausted, population levels are expected to drop.

Demogrpahic statistics indicate that by 1986, 50 percent of the population will be in the 23-to 64-year age group, with about 8 percent over 64. This shows a slightly older population than the area had in the early 1980s.

According to the Wyoming Division of Criminal Identification, Fremont County in 1982 had 2.3 officers per 1,000 population, and the index of crimes per officer was 17.2. Comparative state figures were 2.4 officers and 21.2 crimes per officer. In major Fremont County communities in 1982, the number of officers per 1,000 of the population ranged from 2.0 in Riverton to 4.5 in Shoshone. The related index of crimes per officer was highest in Riverton, and lowest in Shoshoni.

Fremont County had a slight decrease in the incidence of crime between 1982 and 1983. In addition, crime in the first quarter of 1984 was down over 30 percent from crime in the comparable 1983 quarter. The county crime rate per 10,000 inhabitants in 1982 was substantially lower than the relative state crime rate that year. Burglary, larceny and motor vehicle theft accounted for the majority of county crimes.

Among major county communities in 1982, Shoshoni had the lowest crime rate per 10,000 of the population and Lander the highest. Between the first quarters of 1983 and 1984, Shoshoni had the greatest percentage crime increase and Dubois the greatest decrease. However, percentage figures can give an exaggerated view of crime changes in such small communities because of the relatively low, actual crime base from which such percentages are figured. A better relative crime indicator is the crime rate per 10,000 of the population.

The majority of arrests in Fremont County were related to drinking, liquor-law violations, and disorderly conduct. Thefts and burglaries were the next most common crimes resulting in arrests. There was also a relatively high portion of drug related arrests. Juvenile arrests in the county were mostly for thefts and liquor-law violations. Arrest patterns related to given crimes were about the same in major county communities as for the county.

Minerals

Oil and Gas

Fremont County's market share of Wyoming's oil and natural gas production over the past 10 years has averaged 5 percent and 16 percent.

Historical production trends are shown in figures 3-7 and 3-8. In 1982, the county ranked eighth in oil production and second in natural gas production in the state (DEPAD 1983).

Employment and Earnings

Since 1979, employment has increased by 10 percent (1983). Earnings increased by 30 percent during the same period. As of 1983, 961 persons were employed in the oil and gas industry, with total earnings of \$24 million. Employment has fluctuated considerably since 1979, with 1981 being the peak year (1,315 persons).

Drilling Activity

Drilling activity has taken place in the resource area since 1844, when the first oil well west of the Mississippi was drilled. Activity has since progressed at various rates throughout the area and has eventually led to the establishment of highly productive oil and gas fields. According to data compiled by Petroleum Information Corporation (PI), there are approximately 2,436 wells within the confines of the resource area, excluding those on the Wind River Indian Reservation.

To determine growth rates in drilling activity and success rates, the resource area was categorized into areas of high, moderate and low oil and gas production potential areas. These areas were the evaluated using the PI data to establish annual drilling activity and whether the well produced or ont. figures 3-9, 3-10 and 3-11 show the historical levels of drilling activity by productive potential areas with annual growth rates of 1.5 percent for high, -14 percent for moderate, and -58 percent for low. These growth rates were actualted using linear regression analyses techniques over a 34-war period.

Historical success rates by area are shown in figures 3-1, 3-2, and 3-3. In the high production potential area, success rates averaged 65 percent; the moderate areas, 10 percent; the low areas, 4 percent. Additionally, a statistically significant correlation was found to occur among levels of drilling activity and success rates in the high-production potential areas. In the moderate and low areas, the correlation was not statistically significant

The growth rates in drilling activity are sensitive to the national economy. Therefore, the rates shown in this analysis are designed to provide a planning horizon to estimate drilling activity in early production potential areas.

Uranium

Over the past several decades, uranium has become an important commodity to the economy of Wyoming and Fremont County. Uranium from Fremont County reserves have been used primarily for electricity generation. Since 1971, this market has been the predominant use for domestically-produced uranium. None of the uranium produced from Fremont County mines has been exported.

Production

Uranium production in the United States declined during 1983 to 19,579 tons, continuing the trend of decreasing annual production that began in 1981. Production levels in 1983 were nearly 52 percent less than the record annual production of 21.852 tons of U-30a. (DOE 1984).

Wyoming's uranium production showed a steady increase from 1974 to 1978, leveled off for several years, then began decreasing to current levels. Uranium production in Fremont County accounted for 38 percent of the state's production during the peak year, 1980. Levels in 1983 are just slightly higher than 1974 levels. Currently, the uranium mines in Fremont County are producing at very low levels, if at all.

According to Department of Energy (DOE) information sources, the major reasons for production declines are based on current market demands and existing inventories. As it became certain that optimistic projections of rapid growth for nuclear power would not be realized, the utility companies, which had contracted for much of their uranium supplies, found themselves faced with increasing inventories of uranium for which they had no immediate use. This buildup of nuclear fuel inventories has become a major factor in the uranium supply/demand balance. DOE estimates indicate that the total uranium inventory owned by utilities at the end of 1982 represented 4 years of forward coverage, assuming an average annual requirement of 17,000 tons of U308 (DOE

Trends in the near future indicate that additional inventory supplements will be met by cheaper imports, as happened in 1981, 1982 and 1983. During the next few years, the projected demand and market price for new contracts will be too low to encourage expansion of domestic production capacity, which is projected to decline by 1985 to a level of between 6,000 and 9,500 tons per year before it slowly recovers in the following




Figure 3-7 Oil Production




Figure 3-8 Natural Gas Production




Figure 3-9 High Production Potential Areas for Oil & Gas-Drilling Activity




Figure 3-10
Moderate Production Potential Areas for Oil & Gas-Drilling Activity




Figure 3-11 Low Production Potential Areas for Oil & Gas-Drilling Activity

Affected Environment

years, reaching a range of 7,600 to 12,000 tons per year by 1990. The recovery is slow despite an increase in projected domestic requirements, because the cost of domestic production continues to increase, eroding the competitive position of U.S. producers in the world market. For example, the ore grades processed domestically in the early 1970s were about 0.2 percent uranium, whereas those processed (and likely to be processed) in the 1980s are around 0.1 percent uranium. This implies a significant increase in the average production cost. Additional cost factors are the increasing depths of the domestic deposits being mined and, more importantly, the increasingly stringent environmental regulations imposed on producers by both state and federal agencies. Domestic production is projected to increase steadily through the 1990s, as the market price begins to rise. Some recovery in production is projected even during the first half of the 1990s, when the market price remains constant, because of the steady growth of domestic requirements and the beginning of an increase in foreign requirements.

Figure 3-12 shows historical uranium production levels for Wyoming and Fremont County.

Employment and Earnings

From 1979 to 1983, employment has declined dramatically from 2,388 persons to 539 (-77.43 percent). Earnings during the same period decreased by 71 percent. To date, very few persons are employed in the uranium industry in Fremont County.

Phosphates

Hardrock mining for phosphates began in the mid 1800s when alternative sources for the fertilizer component were needed. Domestic production came mainly from the East Coast, until reserves were located in the Western states. In 1978, 87 percent of the domestic production was used for fertilizer and animal feed supplements. The balance was used for industrial and foodgrade products and exporting.

Phosphate mining in Wyoming has been limited to Lincoln County in western Wyoming. Production from this area has ceased.

The domestic phosphate market is expected to continue at current levels until the eastern reserves are depleted. The reserves of oxidized phosphate rock in Idaho and deposits in Utah, Montana and

Wyoming will be mined, but at a slower rate to meet the demands for elemental phosphorus and the market where products can compete. The problem of assuring adequate supplies of phosphate fertilizer to meet the demand of agriculture will be a serious consideration in the next century.

The demand for phosphate rock and phosphatic fertilizer was weak in both domestic and export markets. Domestic demand was weakened in 1983 by implementation of the government's paymentin-kind program and by the recession in the agribusiness sector. Exports of phosphate fertilizers and grain were less than anticipated because of competition from foreign producers of both commodities.

Domestic supplies of phosphate rock were more than adequate to meet all demand elements. Underutilized phosphate rock capacity and large inventories coupled with weak demand caused several domestic phosphate rock mines and conversion plants to close. The capability of domestic producers to compete with subsidized government-controlled foreign mines was reduced, selling prices declined to unprofitable levels, and investment in high-cost replacement mines in the United States was referred.

From a 1982 base, demand for phosphate rock is expected to increase at an annual rate of about 2 percent through 1990. It is estimated that in 1984 domestic mine production of phosphate rock will be 41 million tons and U.S. apparent consumption will be 32 million tons (Bureau of Mines 1994).

Bentonite

Wyoming's bentonite mining and refining industry has recently gone through some very hard times and is slowly recovering. Bentonite production fell 37 percent from 1981 to 1982, and declined another 1 million tons, or about 35 percent, from 1982 to 1983. This was coupled with a price reduction to around one-third of the 1981 market price for all types of bentonite products. No bentonite operation in Wyoming, which supplies about 90 percent of all domestic bentonite, has closed.

Based on 1982 figures, bentonite is used primarily for drilling mud (51 percent), taconite (Iron ore) pellitizing (15 percent), foundry castings (12 percent), other minor uses (9 percent), and exports (13 percent). It is apparent that the dramatic decline in oil well drilling, the oversupply of taconite for steel making, and the reduction of factory orders for foundry products combined






Figure 3-12 Uranium Production

during the 1982 recession to reduce the total bentonite market by almost 78 percent. Drilling and steel making have carried the bentonite industry for the last 2 years.

Since December 1983, orders for bentonite for caconite pellitizing and foundry castings have continued to increase. At the same time, the demand for oil well drilling mud has increased only slightly. Based on these conditions, bentonite production is expected to increase slowly through 1984. In the next 5 years, bentonite production should continue to increase, though not so dramatically as it did before 1981. A dramatic increase in production is not expected unless oil well drilling increases substantially—an event not presently forecast.

Regarding future markets for bentonite, because of its low permeability and ion-exchange capacities, bentonite could work both as a sealant and an absorbant in the isolation and containment of some types of hazardous wastes. It is currently being investigated for use in the reclamation of the contaminated area near the old Union Pacific tie treatment plant in Laramie (Institue for Policy Research 1984).

The employment and income figures associated with bentonite production is unavailable because it is aggregated into the general mining sector.

Zeolites

Zeolites have many potential uses in industry and agriculture. If the production of natural zeolites became more economical than the manufacture of synthetic zeolites, Wyoming might have a new industry. Important zeolite reserves are present southeast of Rock Springs and in the Beaver Rim area east of Lander and Riverton.

Rocky Mountain Energy and the Industrial Mineral and Chemical Company plan to mine several thousand tons of zeolite-bearing ore and ship it to research laboratories in Illinois. The laboratories will test the material for potential uses, including water softening applications and applications related to its absorption properties. In addition to water softeners, the product may be useful in kitty litter and feedlot deodorizers (Institute for Policy Research 1974).

Specific employment and income levels for zeolite mining are unavailable.

Iron Ore

During 1983, the iron ore industry in the United States continued to operate at less than half of its production capacity. Most major mines were closed for part of the year; one taconite mine and pelletizing plant was closed permanently, and output capacity of another plant was reduced. U.S. production capacity for pellets declined by about 3 percent, to approximately 85 million tons per year. Published prices and freight rates were mostly unchanged from 1982 levels, but some rail and dock charges continued to edge upward. The industry continued to face problems of excess capacity, rising costs of production and transport, nearly static productivity, and declining markets, most of which reflected similar problems in the domestic iron and steel industry. Major effects to reduce costs and improve productivity were expected to result in closure of additional mines and ore-processing plants.

From a 1981 base, demand for iron ore is expected to decline at an annual rate of 0.3 percent through 1990. It is estimated that in 1984, domestic production of iron ore will be 50 million tons and U.S. apparent consumption will be 68 million tons.

Environmental aspects of the iron ore industry mainly concerned reclamation of process water and plant tailings, reduction of dust and noise, control of groundshock from blasting, and disposal of solid waste. New technological research included addition of magnesia to iron ore pellets to improve blast furnace productivity and direct smelting of iron ore using a plasma reduction process.

In Wyoming, Fremont County's iron ore mine in Atlantic City closed production permanently in October 1983. Historical production levels are shown in figure 3-13. As confidential information would be disclosed, no preuse employment and earnings information is available. Although the mine is closed, the future status of the operation is questionable. However, it appears that the shutdown is permanent.

Visitor Use and Recreation

The following information regarding recreational expenditures and usage was compiled from the institute for Policy Research in Laramie.




Figure 3-13 Iron Ore Production

Affected Environment

Wyoming. Their usage figures encompass central Wyoming, which includes all of Fremont County, in addition to Natrona, Converse, Niobrara, Platte, and Goshen counties. Because of this, estimates on visitors use and recreational expenditures will be higher than for Fremont County alone.

The Oregon/Mormon Trail is particularly prominent in the region, including a variety of historical markers, museums and trail sites. The trail exists at its present site because of its proximity to the North Platte and Sweetwater rivers, and because of its natural, gradual grade to the "shining mountains" at South Pass. During the 27-year period of mass emigration beginning in 1841, the Oregon/Mormon Trail was known by many names, including the "California Road," the "Mormon Trail" and the "Great Platte River Road."

The Wind River Indian Reservation, located in west-central Wyoming, is an important part of the culture and economy of Fremont County. For the most part, members of the Shoshone tribe occupy the south-central, western, and northern portions of the reservation, while members of the Arapahoe tribe live mainly in the southeastern portions in the towns of Ethete, Arapahoe, and St. Stephens.

The main tourist attractions on the reservation are the annual pow-wows held at Fort Washakie, Crowheart, Ethete, and Arapahoe. In addition, the grave of Sacajawea, guide for the Lewis and Clark expedition, is located west of Fort Washakie, and the grave of Chief Washakie is located in the old milltary cemetery along the Wind River, directly behind the agency.

Portions of the Shoshone National Forest also are located in the region. The Washakie Wilderness Area, composed of what formerly had been the South Absaroka Wilderness and Stratified Primitive Area, is located north of Dubois in the volcanically formed Absaroka Mountains. Noted for its rugged terrain, the Washakie Wilderness is also known for its large collections of petrified woods.

The Fitzpatrick Wilderness Area is located in Wyoming's true "high country." Along the ridges of the Continental Divide, clustered near 13,804-foot Gannett Peak, are the seven largest glaciers in the United States outside of Alaska. The 175,000-acre Fitzpatrick Wilderness Area is renowned for its many alpine lakes and excellent trout fishing.

The smallest of Wyoming's wilderness-type areas—the 70,000-acre Popo Agie Primitive Area—is also located in the region. The area contains over 100 lakes and is characterized by its extremely rugged terrain.

Total travel expenditures in the six-county area, which makes up the central Wyoming region, amounted to \$194,682 in 1981, according to U.S. Travel Data Center figures. The total travel-generated paryoll during the same period for the region was \$38,996, accounting for a total of 5,157 jobs.

Wildlife

Wildlife revenues accrue as local expenditures to communities made by hunters and anglers for licenses, guide services, hunting, fishing and camping equipment, ammunition, transportation needs, Iodaina, food, etc. These expenditures constitute a large portion of personal revenues in Dubois, Lander, Shoshoni, Riverton, and other communities in the vicinity of game areas, lakes, wilderness areas, etc. Consumptive values in the resource area were approximately 6 million dollars in 1983. Nonconsumptive values, those associated with viewing wildlife, aesthetics, etc., although difficult to measure, account for a large percentage of the economic and social value of wildlife. When combined with the scenic and wilderness values in the Fremont County area. nonconsumptive values of wildlife may be quite significant.

Several important wildlife areas are located in the vicinity of Dubois, in the northern portion of the resource area. Both East Fork and Whiskey Mountain contain large herds of wintering elk, deer and bighorn sheep. These areas, primarily because of the sheep herds, have national significance. Not only is the herd used as transplant stock, hunters and sightseers come from many parts of the nation and world to view or hunt the sheep.

Because of the popularity of Dubois' big game herds, a significant percentage of the population of Dubois benefits from providing guide services into game areas. Current figures indicate that approximately 6 percent of the population of Dubois depends directly on the viability of these big game species to provide for all or a portion of their income (BLM 1984).

Timber Resources

Timber resources in Fremont County contribute to the economic base by providing employment, income and revenues. The economic contri-

Affected Environment

butions of timber range from commercial timber cutting for house logs and lumber to fuelwood cutting for residential use.

BLM lands provide forest products to meet a portion of this demand. Past cutting activities have been evident for many years.

In 1983, Fremont County's employment in mills and timber operations was down to 147 persons, a 51 percent decrease from 1977. However, employment was up from 1982 levels by 6 percent. Personal income associated with logging and wood products in 1983 was \$613,000. Although total revenues associated with these commodities is difficult to track accurately, state tax revenues from mining machinery and sawmills exceeded 3 million dollars in 1984.

Commercial Timber Sales

The economic value of Lander BLM timber varies by species and location. Most of the commercial demand is for house logs and sawlogs.

Figure 3-14 shows historical trends in commercial timber sales since 1976 in the Lander Resource Area on BLM lands.

Although the pattern reveals a downward trend, commercial timber demand is very sensitive to the national economy, making an accurate local forecast difficult.

Post, Pole and Firewood Sales

Demand for these products are shown in figure 3-15 and figure 3-16. Although the demand for posts and poles is expected to remain relatively constant, fuelwood demand is expected to increase

Fuelwood cutting benefits not only are evident in reducing residential energy costs, but also in recreational benefits. The recreational benefits are mainly unquantifiable, but contribute significantly to the economic value of fuelwood.




Figure 3-14 Lander Resource Area Timber Sales




Figure 3-15 Lander Resource Area Post & Pole Sales





Figure 3-16 Lander Resource Area Fuelwood Sales




Existing Roads and Trails

Designated Roads and Trails (Green Mountain, Lander Slope, Whiskey Mountain)

Closed (Castle Gardens; Dubois Badlands)

Note: Red Canyon Elk Winter Range is closed to over Snow Vehicles.



Existing Access Easements Α Fort Stambaugh Loop 2324 Hudson-Atlantic City 2302 Three Forks-Atlantic City 2317 Green Mountain Loop 2411 E Cedar Rim 2301 F Agate Flats 2404 Castle Gardens 2107 Cyclone Ridge 3216 Red Creek 3219 Bison Basin-Hadsell Crossing 3221 Copper Mountain 2113 Oil Springs 2305

Proposed Access Easement Negotiations Beaver Rim 2401 2 Crooks Mountain 2409 Mormon Basin 2202 Government Draw 2304 Signor Ridge Taggert Meadows Hudson-Atlantic City 2302 8 Copper Mountain 2113 9 Willow Creek 2412 10 Beef Gap Wolf Gap East Beaver 13 Tappan Creek

Dilabaugh Butte 2315

Map 3-33 Access Lander Resource Area

TABLE OF CONTENTS

CHAPTER IV ENVIRONMENTAL CONSEQUENCES

INTRODUCTION	187
Assumptions	187
Oil and Gas	187
Phosphates and Locatable Minerals	187
Off-Road Vehicles (ORVs)	187
Impacts Common to All Alternatives	187
	187
Introduction	187
	188
No-Surface Occupancy Restrictions	188
Soil. Water and Air Quality	189
Fish and Wildlife	189
Introduction	189
Management Actions for Oil and Gas	189
Management Actions for Locatable Minerals	194
Management Actions for ORV Management	196
Management Actions for Landownership Adjustment	196
Management Actions for Fire Management	196
Cultural/Natural History Resources	202
Recreation	202
Management Actions for Oil and Gas	202
Livestock Grazing	203
Socioeconomics	203
ALTERNATIVE A - PRESENT MANAGEMENT - NO ACTION	203
Management Actions for Energy and Minerals	203
Oil and Gas	218
Locatable Minerals	218
Phosphates	218
Other Actions	218
Soil Water and Air Quality	224
Management Actions for Energy and Minerals	224
Oil and Gas	224
Locatable Minerals	224
Management Actions for Fish and Wildlife	225
Management Actions for Forestry	225
Management Actions for Access	225
Management Actions for Landownership Adjustments	
and Hillity Systems	225
Management Actions for Off-Road Vehicles (ORVs)	225
Management Actions for Fire	22
Management Actions for Soils	220
Fish and Wildlife	220

Management Actions for Energy and Minerals	
Oil and Gas	
Locatable Minerals	
Phosphates	
Management Actions for Fish and Wildlife	
Management Actions for Forestry	231
Management Actions for Landownership Adjustments	
Management Actions for Recreation	232
Management Actions for Off-Road Vehicles (ORVs)	232
Management Actions for Fire	232
Management Actions for Access	232
Forestry	
Management Actions for Energy and Minerals	232
Oil and Gas	
Uranium and Other Locatable Minerals	232
Management Actions for Forestry	232
Timber Quantities	233
Sustained Yield	234
Timber Condition	234
Access	
Logging and Regeneration	
Management Actions for Fire	
Timber Quantities	
Sustained Yield	
Timber Condition	
Access	235
Cultural/Natural History Resources	
Management Actions for Energy and Minerals	
Oil and Gas	
Locatable Minerals	235
Phosphates	236
Management Actions for Landownership Adjustments	
and Utility Systems	237
Adverse Impacts	
Beneficial Impacts	237
Management Actions for Cultural/Natural History	
Beneficial Impacts	237
Adverse Impacts	238
ALTERNATIVE B	241
Management Actions for Energy and Minerals	241
Oil and Gas	241
Locatable Minerals	
Phosphates	
Other Actions	
Soil, Water and Air Quality	242
Management Actions for Energy and Minerals	242
Oil and Gas	
Locatable Minerals	
Management Actions for Fish and Wildlife	
Management Actions for Forestry	243

Management Actions for Access	243
Management Actions for Landownership Adjustments and	
Utility Systems	243
Management Actions for Off-Road Vehicles (ORVs)	243
Management Actions for Fire	243
Fish and Wildlife	
Management Actions for Energy and Minerals	
Oil and Gas	
Locatable Minerals	
Management Actions for Fish and Wildlife	
Management Actions for Forest Management	
Management Actions for Access	
Management Actions for Landownership Adjustments	
Management Actions for Recreation	247
Management Actions for Off-Road Vehicles (ORVs)	247
Management Actions for Fire	247
Management Actions for Access	247
Management Actions for Wilderness	
Forestry	
Management Actions for Energy and Minerals	248
Oil and Gas	248
Uranium and Other Locatable Minerals	
Management Actions for Forestry	
Timber Quantities	240
Sustained Yield	
Timber Condition	
Access	249
Logging and Regeneration	
Fire	249
Cultural/Natural History Resources	250
Management Actions for Energy and Minerals	250
Oil and Gas	
Locatable Minerals	
Phosphates	251
Management Actions for Landownership Adjustments	
and Utility Systems	251
Adverse Impacts	251
Beneficial Impacts	251
Management Actions for Cultural/Natural History	252
ALTERNATIVE C	255
Management Actions for Energy and Minerals	255
Oil and Gas	255
Locatable Minerals	255
Phosphates	256
Other Actions	256
Soil, Water and Air Quality	256
Management Actions for Energy and Minerals	256
Oil and Gas	250
Oil and Gas	257
Locatable Minerals	257
Phosphates	231

Management Actions for Fish and Wildlife	
Management Actions for Forestry	
Management Actions for Access	258
Management Actions for Landownership Adjustments	
and Utility Systems	
Management Actions for Off-Road Vehicles (ORVs)	258
Management Actions for Fire	258
Fish and Wildlife	259
Management Actions for Energy and Minerals	259
Oil and Gas	259
Locatable Minerals	259
Phosphates	259
Management Actions for Fish and Wildlife	260
Management Actions for Forestry	
Management Actions for Landownership Adjustments	
and Utility Systems	261
Management Actions for Recreation	
Management Actions for Off-Road Vehicles (ORVs)	
Management Actions for Fire	
Management Actions for Access	
Forestry	
Management Actions for Energy and Minerals	
Oil and Gas, Uranium and Other Locatable Minerals	
Management Actions for Forestry	
Timber Quantities	
Sustained Yield	
Timber Condition	
Timber Condition	
Access	
Logging and Regeneration	
Management Actions for Fire	
Cultural/Natural History Resources	
Management Actions for Energy and Minerals	
Oil and Gas	
Locatable Minerals	
Phosphates	265
Management Actions for Landownership Adjustments	005
and Utility Systems	200
Adverse Impacts	
Beneficial Impacts	266 266
	∠66 266
	266
PREFERRED ALTERNATIVE	
Management Actions for Energy and Minerals	
Oil and Gas	
Locatable Minerals	
Phosphates	
Other Actions	
SOIL WATER AND AIR CUAITY	412

P	Vianagement Actions for Energy and Millerals	
	Oil and Gas	272
	Locatable Minerals	273
	Phosphates	273
-	Management Actions for Fish and Wildlife	273
1	Management Actions for Forestry	273
- 1	Management Actions for Access	274
	Management Actions for Landownership Adjustments	
	and Utility Systems	274
	Management Actions for Off-Road Vehicles (ORVs)	274
	Management Actions for Fire	274
ish	and Wildlife	275
	Management Actions for Energy and Minerals	275
	Oil and Gas	275
	Locatable Minerals	276
	Management Actions for Fish and Wildlife	277
	Management Actions for Forestry	277
	Management Actions for Landownership Adjustments	
	and Utility Systems	277
	Management Actions for Recreation	277
	Management Actions for Off-Road Vehicles (ORVs)	278
	Management Actions for Fire	278
	Management Actions for Access	278
Fore	estry	278
	Management Actions for Energy and Minerals	278
	Oil and Gas, Uranium and Other Locatable Minerals	278
	Management Actions for Forestry	279
	Adverse Impacts	279
	Beneficial Impacts	279
	Management Actions for Fire	279
	Full Suppression	279
	Limited Suppression	2/9
Cul	tural/Natural History Resources	280
	Management Actions for Energy and Minerals	280
	Oil and Gas	200
	Locatable Minerals	280
	Phosphates	. 281
	Management Actions for Landownership Adjustments	
	and Litility Systems	. 281
	Adverse Impacts	. 281
	Beneficial Impacts	. 281
	Management Actions for Cultural/Natural History	. 282



CHAPTER IV

ENVIRONMENTAL CONSEQUENCES

INTRODUCTION

This chapter presents the environmental consequences of the four alternatives. The first part of the chapter addresses the assumptions used in developing the environmental consequences. The next part of the chapter discusses the impacts common to all of the alternatives, and the last part of the chapter addresses the impacts by each alternative.

Assumptions

The following assumptions were used for the development of the environmental consequences presented in this chapter.

Oil and Gas

Oil and gas drilling would continue at about a 1.5 percent average annual growth rate for at least 60 years.

Geophysical exploration would continue to be active and widespread throughout most of the resource area, with many areas continuing to be explored over and over again by different companies and different methods.

Geophysical companies would continue to use drilling rigs (truck and portable), helicopters, surface shot, and shot hole blasting to a large extent in their operations.

Based on limited information and knowledge of of past performances, approximately one-third of the wildlife habitats lost in the next 60 years, as a result of oil and gas activities, would be restored to habitat of equal or greater value (Fowler and Witt 1985).

Unless withdrawn from leasing, even areas currently considered low or with no potential for oil and gas would be subject to leasing, some exploration and limited development. Also, the oil and gas potential ratings for some areas would be upgraded to high or moderate as a result of new information.

Phosphates and Locatable Minerals

Since varying market conditions drestically affect the feasibility of serious exploration and mining and many locatable mineral claims are already in existence, any of these known mineral resources might be subject to development.

Off-Road Vehicles (ORVs)

Management actions for ORVs would be effective in controlling ORV use by creating a high level of public acceptance and an adequate level of enforcement of restrictions.

Impacts Common to All Alternatives

Energy and Minerals

Introduction

Management actions discussed in this resource management plan would actually cause very few direct impacts to energy and mineral resources themselves. Management actions that would restrict or prohibit the development of a mineral resource would not actually impact the resource. Management actions that would allow development of a mineral resource would impact that resource only in that once it has been developed. it is gone forever; minerals are not renewable resources. Since the actual impacts to energy and minerals are so few, this environmental consequences section centers on the impacts to exploration and development of mineral resources, in terms of availability of those resources and efficiency of operations.

Management actions that would cause significant adverse impacts on the recovery of energy and mineral resources are those that restrict or prohibit prospecting, exploration or development. Those actions that would cause significant beneficial impacts on the recovery of energy and mineral resources are those that would

eliminate or limit restrictions on mineral exploration and development, and those actions that would open prospectively valuable mineral lands to exploration and development.

Management actions that would not have significant impacts are: 1) the maintenance of existing fish and wildlife habitat improvement projects, 2) forest management actions, 3) the placement of utility systems, 4) management actions for recreation, and 5) unrestricted vehicle access.

Many lands within the Lander Resource Area have unknown mineral potential. Specific impacts cannot be determined for lands with unknown mineral potential. However, management actions that would restrict or prohibit prospecting, exploration or development on these lands would limit or preclude the opportunity to determine the mineral botential of these lands.

Seasonal Restrictions

Leasing of public lands with seasonal restrictions, that is, restrictions closing or limiting operations during certain months, would adversely affect oil and gas exploration and development activities. Seasonal closures temporarily exclude lands from all exploration operations. The timely and most efficient exploration and development for oil and gas are hindered by short-drilling seasons. Generally, wildcat wells to be drilled 15,000 feet deep or more cannot be drilled in the 4 to 7 months the lands would be open. If drilling operations could not be finished and a well completed for production before the closure period starts, the operator would have to request an extension of time from the BLM or cease operations until the restricted period has ended. Such options create delays, excessive costs and ultimately the inefficient development of valuable energy resources and the loss of royalty revenues. If a well were completed in the open season, the well could be produced but any further drilling of off-set wells to expand a newly discovered or existing field would not be allowed until the next open drilling season. Such delays would be costly as payout times for operating costs would be extended and there could be a short-term loss of revenues to the government, which might be recaptured over the life of the field

No-Surface Occupancy Restrictions

No-surface occupancy restrictions in the Lander Resource Area fall into two categories; 1)

restrictions that are required by statewide standard stipulations, which generally cover small acreas across the entire resource area, and 2) larger acreage, site-specific restrictions. The first type of restriction is designed to protect steep slopes (25 percent or greater), riparian areas, significant cultural and historical resources, developed recreation sites, important visual resource areas. National Natural Landmarks. important wildlife habitat, and other significant surface resources. Such restrictions generally would not create significant impacts to oil and gas development. Area-wide restrictions are the same restrictions as described above, only they cover enough acreage to hinder or possibly preclude oil and gas development within that acreage.

In the Lander Resource Area, approximately 650,000 acres are subject to no-surface occupancy restrictions included in statewide standard stipulations. Although the acreage is large, the restrictions are not expected to significantly affect the amount of oil and gas available for development. There are several reasons for this. One reason is that no-surface occupancy areas are often small enough that a proposed well location could be moved without hindering the recovery of the oil and gas resource. A second reason is that some restrictions are discretionary and may be altered by the BLM. For example, restrictions prohibiting surface disturbing activities within 500 feet of surface water or riparian areas may include intermittent and ephemeral streams or may be limited to perennial streams. Some restrictions may be waived if the the lessee and the BLM develop an acceptable plan for mitigating anticipated impacts. Another reason is that much of the acreage is in areas with low or no potential for the occurrence of oil and gas where the amount of exploration activity would probably be small.

The remaining 65,000 acres of the no-surface occupancy restrictions are attributable to the larger acreage site-specific. The restrictions would cover areas such as the Orgon/Mormon Trail corridor, the area previously designated as the Dubois Badlands Wilderness Study Area, the proposed South Pass National Historic Mining District, and Beaver Rim. They also would cover the Lander Slope and Red Canyon Management Units, where such a large portion of each unit would be under no-surface occupancy restrictions, due to statewide standard stipulations that essentially all of each unit would be unavailable for oil and oas development.

Due to the large distance that most proposed well sites would have to be moved to avoid area-

wide no-surface occupancy restrictions, most wells in these areas would have to be directionally drilled. Directional drilling, is expensive, and has many limitations. The distance that a well site can be moved varies with the type of geologic structure and with the depth to the producible horizon. Area-wide no-surface occupancy restrictions could cause inefficient development of oil and gas reserves. Some reservoirs could not be reached and developed, causing Tosse-dr-evenues to the lessee and the United States. In addition, geophysical operations that are necessary in discovering subsurface oil and gas traps could be precluded.

Soil, Water and Air Quality

The environmental consequences of the alternatives in this section for soil, water and air resources are generally similar in nature, but vary in degree of significance. A description of the similar impacts from each of the alternatives is given for the oil and gas, uranium and other locatable minerals, gold, phosphate, livestock grazing, fish and wildlife, forest management, landownership adjustments, utility systems, recreation, ORVs, and fire management programs. Management programs not expected to significantly impact soil, water and air resources are: access, coal, and cultural resources/natural history.

There would be certain impacts common to all alternatives that affect soil, watershed, and air quality. Soil compaction and accelerated wind and water erosion would occur for all alternatives, where management actions recommend oil and gas exploration or development, exploration and development of locatable minerals, fire suppression with heavy equipment, livestock grazing, and ORV use. Soil compaction and accelerated wind and water erosion might result in reduced site productivity and increased sedimentation, depending on the nature and extent of management actions recommended by alternative and certain unpredictable natural phenomena, e.g., climate, biological activity. The predictable significance and extent of each impact will be discussed by alternative.

For all alternatives under the discussion of impacts from oil and gas activities, the concentration and magnitude of surface disturbance would depend, in part, on the produce from individual fields, e.g., oil, gas, and/or condensate, and well depth. Adequate field investigations, before, during and after reclamation plan development would help mitigate most impacts.

Fish and Wildlife

Introduction

Management actions for oil and gas leasing, -development and exploration, phosphate prospecting, leasing and development, locatable mineral exploration and development, fish and wildlife habitate nhancement, forestry, landownership adjustments and utility systems, recreation, off-road vehicles, fire management, and access could cause adverse or beneficial effects on fish and wildlife resources.

Management activities for cultural resources or recreation would not significantly affect fish and wildlife resources anywhere in the resource area, with the exception of winter recreation management in the Red Canvon Management Unit. No management actions for landownership adjustments under consideration in the South Pass, Green Mountain, and Red Canvon Management Units would significantly affect fish and wildlife resources. Access management actions in the Red Canyon, South Pass, East Fork, Whiskey Mountain, Dubois Badlands, and Dubois Area Management Units would not significantly affect fish and wildlife resources. Major livestock and wild horse grazing management decisions have already been made in the Green Mountain, Beaver Creek, South Pass, Red Canyon and Lander Slope Management areas as a result of recent Green Mountain Grazing Environmental Impact Statement and Range Program Summary. The nonimpacting actions indicated in the above management units will not be discussed further, in relation to effects on fish and wildlife resources, in this document,

Management Actions for Oil and Gas

The oil and gas industry, which is primarily a rural land user has been operating in the resource area for approximately one-hundred years. In regions such as the Lander Resource Area, activities involving the search for production and transportion of oil and gas resources continue to be widespread. Over time, the industry has brought in large numbers of people and new technology, which has changed and expanded the realm of human and industrial activity occurring on these lands. As a result, physical and ecological changes have occurred that significantly affect plant and animal communities in many areas.

Habitat Losses. Fish and wildlife populations are dependent on the continuing presence and usability of crucial habitats, in adequate quantity and quality, for long-term maintenance. The most serious habitat losses caused by the oil and gas industry have been long-term or permanent

in habitat structure (i.e., vegetative composition) and creation of behavioral avoidance zones (areas of reduced habitat usability). For fish and other aquatic species, degradation of water quality through sedimentation, spills, thermal pollution, etc., would create a substantial loss in habitat fit these losses occurred in crucial habitats or in habitats that provide buffer zones for crucial habitats, significant long-term reduction in the populations of affected species would occur. In the process, the condition of adjacent, undisturbed crucial habitat could deteriorate as a result of excessive use by displaced animals. This could cause reduced overall carrying capacity, further depressing wildlife populations.

physical removal of habitat, long-term changes

Oil and gas industry activities such as geophysical exploration, exploration ydilling, road building and upgrading, field development (including all types of facility and equipment construction), pipeline construction, maintenance operations, and abandonment operations could cause habitat losses. If current or increased levels of industrial activity continued for another 10 to 60 years, in high-value habitat sites or important seasonal ranges, significant negative impacts to fish and wildlife populations would occur.

Based on a survey of disturbed acreage associated with producing wells in fields just within the Lander Resource Area, an average of 10 acres per producing well was physically disturbed. This acreage included well-site locations and facilities, local access roads and pipelines, field equipment buildings, and other facilities primarily associated with a producing field or group of wells. Using 10 acres per producing well, nearly 15,000 acres of disturbed surface (physical habitat loss) has occurred as a result of well development in the last 100 years. This figure does not include acreage disturbed by the drilling of and access to almost as many unsuccessful wells, acreage disturbed by geophysical exploration, acreage disturbed by major transport pipelines, or acreage disturbed or occupied by communities and local infrastructures established or expanded primarily as a result of oil and gas industry development. Examples include hundreds of miles of bladed seismographic trails that have become permanent access roads throughout the resource area; the Amoco and Frontier pipelines and associated roads; the towns of Bairoil, Lamont, Lysite and Lost Cabin: the Forest Oil Camp; the Bison Basin Road; and the Sand Draw and Beaver Creek highways, all of which were established or expanded largely as a result of the oil and gas industry. At least as much acreage has been disturbed or occupied as a result of all these associated activities as from the actual development of the producing wells. Thus, the overall estimate of physically disturbed acreage in the resource area totals about 30,000 acres through 1984. To determine the impact of oil and gas activities on wildlife habitat, one must consider the acreage that has been reclaimed to pre-disturbance vegetative density and composition. Some areas have been rehabilitated to provide as good or better habitat for wildlife than before disturbance occurred. In other areas, rehabilitation efforts have been unsuccessful or have established habitat types of little value for the primary species involved. Limited rainfall. severe winter conditions, and poor soils make reclamation difficult. The length of time required to re-estabish native vegetation to pre-disturbance composition and density would be increased by these environmental conditions.

In addition to the physical habitat losses resulting from oil and gas activity, losses in terms of habitat usability or behavioral avoidance zones must also be considered. The extent and type of human activities are the most important factors in determining these zones. Species involved, type of habitat, topography, and time of year also greatly influence the extent of these zones. Within these areas, 50 to 100 percent of the habitat value is expected to be lost (Thomas 1983). Using information developed by Thomas, a conservative estimate is that twice as much additional habitat is lost through creation of behavioral avoidance zones as is lost physically. This would total 90,000 acres of lost habitat from physical disturbance and behavioral avoidance over the last 100 years.

Based on available information and assuming that as much as one-third of the lost habitat has been restored, approximately 60,000 acres of land no longer provides habitat capable of supporting fish and wildlife populations at pre-development levels. If discovery and development of producing fields are correlated to habitat loss, 80 percent of the habitat loss has occurred in the last 39 years and 92 percent in the last 59 years (oil and gas management situation analysis). The average annual growth rate in number of wells drilled for the last 34 years has been 1.5 percent per year. If this rate continued in the resource area, an additional 60,000 acres of habitat would be lost in the next 60 years. This means 1,000 acres per year or 10,000 acres over the next 10 years.

Because there is a significant amount of highpotential oil and gas deposits in the Lander Resource Area, important habitat losses may occur over the next few years. Historically, 65

percent of the wells have been successful in highpotential oil and gas areas, 10 percent have been successful in moderate-potential areas, and 4 percent in low-potential areas. Data for disturbed acreage associated with successful wells indicate that 97 percent of the disturbed acreage in the resource area has been in high-potential oil and gas areas.

At one time, many of the current high-potential oil and gas areas were considered low or moderate potential until discoveries were made. Low or moderate potential does not preclude the possibility of extensive exploration and development in an area that would result in major habitat alterations and displacement of wildlife. Habitat losses are expected to impact populations of big game animals, sage grouse and raptors the most, In some management units, impacts on fish and other aquatic species could be significant under certain management alternatives. Also, under some management alternatives, serious effects on a wide variety of wildlife species would occur in some management units, where significant acreages of high-priority standard habitat sites are

lost. These are high value, limited occurrence habitat types described in the wildife habitat section of the Affected Environment. Since precise predictions cannot be made about where future oil and gas activities will occur, precise predictions cannot be formulated as to the extent a particular big game herd, habitat site, sage grouse population, etc., will be affected by habitat losses. Nevertheless, some reasonable estimates can be arrived at using projected acreages of habitat losses in high and moderate potential oil and gas areas, and comparing this information with the location and acreages of important habitats for affected wildife species (see Affected Environment-Wildlife, including maps 3-7 through 3-11, and tables 3-13 through 3-17, and oil and gas map 3-2, oil and gas potential). Within the resource area, approximately 18 percent of the total acreage is in the high-potential oil and gas category and 23 percent is in the moderate-potential category. The remaining 59 percent has low or no potential. Table 4-1 shows the percentage of total high and moderate potential acreage in the resource area occurring in each management unit and the approximate percentage of total wells drilled

TABLE 4-1

PERCENT OF TOTAL WELLS DRILLED AND PERCENT OF TOTAL ACREAGE OF HIGH AND MODERATE OIL AND GAS POTENTIAL IN THE LANDER RESOURCE AREA OCCURRING IN EACH MANAGEMENT UNIT

Management Unit	Percent of Total Wells Drilled Thru 1984	Percent of Total High Potential Acreage in Management Unit	Percent of Total Moderate Potential Acreage in Management Unit	Percent of Total New Wells Projected to be Drilled Thru 2044
Gas Hills	29.1%	53%	41%	30% to 40%
Beaver Creek	54.1%	41%	41%	40% to 50%
Green Mountain	11.4%	5%	7%	10% to 15%
Lander Slope	1.5%	0%	0%	0%
Red Canyon	.5%	0%	0%	0%
South Pass	0%	0%	0%	0%
Dubois	3.0%	1%	1%	1% to 3%
East Fork	.3%	0%	3%	0%
Whiskey Mountain	0%	0%	0%	0%
Dubois Badlands	0%	0%	2%	0%
Totals		100% = 452,480 acres	100% = 585,600 acres	

through 1984 in each management unit. Information in this table provides an indication of where, by management unit, much of the industry activity has taken place in the past and where it is most likely to occur in the future. Table 4-2 shows the acreage of some of the most important wildlife habitats in each management unit overlapped by high potential or moderate potential in oil and gas areas. This provides an indication by management unit of the terrestrial willdlife species/habitat that will be significantly impacted, based on projections of current industry statistics.

A more specific projection of habitat losses and species affected is presented in the following analyses of environmental consequences by management alternative, resource and management action.

Stress, Disturbance and Displacement. In addition to the impacts from habitat loss, wildlife populations may be seriously affected by oil and gas industry activities which subject animals to excessive stress, disturbance or displacement. Such activities are not limited to the oil and gas industry. A wide variety of human activities involved in industrial, agricultural, and recreational pursuits, can create similar impacts on wild animals. The oil and gas industry is a major contributor to these types of impacts because their activities are wide-spread throughout the resource area and they primarily work in rural areas that are often prime wildlife habitats. Also, their operations are often intermittent, with changing phases, making it more difficult for wild animals to adapt to the intrusions. The operations usually involve large mobile, noisy equipment such as drilling rigs, earth moving equipment, trucks, ditchers, helicopters, snow removal equipment, over-snow vehicles, and use of explosives. Commonly, numerous transport vehicles and workers are involved. The major industry operations causing these types of impacts are geophysical exploration, wildcat drilling, access road development into remote sites, and transport pipeline construction.

Impacts on wildlife become more serious when they occur during certain critical periods of the animal's normal life cycle. Species in the Lander Resource Area most subject to impacts during critical periods are the big game species, sage grouse and various raptors. The most critical periods for these species are winter and parturition seasons for big game and the breeding-nesting (including fledging for raptors) periods for sage grouse and raptors.

One major objective of modern wildlife management is to sustain animal populations over the winter season near planned objective levels and maintain conditions that will provide for high levels of reproduction and survival of healthy offspring. This objective and rationale is similar to a typical livestock operation, only much more difficult to accomplish with wild animals which to a large extent, must be left to cope with the rigors of their habitats. To accomplish these objectives, wildlife managers attempt to maintain habitats, reduce conflicts with other wild and domestic animals, reduce mortality of base populations, perpetuate good annual reproduction and survival of young, and to provide for and control the annual harvest of surplus animals. These efforts are made to ensure that there is a long-term sustained yield and some degree of stability in the production of esthetic, consumptive, scientific, and economic wildife resource values.

Winter is the most critical period for big game animals in this region. Animals are commonly under extreme environmental stress, enduring cold temperatures, deep snow and forage limited in availability and nutritional quality, all of which contribute to a negative energy balance. Under these conditions, it is normal for mortality to occur. Mortality will fluctuate significantly from year to year, depending on the severity of the winter. A base population of females carrying young will survive, but often by late winter and early spring, the number surviving and their potential for successful parturition of healthy young animals is in a delicate balance. Based on long-term experience, and knowledge of this situation, many wildlife professionals have long opposed the imposition of additional, unnatural man-caused stress, such as that inherent in oil and gas industry activities, on wintering big game herds. Oil and gas activities can cause additional negative effects on environmentally stressed big game herds on winter ranges.

Research on the effects of oil and gas activity on big game or any other wildlife is very limited. As reported in a publication by Larry Seeman Associates, inc., and the University of Wyoming Zoology Department in 1984, most studies that have been conducted lacked adequate controls and have been short-term baseline inventories. Studies documented big game populations displacement but precluded accurate interpretation of the effects on complex population dynamics. Hunted big game herds apparently respond more strongly to human disturbances than unhunted herds. All segments of all big game

TABLE 4-2

ACREAGE OF HIGH IMPORTANCE WILDLIFE HABITATS, BY MANACEMENT UNIT, OVERLAPPING HIGH AND MODERATE POTENTIAL OIL AND GAS AREAS

			Hig	h Potent	al Oil and C	as Areas			Moderate Potential Oil and Gas Areas								
Management Units	Crucial Elk Winter Range	Elk Winter Range	Elk Calving Areas	Grucial Mule Deer Winter Range	Mule Deer Winter/ YL Range	Crucial Antelope Winter/YL Range	Crucial Winter /YL Moose Range	Sage Grouse Breeding Nesting Area	Winter	Elk Winter Range	Elk Calving Areas	Elk Winter Relief Range	Crucial Mule Deer Winter Range	Crucial Antelope Winter/ YL Range	Crucial Bighorn Sheep Range	Crucial Winter /YL Moose Range	Sage Grouse Breeding Nesting Area
Gas Hills	-	-	-	38,720	106,560	91,400	-	(5 leks) 36,480	-	1,600	-	-	12,800	48,000	-	-	(i0 leks) 48,000
Beaver Creek	-	-		4,824	12,880	18,600	2,520	(7 leks) 61,120	-	16,000		16,000	15,360	36,960	-	5,200	(6 leks) 55,360
Green Mountain	5,000	3,000	1,160	2,080	7,600	-	-	3,200	7,360	4,800	3,840	_	1,840	_	-	_	_
Lander Slope	_	_	-	-	-	_	_	_	_	_	_	-	_	_		_	_
Red Canyon	-	-		0.41	-	_	_	-	-	_	-	-	-			_	_
South Pass	_	-	-		_	-	_	_	-	_	-	_	_		-	_	_
Dubois		1,120	Acres		1,280	_	1,120	_	9,280	7,680	_	_	17,280	3,920	3,440	9,600	_
East Fork	_	-	_	_	_	-	_	_	16,800	_	_	-	5,120	-	1,280	5,120	_
Whiskey Mountain	-	-	_	_	_	_	_	_	_	_	_	_	_	_	-	-	_
Dubois Badlands	-	-	-	_	-	_		_	-	3,840		-	12,160	8,320	12,160	_	_
Copper Mtn.	_	_	_	1,600	4,160	_	_	_	_	_	_	_	_	_	_	_	_
Totals	5.000	4.120	1.160	47.224	132,480	111.000	3,640	100.800	33,400	33,920	3.840	16,000	64.560	97.200	16.880	19.920	103.360

herds in the Lander Resource Area are subject to sport hunting, with the exception of ewe and lamb bighorn sheep. There is apparently no research available that adequately documents, quantitatively, the effects of disturbance, displacement and stress caused by oil and gas activities on big game population levels. Winter is the time when many natural factors that threaten the survival of individual animals occur. Some survive, some die and some pull through but are in such poor condition that they have underdeveloped young with low survival potential. Some abort or resorb fetuses. The more severe and stressful the winter, the greater the mortality and potential for reduced reproductive success. Fewer animals with less reproduction means a lower population. This occurs naturally without the imposition of additional abnormal stress and displacement caused by humans (oil and gas activities). Therefore, it is reasonable to assume that during these periods of extreme population limiting stress, any additional outside stress can compound those factors, contributing to mortality and reduced reproductive success and, have negative effects on big game population levels. We cannot, at this time, accurately quantify the effects that can be caused by the oil and gas industry. However, through the use of seasonal stipulations, most adverse impacts can be prevented or minimized.

The effects of oil and gas activities on elk calving and bigborn sheep lambing could be significant for some herds in the resource area. In most of the resource area, for most big game herds, parturition is dispersed enough that effects of oil and gas activities are not expected to be sionificant.

In those hard units where concentrated parturition areas are documented, the disturbance and displacement of female elk with young or bighorn ewes with lambs could significantly reduce survival of young. Female big game animals with young are more reactive than other groups. The potential for mortality to young animals is high because of the vulnerability preducing animals is high because of the vulnerability. The first few days after birth, the ability for young animals to travel is extremely restricted. There is also concern that females displaced out of preferred habitats just before parturition may have young in unfavorable areas, reducing the chances for the calf or lamb to survive.

Success of breeding activity on sage grouse leks and the success of nesting and brood hatching throughout associated nesting habitat can be negatively affected by a variety of oil and gas operations during the breeding-nesting period. Disturbances that disrupt the courtship breeding rituals on sage grouse leks may disperse grouse out of historical areas, scatter mature hens and breeding males and cause small groups to attempt to establish grounds in less desirable areas unfamiliar to the local populations. This may result in fewer successful nesting attempts and shortterm population reduction. Prolonged, repeated or exceptionally disturbing activities such as blasting in prime nesting areas can cause abandonment of significant numbers of nests and reductions in local populations. In some parts of the resource area, impacts from geophysical exploration could be extremely detrimental, because these areas attract seismograph projects year after year. Habitat losses from oil and gas development in nesting areas can cause more serious long-term effects on sage grouse populations than short-term disturbing activities. However, oil and gas operations causing habitat losses are not controlled (with the exception of the lek itself). Minimizing losses in annual reproduction through use of seasonal stipulations to reduce disturbance of breeding-nesting processes in intact habitats may help offset some habitat related losses.

Human disturbances to raptors is particularly detrimental during the breeding-nesting season (Olendorff et al. 1980). Each species breeds at a slightly different time. Species most likely to be affected by oil and gas activities in the Lander Resource Area are the golden eagle, prairie falcon, ferruginous hawk, Swainsons hawk, red-tailed hawk, goshawk, and burrowing owl. There is known nesting of these raptors in high-potential oil and gas areas and areas where recent geophysical activities have been heavy. Disturbance during nesting activity can lead to nest abandonment or reduced survival of young when parents spend too much time displaced from the nest. Losses from predation and injury also occur when young raptors approaching the fledging stage are disturbed, causing them to leave the nest before they can fly. Eggs are often flipped out of the nest when incubating birds leave the nest rapidly as a result of disturbance. This has been especially noted with prairie falcons. Where disturbing activities take place during the breeding-nesting season in areas of preferred raptor nesting habitat (such as along Beaver Rim) local populations may be depressed.

Management Actions for Locatable Minerals

Locatable mineral prospecting, claim staking, assessment work, exploration, development, and

mining activities have occurred in the Lander Resource Area for over 100 years. Mining activities have been cyclic between periods of intense activity and recession from the time gold was discovered on South Pass in the 1860s, to the present downturn in the uranium industry at Gas Hills and Crooks Gap. The mining industry has had, and still has, tremendous impacts on social and economic conditions throughout the region during this time. Although not well documented, the mining industry has undoubtedly had significant effects on fish and wildlife populations. Mining industry activities have been less wide spread across the resource area but, in some cases, are more concentrated and surface dominating, locally, than oil and gas industry activities have been. Like the oil and gas industry, the mining industry has brought in large numbers of people and new technology, which has changed and expanded human and industrial activities taking place on rural lands. As a result of these activities, physical and ecological changes occur that significantly affect plant and animal communities.

The exploration and development activities of the mining industry employs many of the same methods and results in much the same effect on fish and wildlife resources as the oil and gas industry. Where some inimum level of mining industry activity takes place in high-value habitats, significant negative impacts on fish and wildlife occur because of habitat losses and the effect on animals from stress, disturbance and displacement.

Unlike the oil and gas industry, mining activities under the 1872 Mining Law are not subject to many of the restrictions that can be used to protect other resources such as fish and wildlife. Seasonal restrictions or no surface occupancy restrictions cannot be used to protect wintering big game concentrations on streams and riparian habitats. For example, placer mining and dredging, which causes destruction or long-term degradation of a trout stream and riparian habitat, can legally occur. Uranium exploration drilling program can take place through the winter months in a crucial elk or bighorn sheep winter range with no regulatory recourse. Open-pit uranium mines involving hundreds or even thousands of acres can be developed in concentrated big game winter ranges with little regulation other than required rehabilitation at some future date. If threatened or endangered species are involved, a greater degree of protection may be possible. The BLM's surface management regulation, 43 CFR 3809, cannot prevent habitat losses, either short term or long term. With a mining plan requirement, however, impacts can be determined before they occur, which may facilitate some mitigation. Also, eventual rehabilitation of some kind can be assured.

Because the 1872 Mining Law provides for the long-term sacrifice of other multiple use resource values in the development of locatable minerals, the use of a mineral withdrawal is the only way, in some Instances, to ensure that very high-value wildlife resources are protected.

Uranium industry activities have affected fish and wildlife habitats more than any other locatable mineral. Significant impacts have occurred in the Gas Hills, Beaver Creek, and Green Mountain Management units, and significant uranium reserves remain. Gold mining activities have affected wildlife resources in the Gas Hills, Beaver Creek and the South Pass Management units. Some gold mining activity is likely to continue, along with negative impacts on fish and wildlife, especially in the South Pass Unit. Some habitat has been damaged or lost as a result of activities involving known deposits of zeolite, iron, jade, and to a lesser extent, copper, silver, and tungsten. These minerals are known to occur in the management units mentioned above. It is assumed that all of these minerals, including uranium and gold, will be explored for, developed, or mined with some degree of probability in the future and fish and wildlife resources will be affected.

Knowledge of locatable minerals in the Red Canyon, Lander Slope, Dubois Area, Dubois Badlands, Whiskey Mountain, and East Fork Management units is very limited. There are some reported low-grade uranium deposits in the Dubois Area and some unconfirmed reports of gold. In the Whiskey Mountain, East Fork, Red Canyon, Lander Slope, and Dubois Badlands Management units there are exceptionally high wildlife resource values. This is especially true for the big game values, because these management units provide the limiting winter ranges for big game populations that inhabit large portions of the Shoshone National Forest, including the Washakie, Fitzpatrick, and Popo Agie Wilderness areas, as well as important parts of the resource area. Interest in these big game herds, based on the aesthetic and nonconsumptive uses as well as consumptive uses, is not only local and statewide, but extends to regional, national, and even international clientele.

We cannot accurately predict when, where, how much, or what kind of mineral exploitation will take place in any of the management units. Uranium, gold and possibly some of the other known minerals will be exploited to some degree

in the Gas Hills, Basver Creek, Green Mountain, and South Pass Management units. Based on the information available, it is not possible to predict if there will be any locatable mineral exploitation at all in the other management units. If locatable mineral exploration or development occurs in the East Fork, Whiskey Mountain, Dubois Badlands, Lander Slope, or Red Canyon units, wildlife resources, especially big game populations, will probably suffer serious long-term depletions.

More specific analysis of the effects of locatable mineral exploitation on fish and wildlife by resource management alternative and management action follows in Alternative A.

Management Actions for ORV Management

The obvious impact to fish and wildlife of creating new roads and trails is the direct loss of wildlife habitat. The subtle impact on wildlife is the increased human activity caused by easier access to an area. With many wildlife species, avoidance of humans results in some highly productive habitats not being used. This avoidance behavior has been documented in elk, raptors, bighorn sheep, bears, bobcats, and many other wildlife species.

ORV management is complicated by oil and gas exploration and development in the resource area. New pipelines and seismic lines that are being rehabilitated are often used by the public as a new road. Once the public begins to use these pipelines and seismic lines as roads, it doesn't take long to destroy any reseeded grasses and transform a reclaimed right-of-way into a two-track road.

Management Actions for Landownership Adjustments

Landownership adjustments could adversely impact fish and wildlife habitat in the Dubois, Whiskey Mountain, East Fork, Dubois Badlands, Lander Slope, Beaver Creek, and Gas Hills Management units. No parcels were identified in the South Pass Management Unit and no significant impacts would result from the disposal of two identified tracts in the Green Mountain Management Unit. Therefore, these two tracts are not discussed further. Also, there is no discussion of impacts to wildlife habitat that could result from either Recreation and Public Purpose Act patents or utility systems since site specific land use analysis would be completed as these individual cases are processed. The isolated land parcels in the Dubois and Lander area are depicted on maps 4-1 through 4-5. Wildlife habitat might be impacted if disposal of the parcels causes a change in land use.

Management Actions for Fire Management


The potential to improve fish and wildlife habitat through the use of fire has not been fully explored in the Lander Resource Area. Full suppression of any wildfires has been the general policy of the past. Prescribed fire has been used very little and in most cases, the objective of the prescription was to increase livestock forage, which may or may not benefit wildlife.


Fire can have beneficial or negative impacts on wildlife habitat, depending on several specific factors. Decadent concentrations of shrubs such as serviceberry, chokecherry, mountain mahogany, and rabbitbrush can be burned under the right prescription and allowed to resprout producing higher nutrient values in the shrubs, improving palatability, and increasing plant vigor. Much of the decadent woody stems can be burned, with the potential of increasing new leaf biomass. Decadent stands of aspen and willow usually respond well to fire, producing new suckers the following year. However, heavy grazing often negates this suckering response. Through improvement of these beaver foods and structural materials, fisheries could be improved.


Whether prescribed fire will improve wildlife habitat depends on the objective of the burn and the prescription. Too hot a fire may kill plants and seeds, resulting in poor reproduction, poor sprouting and sterile soils. A fire that doesn't burn hot enough may not reduce dead wood and litter or only partially burn the targeted area. If the objective of a prescribed fire is to increase grasses and forbs and decrease sagebrush, the burn may be beneficial to wildlife if the area is a bighorn sheep winter range, but the same objective would be detrimental to wildlife if the area was an antelope winter range. How the area is currently being used by wildlife and what the postburn objective for vegetative composition is, determines whether the burn will have adverse or beneficial wildlife impacts.


Impacts to wildlife from wildfires also have positive and negative effects. As with prescribed fire, decadent shrub stands should be allowed to burn while highly productive habitats should be saved. Occasionally wildfires create a regetative mosaic by burning in an irregular pattern at various heat intensities. This mosaic creates vegetative diversity, which results in an increase in wildlife species diversity.

Each management unit has the same three alternatives for fire management: a) full suppression with no restrictions, b) full suppression with heavy equipment restrictions, and c) limited suppression with a specific plan for each management unit.










Manageable for Wildlife Habitat Values or Disposal could affect habitat


Not Manageable for Wildlife Habitat Values and/or Disposal should not affect habitat







Manageable for Wildlife Habitat Values or Disposal could affect habitat Not Manageable for Wildlife Habitat Values and/or Disposal should not affect habitat



Full suppression does not allow a wildfire to continue to burn, even when wildlife habitat is being improved.

In the past, extensive resource damage has occurred from attempts to fully suppress wildfire. Bulldozers and other heavy equipment have greatly disturbed soils causing erosion, increasing sittation in streams and reducing reclamation potential. When public safety and protection of private property are not an issue, many wildfires should be allowed to burn.

Cultural/Natural History Resources

The environmental consequences of the various alternatives on cultural and natural history resources are numerous and highly varied. Many of the management actions of the alternatives will cause significant impacts (either beneficial or adverse) on important cultural resources if such actions are carried out. These actions are included in some or all of the alternatives of the oil and gas, locatable minerals, phosphates, landownership adjustments and utility systems, and cultural/ natural history sections. The remaining management actions, listed for common-variety mineral materials, coal, livestock grazing, fish and wildlife, forest management, recreation, fire management, and access are not expected to cause significant impacts on cultural or natural history resources.

The above conclusions are based on the assumption that standard BLM protection measures, detailed in the Management Actions Common to All Alternatives section, will continue to be used and will not be altered in the future. These measures will ensure that many cultural (but not natural history) resources are protected from adverse impacts.

Recreation

Impacts on recreation tend to generally be the same for all alternatives for the oil and gas, locatable minerals, forestry, and livestock grazing management actions. Impacts from oil and gas activities can be beneficial or detrimental, depending on the recreational activity, and can affect the whole spectrum of recreation. The various recreational activities can be grouped into two broad categories: access oriented and solitude oriented. Access-oriented activities consist of four-wheeling, dirt biking, snow-mobilino, etc. Solitude-oriented activities consist

of hiking, bird watching, cross-country skiing, etc. Other activities, such as hunting and fishing can fall into either category, depending on the user and his or her recreational objective.

Management Actions for Oil and Gas

Geophysical Exploration. The effects of exploration on all types of recreation would be minimal. Noise disturbance would affect all recreationists to some degree, but as seismograph crews move rapidly, disturbance in any one area would only occur for a day or two.

Increased access, which could result from seismic exploration, opens up previously inaccessible areas to those recreationists who are access oriented. Increased access could be particularly beneficial to hunters. However, in areas where adequate access already exists, increased access might be detrimental to the quality of the hunt. For solitude-oriented recreationists, increased access, traffic and associated noise would detract from the quality of their experience.

Exploration and Development. Drilling for oil and gas affects all types of recreation. Prolonged periods of noise, long-term visual intrusions, and odors reduce the quality of the recreational experience. Within oil fields, hazards such as noxious fumes, heavy equipment, and potentially hazardous chemicals would be present. At the extreme, these factors could eliminate a site as a ossible recreational area.

Access roads constructed for drill sites affect recreationists the same way as seismographic trails. However, even access-oriented recreationists might be affected. The access-oriented hunter who uses a well-site road might not find animals to hunt because of displacement by oil field activity.

As more jobs are created by oil and gas activity, the number of people using an area for recreation increases. This increased use can detract from the quality of a recreational experience for many activities.

Production. Impacts to the recreationist during the production phase of oil and gas activities would be caused by pipeline construction and installation of production facilities such as storage tanks. Construction of pipelines and facilities would provide increased vehicular access, noise pollution and visual intrusions. During construction, pipelines might create a temporary barrier

to off-road travel, which could pose a temporary hazard to recreationists.

Abandomment. After impacts caused by oil and gas activities from the exploration phase through the production phase have occurred, abandoment would improve the recreational experience. Access-oriented recreationists would be able to use the roads already constructed. Solitude-oriented recreationists would be able to enjoy areas that were once filled with oil field equipment but have returned to a more natural environment.

Rehabilitation. Reclamation of abandoned drill pads and access roads could only enhance the experience for the solitude-oriented recreationist. Loss of roads, because of rehabilitation, might disturb the access-oriented recreationist. However, if the road were used frequently, it might not respond to rehabilitation efforts and would constitute a residual impact.

Mining other minerals, like locatables, would usually be adverse to recreational use. The sights and sounds of mining lowers the quality of the recreational experience in areas adjacent to the mines. If mining were to significantly impact crucial wildlife habitat and thereby cause a reduction in wildlife populations, hunter successes would decline. If mining were to adversely impact important cultural, natural or historical sites, the public would lose the recreational opportunity to view and experience these important resources.

Forestry activities have a tendency to shift the recreational opportunities in an area from primitive or semi-primitive types to those that occur in roaded natural settings. The greater the amount of forestry activity in an area, the greater the amount of displacement. Hunting pressure generally increases with increased road access, as does driving for pleasure, ORV use, wood gathering, and similar activities. Motorized trail riding and most nonmotorized activities would be reduced or completely displaced.

Recreational opportunities would remain secure on land placed in the retention category. Recreational opportunities generally would be eliminated on lands that were disposed of, unless the disposition were to another federal agency, a state agency or a city or county government.

Management actions for livestock grazing would have a minimal overall impact on recreation. Use patterns and opportunities would remain unchanged from present ones. Volume of use would be relatively unaffected, unless range improvements resulted in increased wildlife populations. Increased wildlife populations would translate into increased opportunities and increased opportunities to view wildlife.

Increases in the number of fences under the proposed action could decrease one's mobility and freedom of movement for recreational activities in the area. With more fencing, some people would perceive the area as less wild and natural with less open space. This alternative would have little or no impact on activities such as rock collecting, camping and picnicking. For more detailed information on the location of these types of impacts and their causes (see table 4-3).

Livestock Grazing

None of the RMP alternatives would cause significant impacts to livestock grazing.

A comparison of the impacts, resulting from the proposed grazing management actions on the Green Mountain and Gas Hills study areas, essentially shows that expected impacts on the eight affected resources are very similar, and there is no reason to believe there would be any synergistic effects when the impacts are combined. The only cumulative effects would relate to the number of acres, miles of stream, wildlife numbers, etc., that would be affected. Refer to table 3-5 for a comparison of the cumulative impacts on the Green Mountain and Gas Hills study areas. Also, see the Livestock Grazing Supplement (including the Green Mountain Rangeland Program Summary) for specific impacts.

Socioeconomics

None of the alternatives would cause significant socioeconomic impacts (see Appendix 3 for further information).

ALTERNATIVE A - PRESENT MANAGEMENT - NO ACTION

Management Actions for Energy and Minerals

Present management of the mineral resources within all management units would continue under Alternative A. Continuation of segregation and

TABLE 4-3

IMPACTS ON RECREATION

				ALTERNATIVE A	R SALLMANNIN	ALTHROTIVE C	HOPERED MATERIALITY
		Persources					THE COULD PETERSON TO BE
Receptal ton		Activity	Significant				
Hoorest for Honogenest: Area	Minispensed. Unit	Ometing Impacts	Available Resource	Nanagement Act ion and Impact Analysis	Hypergreenic Actifors and Impact Applying		
						Minagement Action and Impact Anaplais	Management Action and Impact Analysis
Green Mountain	Green Mountain	Oil and Gin and toostable Minerals Exploration and Development	Champring	to surface occupation and no mining re- strictions would preserve Octonwood improvements and immediate setting. Open	Same am Albernative A.	tack of centrictions on oil and gas and mining could cause damage to	Same as Alternative A.
		and a grant of the state of the		replacements and development on resultance of 59% could decrease apportunities and values for petral two coupling activities, especi- ally in high oil and one priential lands and high unanium potential lands.		Obtained Compgoind improvements and insulate metring. Open explosives and development on creatinger of 190, could discrease apportunities and values for prietitive coupling activi- ties, appealably in both oil and our	
						potential lands and high unanius potential lands.	
			North (reg	Bo surface occupancy pestirictions on cru-	Same as Alternative A.		
			part oug	chal elk winter tanges and sage grouse lates would preserve hunting opportunities. Sea- sonal restrictions on caucial and critical	Same as Astronoctive As	lack of restrictions on crucial elk winter ranges and sage geouse lake could decrease banting opportunities.	Some an Alberrative A.
				mule deer, articlope and sage grouse winter		tack of restrictions on caucial and critical subs dec., antelogo and mage	
				ranges, elk calving and winter ranges, sage grouse nection arous would belo preserve		grouse winter ranges, elk calving and	
				bunking opportunities. Oil and gas explor-		winter ranges, and sage grouse nesting areas could decrease burting oppor-	
				atron and developments causing reduced cover and forage on seasonal restriction		function. Oil and gas exploration and	
				areas could reduce hunting opportunities		development causing raduced cover and forage could reduce busting oppor-	
				the to an'mal d'aplacement.		tunkties due to animal displacement.	
				locatable mineral emploration and develop- ment causing reduced cover and forage could reduce hanking opportunities due to arrival displacement.	Some as Alberrative A.	Same an Alternative A.	Some an Alternative A_{α}
		Oil and Cas and tocatable	Povickim, sight-seeim	No surface occupancy and mineral withdrawals	Same as Alternative A.	No restrictions could demane the Wild	
		Minerals Exploration and	and biking	would preserve the Wild Horse Point and		Burse Point and Francat County picasic	Same as Alternative A.
		Dovelopment		Present County pionic area improvements and immediate settings. Open exploration and		area improvements and tempdishe set-	
				development on revertides of RMA could de-		tings. Open exploration and develop- man on remainder of SMA could	
				crosse opportunities and values for print-		decrease opportunities and values for	
				tive picnicking, sight-meeting and biking. No surface occupancy restrictions would		primitive picrocking, might-seeing and hiking. Lack of restrictions could	
				help preserve opportunities for encount-		decrease oppositualities for encount-	
				ering wildlife.		ering wildliffe.	
			Fishing	No surface occupancy restrictions would preserve fishing opportunities in rigarian areas and streams.	Same as Alternative A.	Minimized restrictions could decrease fishing opportunities in riparian areas and strongs.	Same as Alternative A.
				Open locatable minerals exploration and dreelopment could decrease fishing oppor- tuation due to riparian and strong distur- bances.			
			Snownibi I ing and cross- country skilling	Open exploration and development could increase apportunities for anomobile ac- cess, but could decrease solitude values because of nodern disturbances. Samonal	Same all Alternative A.	Open Locatable ninerals explosition and development could decrease fishing opportunities due to riporian and aboven disturbances.	Same as Alternative A.
				and no surface occupancy restrictions sould preserve opportunities for encountering wildlife in winter.			

hiking, assembiling, and cross-country skilms talons.

country skilling

Same as Alternative A.

Same as Alternative A.

Receiption Hossignanic Jacob Oregon/Hossion Trail 1	Management: Unit: Boswer Creek and Can Hills	Pensaure Activity Gualdy Supacts Oil and Gas	Significant notifable Propore Trail reenachenin, treks, biking, sight-ceeing, and preniceing	Rosayment Action and Impact Analysis as SO surface company restrictions along the test concrider and withdrawats as some standard and test and test and test test and test and test and test and test and test and and vanid processes existing improvements as the Quitt sock and Devil's Oute Execu- pacities with an approximation of the Execu- pacities without and Devil's Oute Execu-	Menoposot Action and Impact Malysis Since as Alternative A.	Hemagnest Action and Impact Anglists Some as Alternative A.	Ranagement Action and laport Anayleis Same an Albertuitive A.
		tocabable avinacata	Tabl I reasoftwork, it reios, his king, origin-cool ray, and prioriteding	Copes winds redirections would preserve improvements a fight back and rout's fibe continued to the continued	Closed along restrictives would pre- serve improvement a guitt not blood- pretire site and would preserve oppor- tuative for binaries and the best in out the trail is settings at the best in a trail, it is setting at the con- trolled along the trail occides restrictions along the trail occides to the setting of the setting of the constraints in industrial, approxim- tion over the shole trail in the unit.	Some as Alternative A.	Same iss Alternative a.
		Pish and Wibitife	Trail persactments, treke, biking, aight-energy, and promoking	Hibitat improvement projects would increase opportunities for encountering wildlife.	Same as Albernative A.	Same as Albertative A.	Same As Alternative A.
		Landownership Adjustments and Utility Systems	Trail remothents, tress, history, sight-seeley, and plemioting	Otility systems placed on printing trail companies could reduce opportunities for intercretal approximation for trailing extragal biscopic addensifications on the intercretal resources.	Utility systems and landownessing disposals nestricted mar printing trail segments would preserve apportunities for historical appendiation of the trail to matting through modern faitnessings on this historical resource.	Some as Alternative A	Same as Alternative A.
		Recrost fon	Trail re-enoctments, tress, hiking, sight-eeeing, and picnicking	Maintaining the interpretive sites at split Rock and Devil's Side sould grossers opportunities for sight-seeing and pionicing. Active namesement of the Orogan/Moreono Thail would preserve opportunities for trail re-enactments, treke, biking, sight-seeing, and bistorical poserset door.	Same as Alternative A.	Since we Alternative &	Some as Alternative A.

ONY restrictions would preserve apportuni—
thes for historical approxistion of the
trati's setting through the prevention
of welfolder disturbances.

Description

Off-Road Vehicles

Trail re-enoctments, treks, hiking, sight-seeing, and picalking

Secreation Management Aces	Heracysterst Unit	Resource Activity Charing Impacts	Significant had lable Resource	Management Action and Impact Analysis	Management Action and Impact Analysis	Panagement Action and Impact Anaylois	Homogeneric Action and Impact Assylvin
-							
Oregon/Norman Trail	Beaver Creek read Gas Hills	Guitural/Notural Sistory	Trail re-enactments, traks, hiking, sight-eceing, and ptonicking	Management according to the Gregory/Normon Trail Hunagement Firm would preserve appor- tunities for trail re-enactments, train, Miking, sight-enesing, pichicking and his- borical approchabing	Same as Alberrative A.	Same as Alternative A.	Some as Alternative A.
		Pire Management	Trail re-ensources, treks, liking, sight-seeing, and plenticking	malidomer disturbances caused by firefighting activities could decrease apportunities for historical apportunities of the trail's setting, and could adversely affect the quality of trail re-machenity, trails, sight-seeing, and pictorical printing that introduction of modern disturbances.	Sume as Alternative A.	Some as Alternative A.	Sawe as Alternative A.
		Access	That is e-enactments, traks, hiking, might-seeing, and phost-cking	Mainfairing present access into the RM sould preserve the present apportunities for Middroid appetral to and the present qualifies of trail re-machinain, tokis, biking, right-seeing, and picaricking.	increased access possibilities into the MM sould increase the access op- portunities for instorteal appre- ciation and of trail resemblence, trake, biking, sight-evenity, and pic- oricking, but could decrease the qual- tity of those especiences due to now increase.	Same as Alternative A.	Same as Alternative B. Same as Alternative B.
Lander Slope/ Red Outpon	Lander Slope and Red Ganyon	Oil and Gas	Burting and sight-seeing	Closure of leasing, emplosation and develop- ment would preserve opportunities for en- countering wildlife and for might-seeing of the scenic natural values of the SML.	Same as Alternative A.	Size as Alternative A.	
		Stosphotes	Hunting and sight-seeing	Same as $\sigma(1)$ and gas,	Closure of leasing exploration and development would preserve opportuni- ties for encountering which and for sight-occing of scenic natural values of the RMA.	Sume as Alternative A.	Same as Alternative S.
			Spoemobiling and cross- country skiling	Same as oil and gos.	Closure of leasing exploration and development would preserve exportunities for solitude in the RMA for skiers.	Same as Alternative A.	Same as Altornative A.
		Fish and wibitite	buting and sight-evening	inhital improvements would increase appor- tunities for encountering wildlife in the sea.	Same as Alternative A.	Some as Alternative A.	Same as Alternative A.
			Snowohiling and cross- country skiling	maintak improvements would increase oppor- tunities for encountering wildlife in the MAA in wister.	Some as Alternative A.	Survesting in Sed Caspon and Lander Slope could decrease opportunities for signi-energy of contine and natural values through disturbances in forcest cover, access social and other intru- sions.	Same as Alternative 6.
		Porest cy	Sight-woring	Lock of thister management vauld maintain opportunities for sight-meeting of swariz and natural values in the Lander Slape pro-tion of the 8W. Bervesting in Ind Cangon vould decrease opportunities for sight-seeing of seeing and natural values through forces cover data techniques, access made and other infinitions.	mirvesting apportunities in the Lander slope and lind Curyon area could de- crease stiple locating of scoric and natural values through changes in focest cover, access mode and other intrusions. However, harvest restrictions could maintain apportunities for excountering wildlife, especially elk.	liarwesting in the Lander Slope and Red Olegon area could increase opportuni- ties for innewabilities through new access reads, but could decrease and take values for sixtees at the same time due to surface disturbances.	Sine as Alberrative 8.
	Finangement: Area Decayas, Abanon teal & January Sieges Lander Sieges/	Management Area Oroganithranea Browner Const. See Const. Browner Const. B	Second Company Seco	Security Company Compa	Proceedings Proceedings	Proceedings Company Company	Processor Proc

TABLE 4-3 (Continued)

ACREMENTA ALIGNMENTA ALIGNMENTA C PROPRISO ALIGNMENTA

Environmental Consequences

						ALTHOUGHVE C	REPRESE ALPSWETCH
	Managament Und t	Resource Activity Onestes Impacts	Significant Awtiable Resource	Nanagement Action and Impact Analysis	Management Action and Impact Analysis	Monagement Action and Expect Analysis	Management Action and Impact Anaglais
lander stops/	tander slope	Torestry	descentify and cross- country acting	Notwesting in the Bed Gayon area could in- crease opportunities for ensembling though no access reads but could de- crease solution values for skiers at the seen time due to sodern distorbances.	Birwest'n) in the Larder Slope area could increase opportunities for smootheling through new access radis tax could decrease solitude values for skiers at the same time due to surface discutances.	Open utility system development in lander Slope and had Gayon could decrease opportunities for sight- noring of natural and social values through not surface distractances and intractions.	Same as Albernative 5.
		Landownership Adjustments and Utality Systems	Sight-secing	Closure of utility systems along the tander Slope while preserve source and neithing values for sight-energy, open etility system development in suid chappen could de- crease opportunities for sight-energy of natural and source values through one sur- face disturbances and firthresions.	Closure of utility systems in Red Cargon and along most of the Larder Slope would preserve comits and natural values for sight-energy. Open utility system development along the Lordwale of the Lander Slope could decrease sight-energy capacitation includes sight and along the could be common sight-energy could be decreased sight-energy capacitations.	Sween and Alternative A.	Some as Alternative B.
			Stomobiling and cross- country skiing	Open utility system development could decrease opportunities for solitude for skiers in Red Gayon.	Closure of utility systems in most of the Lamber Slope and Red Genyon would preserve solitude values for skiers.	Some as Alternative A.	Same as Alternative B.
		Received ion	51gth-working	to special sanayeant actions would be taken. Red Caryon REL would not be inter- preted and visitor information and appre- ciation for the natural and scenic value would not be provided.	Added Interpretation for Red Curyon NNL would increase opportunities for stopt-seeing natural and somic values through increased appreciation.	Some as Alternative A.	Some as Alternative B.
			Seawnobiling and cross- country skiing	Cross-country skiing and srownobiling would continue.	Closure of elk winter range to winter sports would prevent opportunities for snowmobile and cross-country skiing.	Sume as Alternative A.	Same as Alternative B.
		Off-Road Wericles	Shight-Georing	Off restrictions would accommodate access for alge-weeking opportunities in some areas through presented and assemble, not closured. We the size they, cool closured could preserve opportunities for sight—seeing of animal and secret values through colaction on prevention of vehicular surface disturbances.	Some as Alternative A.	Some we Alternative A.	Some as Alternative 0. Some as Alternative A.
			Snownobiling and cross- country skiting	Opening of an area to scoemciling, excluding the Red Campon clk winter carge, scaled preserve opportunities for imme- ratiling recreation. The own-same which closure is Red Campon would have winimal impact on scannels be upon.	Same as Alternative A.	Some as Alternative A.	Summer as Albertative λ_{ν}
		Galbural/Netural Mistory	Sight-seeing	Management of part of Red Gargon as a Net'coul Natural Landmark smooth mainte'n opportune't bes for sight-seeing of smooth and matural values.	Same as Alternative A.	Same as Alternative A.	Some as Alternative A.
			Snowmobiling and cross- country skiing	Management of part of Red Campon as a National Network Landmark would preserve apportunities for solitude for skiecu.	Same as Alternative A.	Some as Alternative $\underline{\mathbf{A}}_{n}$	Same As alternative A.

Recent fon Busyment Acea	Management Unit:	Resource Activity Gusting Sepects	Significant had lable Resource	Management Action and Impact Analysis	Management Action and Impact Analysis	Management Action and Impact Anaylais	Management Action and Impact Anayleis
Lander Slope/ Red Gusyon	tander Stope and Red Dunyon	Pite Nuovyment	Stight-weeting	Interestive tiretighting, including balldown use, could decrease opportunities for sight-needing of section and natural values through new surface disturbances.	Some as Albernative A	Since as Alternative A.	Some as Alternative A.
			Snowbolf ling and cross- country skiling	intensive firefighting, including balldown use, could increase access opportunities for anomodifing recention.	Some an Alternative A.	Some as Alberrative A.	Same as Albernative A.
		Access	Sight-seeting	Natahesance of present access shald pre- serve present apportunities for access to speeds and natural access.	Natificance of present access in Red Chryson would preserve present uppor- turatives for access to specify and natural access. Increased access possibilities in Lardes Stape could increase sight-seeing opportunities.	Some as Alternative A.	Some as Alternative A.
			Secundary and cross- country skiting	Na'obsource of present access build presently present opportunities for access to serv- monthing areas and sking areas.	Nitherance of present access to med Greyon would present present oppor- butties for access to susewishing areas and skifing areas. Increased access posteroit fittee on larger Slope could facrosse supernoitling access.	same an Alternative A.	Some an Alternative A.
		Oil and Oss	Sunting and sight-useing	Closure of learing, exploration and develop- ment would preserve opportunities for accountering wildlife and sight-seeing of the scenic natural values of the RM.	No surface occupancy over much of the RM, would preserve apportunities for empowshering widdlife and for sight- sering of the season natural values of the MM.	Open leasing, exploration and develop- ment could decrease opportunities for encountering wildlife and for sight- seeing of the momio natural values of the 200.	Same as Alternative B.
			Snowbeatriling and cross- country skiling	Closure of leasing, emploration and downl- opment would preserve opportunities for spittude in the RMA for stiens.	No surface occupancy ower much of the NAM small preserve apportunities for solitude in the NAM for skiens.	Open leaking emptoration and develop- ment could decrease opportunities for solitude in the MAA for skiers.	Some as Alternative B.
		Locatable Minecals	Sight-seein)	Open explores for and development could de- crease opportunities for a sight-overing of scents and natural values of the RPA through surface disturbances and nodern fatrus/ocs.	Figure of operation on exploration and devotopment would help preserve expor- turities for sight-seeing of sometic and natural values of the MMA through the protective management of surface disturbances and modern intensions.	Same as Alternative A.	Same as Alternative B.
			Seasoniling and coos- country skiing	Open explorations and development could increase scenic and solitade values of the BMA for aktes though introduction of sockers intrustions.	Plans of operation restrictions, ex- ploration and development would help preserve scenic and substade values of the RMA for skieza.	See as Albertative A.	Some as Alternative B.

Recreation Newspaper Area South Ress Historic Riving District	Massegment that South Ress	Resources Activity Generally Injury Injury Other of General Space Other of General Space and Special Space of General Space o	Shight focusts Annual scholar Mental	Rasponet As for all light findings of the light of the li	throughout At Son and Specif, Novillet's specific for any distribution or an analyze of the the most derivative control for the specific control of specific for the specific control of while recovering harding above department while recovering harding above department specific for specific control of specific control of the specific co	Recipient Air for and liquit hopfalls gen registed from and development in the first top through loss of federal and areas of the control of the control of and areas of the control of the control of the control of the control of the control of control of the control of the control of proposed. Something control of proposed in a question the control of the control of the control control of t	Newglant At his and lapari Anglet Same on Alternative is.
			Compling	Open exploration and development on parts of the 16th could decrease approximation for printitive complay. At the name time, so surface occupancy redistrictions would preserve the two such that Company is a company of the could be sufficient and their standards surroundings.	to surface occupancy on much of the two could preserve opportunities for printitive camping. Also, no surface occupancy new rictions would preserve the two South Bears Compround improvements and their immediate surroundings.	Same as Albernative A.	Some as Alternative 8.
		Oil and Gu stylocation and newlepseni	sigle-sector, biking and pierricking	Open emplaced from and development on partial of the RRX could decrease expertion? I have for RXXIII, principled and significant partial values through the introduction of internal values through the introduction of street, and the same time, as defined accessory and present most (retired as would be create the opportunities for examinaring which the	Open explores from and development on small parts of the tite one could decrease open parts and september to intriven, primericing and september to intriven, primericing and september to the country of the september of the country	Sine de Alterbutive A	Same as Alternative D.
			Phahlag	No surface occupancy restrictions would preserve fishing opportunities in riparion areas and atmass through maintenance of fisheries babitat.	Some on Alternative A.	Same on Alternalise A.	Some as Alternative A.
			Snowabiling and cross- country skiling	Open exploration and development could formease apportunities for anomatolic access, this could decrease solitude waters. Seasonal and no sufface occapancy postrictions sould preserve apportunities for encountering wildlife in without.	Same as Alternative A.	Sime as Alternal-fee A.	Sume as Alternative A.

H TOMOTTON C

DUDSTRUCK ALTERNATIVE

Environmental Consequences

Proceed ton

Haracamont, Acon Deit

Minim District

South less Historic South fees

Parsource

Activity

Guarina

Impacts

and bevelocuent

incutable Storests Exploration Besting

Minagement

Stant Etcant

Augitable

Senource

	Camping	Ground whating contrict ions would preserve the two model homes Companional improvements and 'mandished cottings, Groun employed for and development on constraint of most could decrease operaturates and values for peria- tive complete activities through the 'intro- duction of modern disburbances and 'others where."	Coost mintor restrictions south pro- serve the two bash fines deep promi- ing covered and immediate setting. Counter of which on the constitute of the low south preserve opportunities and whose for primitive coupling activities though the introduction of motion disturbances and introduction.	To starting restricts in small preserve the two seath time Compared tim- provisions and small she setting, per exploration and development on constraint of the could obscure apport- tuanties and salars for positive compley activities through the intro- duction of maken disturbances and introduces.	same as Alternative A.
	Sight-worldg, hiking and planicking	Open exploration and development on constraint of SMA could decrease opportuni- ties and values for printit the prioriciting, sight-earing and hiking through nodern dis- tarbances. Surpupied had restrictions sould preserve opportunities for excessi- ering which the	Closed exploration and development on remainder of RNA could preserve upon- turities and values for primitive prio- chicking, style-seeing and risking through notices of studiescent. Closed ethics control to the seeing preserve opportunities for excount- ering wildlife.	Open explored for and development or emissioner of 19th could decrease oppor- tuarities and values for printit the pic- nicking, night-neeling and biling through modern distructioners.	Same as Alternative A.
Locatable Mineralis implored for movelequent	Plobleg	Sepregated land restrictions would preserve fishing opportunities in ripartian areas and streams. One locatable affects explora- tion and development could decrease fishing opportunities due to ripartian and stream disturbances.	Closed sharing restrictions would pre- serve fishing apportantites in certain riporian areas and streams.	Open locatable efnerals exploration and development could decrease fishing opportunities due to riparien and at ream disturbances.	Some an Alternative A.
	Security skiling	open exploration and development could in- crease apportunities for sussessite access through new access reads, but could de- crease solitable values. Superpired land extrictions send help preserve apportuni-	Choure of mining would preserve pre- sent opportunities for amounted to ac- cess and would preserve activate where. Chosed winds matrictions would also help preserve apportunities for economistrian shallful in wisher.	Since do Alternative A.	Some as Alternative A.

for encountering withlife in wisker.

Management Action and Impact Analysis

Mining restrictions on negrogated lands,

because of wildlife concerns, could preserve hasting opportunities. Locatable

procette maxing opportunities. Locatable wineral emploration and development on open lands causing reduced cover and forego

could re-duce having opportunities due to armal displacement.

ties for excustering wildlife in winter.

		٠
		ı
		s
		=
		ë
		C
		e
		c
		2
		-
		ч
		c
	5	7
		4
	0	a

PROPERCED ALTERNATIVE

Recent for	Microgoment Unit	Resource Activity Gasing Impacts	Significant Austiable Brookto	Management Action and Depart Major's	Management Action and Smoot Analysis		
		aque.cs	Name of the last o	wasping Actor an olect ways a	National Action and inpact manyers	Management Action and Impact Anaylais	Management Action and Impact Anaylais
South Phase Mistoric Mining District	South Pass	Fish and Wildlife	camping, picnicking, sight-moving, biking, snow- mooiling, and coose-country sking	Habitat improvement projects would increase apportunities for encountering wildlife.	Same as Alternative A.	Same as Albertative A.	Same as Alternative A.
			Hunking and Eishing	Ambitat improvement projects would increase Numerical and fishing apportunities and veloce.	Same as Alternative A.	Some as Alternative λ_{ω}	Same as Alternative A.
		Porcet Management	Camping, picnicking, algorisacing, and biking	Clearchiting and slash manipulations could decrease opportunities for capring, pric- micking, bitting and sight-needing of natural values outside existing campyound and protic areas due to new intravious,	Inherence clearcuiting and slash manipulations could decrease oppor- builties for comples, planicking, biking, and sight-meeting of natural values outside existing comparound and planic access due to see virtusions.	Same as Alternative A.	Some as Alberrative 9.
			sunt log	theory fundaced cutting activities could decrease opportunities for encountering animal life due to loss of cover, disturbances and arimal displacement. Marwest restrictions would help maintain fish habitat.	leasy feel wood outring activities could decrease apportunities for encountering actual life due to loss of cover, disturbances, and animal displacement. Hereest restrictions could help markain adequate wildlife help the least of the least	Same as Alternative A	Some as Alternative $\Lambda_{\rm s}$
		tandomership Adjustments and Utility Systems	Plenticking, wight-evening and hiking	Utility agrees placed in the bash mass area could reduce apporturities for histor- teal appropriation of the mining district's settings through modern disturcances.	bt-lity system centrictions in the south Plan RM would preserve oppor- tunities for interferal appreciation of the shaling distriction setting through the preservation of modern disturbances.	Same as Alternative A.	Same as Alternative A.
		Recent for	Casping, picnicking, hashing, sight-seeing, hiking, and fishing	Maintaining the compround would preserve opportunities for comping and photoking and would allow support fishing, histing, sight- sering and bust inj activities through the use of comprounds and plonte areas for "save comps".	Same as Alternative A.	Same as Alternative A.	Same as Albernative A.
		Off-Hoad Vehicles	tioning, fishing and sight-dening	ORV restrictions would accommodate vehicular access to hanking, fishing and sometic areas.	Sume as Alternative A.	Same as Alternative A.	Same as Alternative A.
		Pice Management	Caping, picnicking, sight-secting, and bixing	Prescribed borns in the vicinity of the campround and pinch areas could decrease the warm's apportunities for sconcey and solitable. Buildown defautheness council by Fighting free would decrease apportunities for grintive comping and bitting, but could prevent other losses of opportunities for principles comping, principles and bitting council by large frees.	Some as Alternative A.	Some as Alternative A.	Same as Alternative 8.
		Access	Georgia, busting, picnicking, sight-energy, biking, fishing, ammenchiling, and cross- country sking	Maistaining present access into the RMA would preserve present opportunities for access to compley, fishing, camping, pic- micking, sight-sceing, hiking, some- schiling, and cross-country skiing values.	Sume as Alternative A.	Some as Alternative A.	Same as Alternative A.

PREFERENCE ALIMINATIVE

Anavisis

Environmental Consequences

Recreation Management Area	Management Unit	Resource Activity Gazeing Impacts	Significant Analusate Resource	Horseycook Action and Seport Analysis	Management Action and Impact Awalysis	Management Action and Deport Management Action and Deport Management	Nanagawat Action and Impact a
	-						
Whitkey Marchain/ Sast Fork	Whiteley Hountain and Bust Fork	O41 and Cos and tocatable Minerals	304k30q	mustrictions and closure of the agent to exploration and development votal preserve that fing opertunities, Deploration and development on said Jasses and claims causing loss of foregard order could re- duce hasting opertunities due to arrival displacement.	Same as Alternative A	Opening of the areas to exploration and development could decrease hasting apportunities. Exploration and develop- cement on quarting loss of forage and cover could reduce hearting appor- tunities due to assembly deplacement.	Some as Alternative A
			Complete, hiking and alight-overing	Heatrictions and closures of the areas to support on and development would be by pre- serving operaturation for principle to comprise. He set adjusted was to the control of the which was to the control of the control of making upon to explorate on all development outside decrease opportunities for complete, hitting and adjust-energy in primitive sweet and netural large because of surface dis- turbances.	Same as Alternative A	opening of the areas to explored for and alwalequent could decrease oppor- tuanties for priettive congress, haking and night-exciting of the month while- ties to administration of the areas over to administration of the areas could also decrease opportunities for coupling, hilling and alghe-energy in primitive section and natural lands broases of surface distinctances.	Same as Alternative A.
			Stownbilling	Open exploration and development could facrosse opportunities for somecoille ac- cess through the construction of new roads. Closure of areas to exploration and development would preserve appartunities for encountering without wildlife.	Some as Alternative A	Open exploration and development could increase apportunities for anomability access through the construction of new reads.	Some as Alternative B.
		Plots and wildlife	Hart log	Subitat maintenance and improvements would preserve opportunities for bushing recrea- tions.	Size as Alternative A.	Same as Alternative A.	Same as Albernative A.
			Ompling, bilking and sight-seeing	maintal maintenance and improvements would increase opportunities for encountering wildlife by compens, bikens and sightseens.	Size as Alternative A.	Some as Alternative A.	Sime as Alternative A.
		Pozestry	turk hag	Limited harvest, which could improve wild- life habitat, could maintain or increase opportunities for hunting in the MML.	Same as Alternative A.	Same as Alternative A.	Same as Alternative A.
			Gusping, biking, and sight-seeing	Barweiting of timter could decrease oppor- tunities for camping, hiking and sight— making of mornic and mineral values due to less of forest cover, construction of ac- cess roads, etc.	Same as Alternative A.	Some as Alberrative A.	Same as Alternative A.
			Snownobil1/lay	Harvesting in the 884 could increase oppor- tunities for snowabiling through new ac- cess roads.	Same as Alternative A.	Same as Alternative A.	Same as Alternative A.
		Landomership Adjustments and Utility Systems	March fires	Opening of utility systems in whishey Houstain would increase webloular access for hunting recreation but depeale the hunting setting and experience.	Chouse of utility systems would main- tain present vehicular access and setting opportunity for hunting re- creation.	Some as Alternative b.	Same as Alternative 8.

TABLE 6-3 (Continued)

KINDRETTY A MINDRETTY D MINDRETTY D PROTECT PR

Reconstition Penagement: Acea	Missagorenk Unit	Resource Activity Gusing Imports	Significant And bible Sundarce	Management Action and Impact Analysis	Management Action and Sepect Analysis	Management Action and Separt Anaylois	Management Action and Impact Anaylar
	Miriskey Houskain and Buck Pork	Landomership Adjustness and Utility Systems	Camping, bloking and slight-overing	Closure of utility systems in that Pork would preserve scene's and natural values for camping, libring and opti-eventy. Chan results and observe operationities for results could decrease operationities for sight-evening, camping and bridge in natural and session values through one surface dis- turbance and technique.	Chosare of utility systems would math- tain present vehicular access for tambing operation and preserve a matural setting opportunity.	Since as Alternative A.	Some ass Althomative S.
			Seasonabiling	Open utility system development in Whiskey Executed round increase access for some subiling recruation through the clearing of new assess.	Change of utility systems would main- tain present access for snownobiling recreation.	Same as Alternative A.	Same as Alternative B.
		OET-Road Welsteles	nust lag	No restrictions on ONY use would preserve access opportunities for heating retrea- tionists, but could decrease heating oppor- tunities because of animal displacement.	seatrictions on DNV use would limit access opportunities for backing re- creationist, but would maintain burt- ing opportunities through prevention of arrival displacement.	Nashrichions on ORV use in Bash Rock could decrease access opportunitions for bunking recreations.	Some as Alternative A.
			Guaping, hiking and stylk-opering	No restrictions on CRV see would preserve webcastar access opportunities for compers and stipliners, but could decrease oppor- tunities for primitive compley, buting and sight-evering of natural Values.	Restrictions on ORV use would limit whicular access apportunities for cuppers and adphasers, but could pre- serve appurturation for pointive complex, histogram slight-sector of cupring, histogram slight-sector of cupring talliam.	isotrictions on ONV use in fast rick could decrease velocitar access oppor- tunities for caupers and sightnesses, but could decrease opportunities for printitive cauping, inking and sight- seeing of natural values.	Same as Alternative $A_{\rm s}$
			Security	No ORV restrictions would preserve opportunities for snowerfilling recreational access.	ORV rostrictions would limit oppor- tunities for answebbling recreational access.	ON restrictions in Best Fork could decrease appartentities for inse- mbiling recreational access.	Same as Alternative A.
		Pige Managarent	Bush tag	Bull fire supposession activities, 'encluding buildoose was, could 'encrease access oppor- tuatives for barber secretation but may decrease apportunities for banking, due to loss of animal habituat and animal displace- ments.	Sum as Albertotive A.	Limited fire suppression activities sould saintain present access apport- tantities for larker occuetion, but say decrease apportunities for larking the to lease of artical habitat and asked displacement.	Same as Alternative B.
			Camping, hikking and slight-seeing	intensive fire suppression, including buildown use, could decrease opportunities for primitive comping, history and sight- seing of matural and smoote values through fire some and surface disturbances.	Sere as Alternative A.	Limited fire suppression could de- crosse opportunities for printitive compring, hiking and sight-seeing of sakural and scenic values through fire scars.	Same as Alternative S.
			Snownood 11mg	Intensive fire suppression, including bull- door use, could increase opportunities for snownoide access.	Same as Alternative A.	Limited fire suppression would main- tain opportunities for snowmostle access.	Some as Alternative 8.
		Access	Hant-ling	Maintenance of present access would pre- serve present opportunities for hosting access.	Same as Alternative A.	Same as Alternative A.	Same as Alternative &
			Casping, hiking and sight-seeing	Maintenance of present access would pre- serve present appartmentives for access to score'c and natural areas for coopers, before and stephaneous.	Some ups Albernative A.	Some as Alternative A.	Same as Alternative A.
			Snovembiling	Maintenance of present access would pre- serve present apportunities for access to immembiling access.	Same as Alternative A.	Some as Alternative A.	Same an Alternative A.

ALTERNATIVE C

SALEMARETY ORGANICIAN

Management:	Guas og	Available				
On/ t	Impacts	Resource				
		ni ni	Management Action and Impact Analysis	Management Action and Impact Analysis	Management Action and Impact Annylisis	Management Action and Impact Annylais
					THE REAL PROPERTY AND ADDRESS OF THE PERTY	
Dubote BedSania	Oil and Oss	Nack Long	Battriction and closure of the Sak to en- ploration and development would help pre- serve hitching apportunities. Beginner an and development on white leaves causing lows of forage and increased access could rake hinting apportunities due to airmit displacement,	to surface occupancy and seasonal restrictions in the 19th would be preserve hancing apportunities. Deplocation and development causing loss of forcept and increased across could reduce territing apportunities due to animal displacement.	Specially of the 38% to explored for and development could decrease burning opportunities. Bejoral for and devel- opment cousing loss of foreign and increased access could realize history opportunities due to animal displace- ment.	Same as Alternative A.
		Off-Hoad Whicke Use	Exploration and development on valid leases could increase opportunities for DRV use through the construction of new access reads.	Open exploration and development on the SMA could increase apportunities for ONV use through the construction of new access much.	Some as Alternative &	Same as Alternative A.
			COMMIN	Of now access touries.		
		Sight-seeing	Closers of such of the 864 to leasing, ex- ploration and development would preserve opportunities for eccentering which its sad for sight-seeing of the natural values of the 869.	No surface accupancy on some of the 1984 would help preserve apportunities for encountering wildlife and for sight-encing of the netural values of the 1984.	Opening of much of the MMA to leasing, employed on and development could de- crease opportunities for emountaring violitie and for sight-seeing of the natural values of the MMA.	Some as Alternative A.
	Locatable Minerals	Numb Seg.	que exploration set densignant vitto ma- ment institution sould help pressure ap- portunitien for harting and sould provide increased access for harting process to. 20 the same time, loss of trange and in- creased access faith their sould decrease transiting apportunities through animal dra- placement.	Groune of exploration and development with plac of operations restrictions exactly help and with all operations proceed to the same and the proceed with a superation of the control of th	Some as Alternative A.	Some as Alternative A. Some as Alternative B.
	Locatable Hinerals	Off-Road Whiche tale	Open exploration and development could in-	Closure of exploration and development	Some as Alternative A.	9
			crosse apportunities for DRY use through the construction of new access roads.	would marked present opportunities for OKV use through the presention of construction of one access roads.	some as Alternative A.	Same as Alternative B.
		Sight-seeing	Open suplanation and development could de- crease appartunities for sight-mentary of the natural and wildlife values of the 1894. We the ammenting, apportunities for sight-meaning could be increased by improved access into the 1804.	Closure of exploration and development would maintain present opportunities for sight-seeing of the natural and wildlife values of the 50%.	Same an Albernative A.	Same as Albertraftive H.
	Fish and Wildlife	Hanking	Hebital improvements would increase oppor- tunities for histing in the BMs.	Same as Alternative A.	Same as Alternative A.	Some as Alternative B.
		Sight-seeing	Habitat improvements would increase oppor- tunities for encountering wildlife in the RMA.	Same as Alternative A.	Same as Alternative A.	Same as Alternative B.
	Landomership Adjustments and Chility Systems	Bank Ing	Open utility system development could increase opportunities for hunting access through the construction of new roads.	Closed whility systems would maintain present apportunities for hunting access through the prevention of con- struction of new roads.	Some as Alternative &	Same as Afternative A.

Recreation Supported Acon

Duboris Badlanda

Resource Activity

Startficare

IMEREMED ALEMANTIVE

TABLE 4-3 (Continued)

ALIEBURITYE A ALTEMMETIVE B ALTERNATIVE C

Receipt fon Nanapaterit Area	Mesospeliers. Del t	Resource Activity Causing Imports	Significant Available Resource	Management Action and Impact Analysis	Management Action and Import Analysis	Management Action and Impact Anayleis	Management Action and Impact Anaylaisa
Dubois Redlands	Ometives at order	Landomecritip Adjustments and Utility Systems	Off Hood Webliches	Open utility system development could increase apportunities for new ORY activi- ties through the construction of new roads.	Closed utility systems would maintain present opportunities for ORV activi- ties.	Same as Alternative A.	Sine as Alberrative A.
			31 ght-seeling	Open utility system development could de- crease apportunities for sight-sacing of satural values due to new surface distur- bances and intentions.	Closed whility systems would preserve apportunities for sight-seeing of natural values.	Seme as Alternative A.	Same as Alternative A.
		Off-Road Werfel es	Hankling	No puntrictions on ONV use would preserve present access apportunities for harbor permation. At the sear true, no restric- tions could discretis harries apportunities through dishurbarnes and disposal of wild- life.	Closure restrictions on CRV use de- creace present access apportunities for lander recrestion. At the same time, closure scale increase hunting apportunities through the prevention of the disturbance and disposed of widdlife.	Sume as Alternative A.	Same an Alberrative A.
			Stight-overlag	to contrictions on CRY use could decrease opportunities for sight-moving satural values of the NRV. At the same time, no postrictions could increase access to new areas for sight-meeting.	Chower restrictions on CRV use would preserve apportunities for dight- sweing natural values of the RMA. At the same time, restrictions enabl pre- west access to new areas for sight- metry.	Peutrictions on CRV use would maintain present opportunities for sight-seeing ratural values of the RVA. At the same time, restrictions would maintain present access to new areas for sight- -seeing.	Same as Alternative A.
		Pi ce Hanagowork	Have for	intensive firefighting, including buildoner use, could increase opportunities for host- ing through new firebreak roads.	Some an Alternative A.	Limited firstlighting would mintain opportunities for ONY use.	Saw as Alternative A.
Dubois Sadlands	bubois Budlands	Pice Novaphent	Off-Road Vehicles	intensive firefighting, including balldower use, could increase opportunities for GRV use through new firebreak access roads.	Same as Albernative A.	Limited firefighting would maintain opportunities for GRV use.	Same as Albernative A.
			Sight-enering	Interestive fireflighting, including buildoom use, could decrease apportunities for right-seeing of sounts and natural values through new surface disturbances.	Same as Alternative A.	Limited Einelighting would not affect opportunities for sight-seeing of scenic and natural values.	Same as Alternative A.
		Acons	Hast Forg	Maintenance of present access would pre- nerve present opportunities for access to harting areas.	Some as Alternative A.	Same as Alternak (ve A.	Some as Alternative A.
			Off-Road Vehicles	Maintenance of present access would pre- serve present opportunities for access to CRV areas.	Same as Alternative A.	Same as Alternative A.	Same as Alternative A.
			Sight-exeting	Maintenance of present access would pre- serve present opportunities for access to somic and natural areas.	Same as Alternative A.	Same as Alternative A.	Same as Alternative A.

withdrawal designations, plus seasonal, nosurface occupancy and off-road vehicle (ORV) restrictions, would protect surface resources. However, mineral resources in areas closed to mineral activity would not be discovered or developed. Seasonal and no-surface occupancy restrictions could be applied to any oil and gas operations, irrespective of the oil and gas potential occurrence rating of the area. These restrictions. plus ORV restrictions that affect locatable mineral activity, could prevent the mineral resources from being developed in the most timely and efficient manner. Timely and efficient prospecting, exploration, and development operations would continue in areas not closed to mineral activity and in areas without surface restrictions.

Oil and Gas

The management actions for oil and gas would create both beneficial and adverse impacts to the recovery of oil and gas in the Green Mountain, Beaver Creek, South Pass, Gas Hills, and Dubois Area Management units. Allowing oil and gas operations to proceed would benefit recovery by allowing exploration for and subsequent extraction of oil and gas. Drainage of federal oil and gas reserves by wells drilled on adjacent private and state lands would be avoided. Applying no-surface occupancy restrictions to specific areas within these management units would adversely affect recovery by not allowing surface disturbing geophysical exploration and thus limiting the potential discovery of oil and gas reservoirs, and by mandating directional drilling and thus causing untimely and inefficient development of subsurface resources. Approximately 65,000 acres, or 2 percent of the resource area, would contain area-wide no-surface occupancy restrictions. Seasonal restrictions could also preclude the timely development of the subsurface resources (see table 4-4 and Impacts that are Common to all Alternatives).

Closing the Lander Slope, Red Canyon, East Fork, and Dubois Badlands Management units to new leasing, exploration and development and continuing or adding segregations and withdrawals to the Beaver Creek and Gas Hills units would adversely affect oil and gas by prohibiting the discovery and development of unknown quantities of oil and gas. There would be no protection against potential drainage of federal oil and gas reserves in the East Fork unit.

Keeping the Whiskey Mountain unit closed to leasing, exploration and development would preclude the discovery and development of unknown quantities of oil and gas within the unit.

Locatable Minerals

The management actions for locatable minerals would benefit the resource by allowing prospecting, exploration and development within all management units. The only areas where the resource would not benefit would be the Dubois Badlands Management Unit, while seasonal restrictions are in effect, and segregated and withdrawn areas in the Green Mountain, Beaver Creek, South Pass, Gas Hills, East Fork, Whiskey Mountain, and Dubois Area Management units (see table 4-5). The seasonal restrictions in the Dubois Badlands unit would temporarily hinder exploration and development of prospectively valuable mineral lands. The segregations and withdrawals in the other units would preclude the opportunity to discover and develop mineral resources in those areas.

Management actions for off-road vehicles that limit vehicular traffic to designated roads and vehicle routes within the Green Mountain, Lander Slope and Red Canyon Management units, and to existing roads and vehicle routes in the Beaver Creek unit, would adversely affect locatable minerals because of the time claimants and prospectors would lose while waiting for approval to use off-road vehicles. Off-road vehicle imitations in the South Pass unit would restrict the rights of ingress and egress of mining claimants and prospectors on public lands.

Management actions that would close the Green Mountain, Lander Slope and Red Canyon Management units to traffic during certain portions of the year would temporarily close these units to the prospecting, exploration and development of the mineral resources.

Phosphates

The management actions for phosphates would prohibit prospecting permits or leases from being issued in the Lander Slope and Red Canyon Management units. This would preclude low-grade phosphate reserves from being developed in these units. Refer to Impacts Common to All Alternatives for the affects these actions would have on phosphate development.

Other Actions

Under Alternative A, lands around Sinks Canyon State Park would be withdrawn from mineral entry, hus precluding any mineral resources from being discovered or developed (see map 4-6). A detailed

.....

OIL AND GAS LEASING AND DEVELOPMENT ISSUE SUMMARY OF OIL AND GAS POTENTIAL RATING ACREAGE AND LEASING MESTRICTIONS

	Armanye Dakkar Sousceal Fund (No fond		Accorde Union No-Surface-Occupancy Rest (*c1*ocu					Acresque Dader No (essar Catogory			TO 43 OF 1 and Gas (Ottops 4a) That on Accomps						
mirgorant trêt and	EFgb	moterate (# of Total)	Low (% of Total)	No (a of untal)	Trips (W. of Total)	Moderate D. of Ostall	tov (k of 704a))	50 (8 of 705.41)	this of Teal)	Moderate (A of Total)	(a of Total)	Sb G of Totall	Righ (k of Total)	Moderate tw of Total)	(8 of 7stal)	No Sh of TAPALE	zera)
asymmet Albertanive	is of Totall	(4 of 10/al)	te or means	to or overs	(4 01 10 10)												
te Nountain			31,400(19)	0	5/120(21)	7,360(18)	3,4500.51	0		0	0	0	24, 320(17)	40, 321 (29)	72, 120(51)	3,8400 34	140,000
Alternative A	12,8001533	14,000(35)				7, 360(16)	3,4500, 51	0		0	0	0	24,320(17)	40,320(29)	72, 320051)	3,8411 31	147,800
Alternative 8	12,400(530	14,000(35)	31,400(19)	0	5,130(21)	0,000,00	3,450(3)		- 0	0	0		24, 320(17)	40,321(29)	72,3204501	3,8400 33	140,888
Alternative C	0	14,001(35)	31,400(19)	0	5,130(20)	7,360(18)	3,450(3)		0	0	0	0	24,328(17)	40,3301391	72, 320(51)	1,040(1)	1.40, 860
referred Alternative	*	14,0001351	31,400(19)	0	2011/06/2017	7,3001103	2,424 21										
ror Crock				4),600(0)	4,7001.20	4,950(2)	25,2401 30	7,2300 30	0	49949.41	9,05641,79	0	147,500(16)	283,000(22)	584,600(22)	220,7000360	1,280,000
Alternative A	66,000(35)	70,7000301	29,200(14)	43,600(8)	4,7001 Z	4,954(2)	22,940(-0)	7,870(3)	9	7,540(4)	9,006(1,7)	0	387,500(16)	283,000(22)	588,9001221	220,7000164	1,280,000
Alternative 6	66,000(15)	70,7000300	89,200(16)		L 5004 13	750K 11	2,500(1)	5000 17					182,500(16)	838,000(22)	544,000(22)	220, 7000167	1,250,000
Alternative C	0	70,700(30)	89, 200(16)	43,600t 8)	4,7001 21	4,9900 23	22,940(-0)	7,870(3)		0	5,7600110	0	167,500(16)	283,0000(22)	568,9001221	220,7000144	1,200,000
referred Alternative		70,700(30)	89, 200(16)	43,600(0)	4,7004 21	4,7500 //	20,9991 43	1,0101 27									
ter Stope				0	0	0		0	0	0	46, 539 (100)	0	0	0	46, 53011003	a	46,530
Alberrative A	0	0	16,680(36)	0		0	9	0	0	0	a	0	0	0	46,530(100)	0	46,530
Alternative B	0	0	41,640(90)		0	9	46,530(100)		0	0	g.	0	a a	0	46, \$30L100)	0	46,530
Alternative C	0	9	40,640(90)		0	0	45,530(100)	9	0	9	0	0	0	0	46,530(100)	0	46,530
Returned Alternative		0	41,641(90)	0	0	0	**y 23001001										
Caryon				0	0		0	0		0	(5,330(90)	0	9	o o	17,050(100)	0	17,050
Alternative A	9	0	1,720000	0	0	0	15, 3301903	0	0	10	TI.	0	0	D	17,050(100)	0	17,050
Albertative B		0	17,050(100)	9	0		15, 3301900	0	n	0	0	0	0	0	17,656(100)	0	17,050
Alt-cenative C	0	0	17,050(1000)	0			15, 330(90)	0	n	0	Q.	0	0	0	17,050(100)	D	17,050
Preferred Alternative		0	17,05002000	u u			14,120,100										
act to Preside				0			n	0	0	4	0	0	0	0	1,960	13,541	15,500
Alternative A	6	0	0	0	0		0	15,500(100)	0	0	0	0	0	Q	1,960	13,540	15,500
Alternative D	0	0	0	0			0	0	0	0	0		0	(3)	1,960	13,540	15,500
alternative C	0	0	0	0			0	15,500(100)	0	0	0	6	0	0	1,960	13,540	15,500
Professed Alternative		0	0	0													
is HDs					6300 13	1,400(1)	1,000(1)	7,7401 21	42,1600 UH	2,77010.511	460	32,905CH1FC	250,5601243	247,000(23)	259,540(25)	290, 9000 263	1,056,400
Afremat (m.A.	75, 2004 313	62, 4000361	118, 150(47)	26,0000 93	6300 11	1,400(1)	1,0000 11	8, 141(1)	4,1601 19	2,770(6,5)(490	32,975(117)	250, 363(24)	247,000(23)	259,940(25)	298, 9000 284	1,056,460
Alberrative 8	15, 2001 313	62,400(36)	L18, 156(47)	24,8001 93	6301 17	1,4505 11	1,000 17	6300 11	4,1606 198	2,77000,511	493	32,575(11)1	250,560(24)	247,4460230	250,9401253	293,9000.38)	1,056,460
Alternative C	0	42,4000363	118,1500473	24,800(9)		2,2000 D	1,000 1)	8,9500 10	4,160(-13)	2,770(0.50)	400	JZ,57501101	250,5601240	287,640(23)	250,9401251	293,5000 281	1,054,460
referred Alternative		62,4000260	118,150(47)	24,8001 93	6301 1)	2,2001 13	Lines 17	9,774									
eat Tock					0	0	0	0	0	13,735(99)	1.00	0	0	13,735(99)	120(1)	0	13,855
Alternative A	0	0	0		0	0		0	9	0	0	0	0	13,7354990	139(1)	0	13,655
Alternative 8	0	13,715(99)	130(100)	0	0	9		0	0	0		0	0	11,735(99)	120(1)	0	13,855
Alternative C	0	13,735(99)	139(100)	0	0	0	0	0	0	13,735(99) *	130	0	0	13,735(99)	120111	0	13,855
Professed Alternative	0	.0	0	0	0	0											
ubo's Saffande					0		0	0	0	11,900	0	0	0	11,000(100)	120(1)	0	11,0000
Alternative A	0	0	0		0		ti	0	0	6	0	0	0	11,000(100)	130(1)		11,006
Alternative D	0	4,800(44)	0	0		4,500(40)		0	0	0	0	0	0	11,00011003	130(1)	0	11,000
Althornet (ve. c)	. 0	4,800(44)	0	0		4,500(4))	0	0	0	0	0	0	0	21,000(100)	120(1)	g g	11,000
Preferred Alternative		6,800(41)	0	0		4,300(4))											
dakey Houstain							0.	· ·	0		8,200(100)	0	0	0	a, 200(100)	0	8, 200
Allegative 2		0	0	0	0		0	0	4	0	0	0		0	8,200(100)	0	8, 200
Althographism 9		0	E, 2000 1000		0		0	0	0	0	0	0	0	0	8,200(100)	0	4,200
Alternative C		0	8* 5000 TD00		0		0	0	0	0	8,200(100)	D	0		8,200(100)	0	8,200
Deferred Alternative																	

			ge Under gest protitions				ige Order capacy historics	Yorus		Acresy No lease	e Under Category				Total Oil and C	Re PArential	
Nonogenest their and Recognisest Allerand five	High (8 of Total)	Moderate (% of Total)	(a of total)	No (% of Total)	(k of total)	Moderate (% of Total)	tow (k of 168al)	No (% of Total)	Migh IN Of TAXALL	Moderate (k of Steat)	tow (% of Total)	No (% of 191a))	High Ch of Theat	Moderate (% of Total)	Low (% of Total	No (k of 168all)	Tifal
Dubois Area																	
Alternative a Alternative of Alternative C Preferred Alternative	840(100) 840(100) 0	21,800(58) 21,800(58) 21,800(58) 21,800(58)	15,600(34) 15,600(34) 15,600(36) 15,460(34)	D D D	0 0 0	0 0	190(1) 190(1) 0 190(1)	0 0 0	0 0	0 0	D D	0 0 0	840(1) 840(1) 840(1) 840(1)	37, 400 (45) 37, 403 (45) 37, 403 (45) 37, 400 (45)	45,000(54) 45,800(54) 45,800(54) 45,800(54)	0 0	34,040 64,040 84,940 85,040
Total for Batire Area																	
Alternative A Alternative B Alternative C16 Preferred Alternative	154,640(34) 154,640(34) 9(60	168, 9301290 187, 435(32) 187, 435(32) 173, 700(30)	254, £76(26) 323, 360(32) 323, 360(32) 383,040(32)	68, 400(14) 68, 400(14) 68, 400(14) 64, 400(14)	10,4500 20 10,4500 20 2,1300 0 10,4600 21	13,710(2) 13,710(2) 6,650(1) 19,689(3)	25,6801 22 42,9101 41 68,6101 61 89,4401 31	14,9706 3) 36,7106 6) 1,1301 13 12,1201 63	4,160(1)t 4,160(1)t 6,160(1)t 6,160(1)t	28, 365(5) 5, 305(1) 2, 770(0, 5) 16,565(3)	63,036(6.4) 9,536(.1) 9,536(.1) 14,560(2)	32,975(7)t 32,975(7)t 32,575(7)t 32,575(7)e	463, 229(17)	632, 65(23)	1,074,940(40)	536,960(20)	2,673,375
THAI Alternative A BRAI Alternative D TRAI Alternative C TRAI Preferred Alternative	*	660, 2380 363 732, 035 (291 577, 255 (23) 555, 243 (22)				65,0000 ; 58,7800 ; 76,7200 ; 151,2310 ;	10			145, 296(6) 53,961(2) 69,04142) 67,000131							

See "I see as limit in important of amountal to conditioned with pre-informations and destination and individual materials and assessment of the first price in the restaur of the reference above all forms on the first price in the restaur of the reference above all forms on the first price in the restaur of the reference above all forms on the first price in the first pri

Figure technical 4,500 acres within the best-installed Hildeness Study Acos. This acrosp will be under injection management until a management dectaron for the Min 's male,




TABLE 4-5
LOCATABLE MINERALS MANAGEMENT ACTIONS

Management Unit and Alternative	Acreage Segregated or Withdrawn from Mineral Location	Acreage Proposed for Withdrawn from Mineral Location	43 CFR 3809 Requirements for Plans of Operation (Acres)
Green Mountain			
Alternative A	120 (C&MU Segr.)	120	0
Alternative B	120 (C&MU Segr.)	120	9 (Sparhawk cabin, proposed)
Alternative C	120 (C&MU Segr.)	120	0
Preferred Alternative	120 (C&MU Segr.)	120	9
Beaver Creek			
Alternative A	1,200 (WDL)	0	0 (Except for valid exist. rights
Alternative B	1,200 (WDL)	8,370 (Plus select fisheries)	0 (Except for valid exist, rights
Alternative C	1,200 (WDL)	0	0 (Except for valid exist. rights
Preferred Alternative	1,200 (WDL)	280	30,690
Lander Slope			
Alternative A	0	0	0
Alternative B	0	46.530	Ō
Alternative C	0	0	0
Preferred Alternative	0	0	46,530
Red Canyon			
Alternative A	0	0	0
Alternative B	0	17.050	0
Alternative C	0	0	0
Preferred Alternative	0	0	0
South Pass			
Alternative A	1,700 (C&MU Segr.)	17,000	0
Alternative B	1,700	(C&MU Segr.) 15,500 (Includes 1,700 C&MU Segr.)	15,500
Alternative C	0	0	15,500
Preferred Alternative	1,700	Ö	15,500
Gas Hills			
Alternative A	800 (80 acres C&MU Segr.730 WDL)	80 (Castle Garden C&MU Segr.)	0
Alternative B	800 (80 acres C&MU Segr.730 WDL)	680 (Martins Cove & Castle Garden Segr.)	40,000 (Oregon/Mormon Trail Corridor)
Alternative C	800 (80 acres C&MU Segr.730 WDL)	80 (Castle Garden C&MU Segr.)	0

TABLE 4-5 (Continued) LOCATABLE MINERALS MANAGEMENT ACTIONS

Management Unit and Alternative	Acreage Segregated or Withdrawn from Mineral Location	Acreage Proposed for Withdrawn from Mineral Location	43 CFR 3809 Requirements for Plans of Operation (Acres
East Fork			
Alternative A	3,400 (WDL)	0	0
Alternative B	3,400 (WDL)	10,455	0
Alternative C	0	0	0
Preferred Alternative	3,400	10,455	0
Dubois Badlands			
Alternative A	0	0	0
Alternative B	0	11,000	0 (Except for valid exist. rights)
Alternative C	0	0	0
Preferred Alternative	0	0	4,520
Whiskey Mountain			
Alternative A	2,600 (C&MU Segr.)	2,600 (C&MU Segr.)	0
Alternative B	2,600 (C&MU Segr.)	8,200 (Includes	0
	(Calvio Segi.)	2,600 C&MU Segr.)	
Alternative C	0	0	0
Preferred Alternative	2,600	8,200	0
Dubois Area			
Alternative A	190 (C&MU Segr.)	190 (Warm Sprs. Canvon C&MU Segr.)	0
Alternative B	190 (C&MU Segr.)	190 (Warm Sprs.	0
	(+	Canyon C&MU Segr.)	
Alternative C	0	0	0
Preferred Alternative	190	0	0
TOTAL			
Alternative A	10,010	4,690	0
Alternative B	10,010	118,095	55,500
Alternative C Preferred Alternative	2,120 10,010	200 19,735	15,500 15,500 (13,700 excl. ES)

description of the segregated and withdrawn areas, plus the areas that would have seasonal and no-surface occupancy restrictions for each energy and mineral resource can be found in Chapter II, Alternatives Including the Proposed Action.

No other management actions under Alternative A would significantly impact energy and mineral resources.

Conclusion. Under Alternative A, existing segregation and withdrawal designations, plus seasonal, no-surface occupancy restrictions, would continue to be applied. These actions would adversely impact the short-term (0 to 10 years) productivity of mineral resources, but, since surface restrictions can be modified or eliminated, would not create an irreversible or irretrievable effect to minerals.

Soils, Water and Air Quality

Management Actions for Energy and Minerals

Oil and Gas

Under Alternative A all management units would have the potential to be impacted by oil and gas activities, except the Whiskey Mountain Management Unit.

Under the remaining management units open to oil and gas activity, this activity can be divided into three types of operations: exploration, development and reclamation.

The major exploration activity in oil and gas development is seismographic investigations. Impacts associated with seismographic investigations are: vegetative cover destruction, soil compaction, gully and ill erosion, and streambank disturbance. All these impacts would result in accelerated erosion and potentially higher levels of sediment deposited into adjacent streams.

The most significant impacts to soil, watershed and air quality would occur during development of oil and gas resources. Impacts would be similar to those from seismographic activities; however, impacts would generally be concentrated on individual well locations, which average approximately 10 acres in size. An additional problem with site development is salt loading. This is not common, but becomes a significant problem when previously nonsaline soils become saline from

drastic soil disturbance on oil and gas development sites. Salt loading may limit reclamation success by restricting the growth of native species on reclaimed sites.

Most reclamation efforts are directed at reducing accelerated site erosion and establishing native vegetation on disturbed sites. In the short-term it takes an average of 3 to 5 years to establish adequate vegetation to control accelerated erosion on disturbed sites. In the long-term, it takes a substantially longer period of time to establish permanent native vegetation and to increase site fertility. On most disturbed sites, soil characteristics (physical, chemical and biological properties) would not return to their predisturbance levels within our lifetimes. This would be an irreversible and irretrievable impactiveable

Air quality in areas under production could be adversely impacted by vehicle emissions, dust and potentially dangerous gases emitted from producing wells. These impacts might be significant in the short term (during well development and production phases, in a localized area) and insignificant in the long term (following well closure).

The Green Mountain, Beaver Creek, South Pass, Gas Hills, and Dubois Area Management units would have similar impacts under Alternative A. Soil and watershed damage would be minimal, since no-surface occupancy restrictions could be used to protect water quality, fisheries, riparian areas, and steep slopes.

The Lander Slope, East Fork and Dubois Badlands Management units would be closed to new oil and gas leasing, reducing the potential impacts of oil and gas activity.

Locatable Minerals

Under Alternative A all management units would be partially or completely open to exploration and development of locatable minerals. With exploration and development of locatable minerals, disturbed lands would be subject to soil compaction and accelerated wind and water erosion. Water quality related values would be affected by increased sediment loads in disturbed watersheds. Air quality values would have the potential to be degraded, depending on the amount of activity from locatable mineral exploration and development and type of mineral.

Because of the seasonal restrictions to protect watershed values in this unit, impacts to the Dubois Badlands Management Unit would be significantly less than in the other units.

Only the Lander Slope and Red Canyon Management units would have the potential to be impacted by phosphate resource development. All other units would not be impacted. Impacts would be similar to those discussed with locatable mineral activity.

Management Actions for Fish and Wildlife

Some improvement in watershed quality and slight reductions in sedimentation would probably occur with management actions for fish and wildlife in the South Pass and Beaver Creek Management units. Slight change would occur in the other management units. Some potential exists for temporary air quality degradation in the immediate area of a prescribed fire.

Management Actions for Forestry

Some impacts from timber harvesting and management would occur on all but the Lander Slope Management Unit. Impacts from timber harvesting would be greatest on the Grean Mountain Management Unit. In the short-term, timber harvesting activities could increase erosion associated with logging operations, resulting in increased sediment loads to local streams. Soil compaction would increase the potential for surface runoff, accelerated erosion and increased sedimentation in ditches, landings and skid trails from heavy equipment use. In the long term, timber productivity might be significantly reduced on severely eroded areas.

If slash piles were burned following timber harvesting, soil nutrient enrichment and scarffication for seedbed preparation would be a beneficial impact. Short-term degradation of air quality would be expected during slash burning.

Management Actions for Access

In silty and fine sandy loam soil textures, air quality might be degraded during road construction and heavy local traffic. These impacts would be insignificant and restricted to areas of local distrubance.

Management Actions for Landownership Adjustments and Utility Systems

There would be short-term impacts to soil and watershed resources by installation of utility systems until lands had been reclaimed. The major impacts would be increased wind and water erosion and potentially increased sedimentation during construction. Minimum impacts would occur on the Green Mountain, Beaver Creek, Gas Hills, Dubois Badlands, Whiskey Mountain, and Dubois Area Management units where disturbance would be concentrated in existing utility corridors where possible. Significant impacts would be possible on the Red Canyon and South Pass Management units, where utility systems permits would be most available. No significant impacts would occur to the East Fork or Lander Slope Management units because no major utility systems would be allowed on these units.

Management Actions for Off-Road Vehicles (ORVs)

Limited erosion from off-road vehicle (ORV) use would occur on all management units. Impacts to soil and watershed resources would occur during the season of use and for those periods when the soil is not frozen or snow covered. The major impacts would be soil compaction and accelerated wind and water erosion, which would depend on the amount of traffic and how the road was engineered and maintained.

Management Actions for Fire

In all management units, impacts from fire suppression with heavy equipment would occur. Impacts associated with use of heavy equipment include soil compaction, increased wind and water erosion, reduced site productivity, and increased sedimentation. These impacts would have significant short-term effects.

Prescribed burns would adversely affect water quality, accelerate soil erosion and degrade air quality. But, in properly planned prescribed fires, these effects would be minimal and held to acceptable levels. Revegetation, following a prescribed fire, decreases accelerated erosion rates and improves water quality.

Management Actions for Soils

In those areas where soil erosion has been accelerated by present management, the degradation would continue until corrective management actions were implemented. The losses in soil fertility and decline in soil condition on localized areas of accelerated erosion would be an unavoidable adverse impact (see the Range Supplement for more details).

Short-term and long-term productivity would be reduced on areas that are being adversely affected by present management. In those areas, a significant reduction in production might occur if soil erosion continued unchecked. The deterioration of soil fertility is a cumulative process; therefore, long-term declining productivity would far exceed short-term declines. In those areas where corrective management has been implemented, a significant improvement of soil resources would occur where the soils have the potential would not change.

All of the management units have some level of erosion. Without corrective measures those rates would not decrease, but would continue until proper conservation measures were implemented. No action implies minimal to no implementation of conservation measures. Therefore, soil erosion and sediment vields would continue at present or higher rates with this alternative. This would result in soil losses in some areas and sediment deposition in others, which would permanently affect soil resources. If more fertile topsoil were lost by erosion, lower soil productivity would result in localized areas. If more fertile topsoil were deposited, following erosion, soil productivity might increase. In some areas of deposition, production might decline because of excess deposition over plant growth. Overall, the loss of fertile topsoil on areas now receiving improper management would result in cumulative increases in erosion rates and sediment yields that exceed present rates.

Fish and Wildlife

Management Actions for Energy and Minerals

Oil and Gas

Under Alternative A, management actions for oil and gas would be similar for Green Mountain,

Beaver Creek, South Pass, Gas Hills and Dubois Area Management units. These five units, totaling approximately 2,674,000 acres, would be open to oil and gas leasing. No-surface occupancy stipulations would protect important riparian areas, sage grouse strutting grounds, and known habitat for threatened and endangered species. Seasonal restrictions would protect big game winter ranges, elk calving areas, sage grouse nesting habitat, and raptor nesting sites. For the Green Mountain Management Unit, the elk crucial winter range on the north slope would be protected with a no-surface occupancy stipulation.

No-surface occupancy stipulations designed to protect water quality, fisheries, steep slopes, and riparian areas would result in significant beneficial impacts to fish, waterfowl, game birds, beaver, big game, and a wide variety of birds and other animals. The high-priority standard habitat sites associated with riparian areas and steep slopes would also be protected from oil and gas disturbances. These no-surface occupancy stipulations would protect 53,000 acres (2 percent) of wildliffe habitat in the five management units.

The use of seasonal restrictions would provide long-term benefits to big game on crucial winter ranges, elk on calving areas, sage grouse on strutting grounds, and raptors during the nesting periods by eliminating stress, disturbance, and displacement caused by oil and gas activities. Seasonal restrictions during critical periods might help reduce mortality, ensure reproductive success and survival of young, and reduce conflicts with adjacent landowners caused by displaced animals.

Raptors and prairie-dog colonies have not been thoroughly inventroide on these five management units. Until inventories have been completed, there would be a potential for oil and gas to cause a significant short-term adverse impact to local raptor populations. Prairie-dog colonies not previously located probably would be found during the processing of the application for permit to drill (APD). Black-flooted ferret searches could then be completed before any surface disturbance occurred, greatly reducing the likelihood of adversely impacting black-flooted ferrets.

In the Green Mountain Management Unit, a comparison of the overlap between elk winter range, elk calving areas, mule deer crucial winter range, and areas of high or moderate oil and gas potential indicated that significant long-term impacts to elk and mule deer herds could occur from habitat losses caused by oil and gas activities over the next 60 years.

In the Beaver Creek Management Unit, a comparison of the overlap between high and moderate potential oil and gas areas and high-value big game and sage grouse habitats indicated that the projected habitat losses might cause serious long-term impacts to the Lander moose herd, the Hall Creek mule deer herd, the Sweetwater and Fremont antelope herds, and sage grouse nesting areas over the next 60 years.

The same comparison in the Gas Hills Management Unit indicated that the Badwater, Beaver Rim, and Rattlesnake mule deer herds, the Badwater and Fremont antelope herds and sage grouse nesting habitat could be significantly impacted from habitat losses caused by oil and oas activities over the next 60 years.

In the Dubois Area, the Wind River antelope herd, the Wind River moose herd, the Badlands bighorn sheep herd, the Wiggins Fork elk herd, and the Dubois mule deer herd could suffer significant adverse impacts from habitat losses caused by oil and gas activities in high and moderate potential areas over the next 60 years.

In the South Pass Management Unit, significant acreages of lodgepole pine forest and aspen conifer woodland habitat types could be disturbed, which would cause significant long-term impacts to moose and elk.

Under Alternative A, three management units, East Fork, Whiskey Mountain and Lander Slope, would remain closed to oil and gas leasing, exploration and development. Significant long-term benefits to big game, game birds, waterfowl, beaver, fish, and a variety of other animals would result from closing these units to oil and gas leasing. The high-value big game winter ranges in the Lander Slope and Red Canyon Management units that support unusually high concentrations of elk, moose, deer, and bighorn sheep, as well as habitat for bald eagles, cliff nesting sites for raptors and several quality trout streams, would be protected from oil and gas disturbances. This protection would provide long-term benefits to these species.

The Whiskey Mountain bighorn sheep herd, which is the largest herd in the continental United States and is nationally significant, would be protected from oil and gas disturbances, resulting in significant long-term benefits to this population.

The East Fork and Dubois Badlands Management units would be closed to new leasing, but exploration and development of existing leases would be permitted. Closing these units to new leasing would protect important big game ranges,

stream fisheries and several high-priority standard habitat sites, resulting in significant long-term benefits.

If drilling occurred on existing leases, habitat losses could be relatively small and still cause significant long-term adverse impacts for fisheries and big game populations, particularly elk and bighorn sheep.

Conclusion. The five management units open to oil and gas leasing could suffer significant declines in big game populations over the next 60 years because of losses of important habitats. No-surface occupancy and seasonal stipulations would benefit fish, waterfowl, game birds, beaver, big came, and a variety of other animals.

Closing the Lander Slope, Red Canyon and Whiskey Mountain Management units to oil and gas leasing would provide significant long-term benefits to big game, game birds, waterfowl, beaver, fish, and a variety of other animals.

Significant long-term adverse impacts could occur to elk, bighorn sheep and other species if existing leases were developed in the Dubois Badlands and East Fork Management units. Other wise, closing the units to new leasing would provide significant long-term benefits to wildlife, especially big ame.

Locatable Minerals

Under Alternative A, the Lander Slope and Red Canyon Management units would be open for exploration and development of locatable minerals. Although the apparent potential for significant exploration of locatable mineral resorces on the Lander Slope and Red Canyon Management units is low, if exploration were to occur, the potential for severe negative impacts on the concentrated high-value fish and wildlife resources, particularly big game winter habitat, would be very high. This action would expose the wildlife resources to the more chronic, continuous habitat losses, and stress and displacement effects generated by small scale, constant, and sometimes highly speculative prospecting, claim staking and assessment activities. These activities might never result in real mineral development but over time cause deteriorated habitats and other negative effects on fish and wildlife.

The Dubois Badlands Management Unit would also be open but would have seasonal restrictions to help protect watershed and wildlife values. Potential for locatable mineral exploration and development is low; however, if such activity did

occur, even relatively limited habitat losses could cause significant negative effects on the big game populations. The small resident bighorn sheep population would be especially vulnerable, both from loss of the very limited habitat and from the effects of stress and displacement during winter and lambing seasons. The Badlands are also the key to the winter survival of the Wind River antelope herd and part of the Dubois mule deer herd. Any extensive locatable mineral activity in the Badlands would cause significant losses to the big qame populations.

The remaining seven management units would be open, except for specific campgrounds, pionic areas, historical sites, and lands already segregated from mineral entry. In the Green Mountain Management Unit, uranium exploration and development might cause significant losses of crucial winter and winterly-yearlong elk and mule deer ranges, and in trout habitat in the Willow Creek and Cottonwood Creek drainages over the long term. Elk and trout populations might be lost entirely. The degree of impact on fish and wildlife would be highly dependent on the amount of habitat losses and stress, disturbances, and displacement effects that occur along the lower north slopes of the mountains.

In the Beaver Creek Management Unit, uranium mining has occurred on the eastern edge and southern portion of the unit. If extensive development of the Ogle Petroleum or Lost Creek deposits occurred, only sage grouse and raptors would be significantly impacted. If extensive development of zeolites occurred, depending on where it occurred, many raptor nesting sites could be abandoned and as much as 5 percent of the winter ranges supporting the Hall Creek mule deer herd and 1 percent of the winter ranges supporting the Beaver Rim mule deer herd could be lost.

Part of the Atlantic City Mining District overlaps the southwest part of this management unit. Gold mining activity has been going on in this area for over 100 years. Most operations are relatively small, but they continue to damage or destroy important fish and wildlife habitats. Operations on placer mining claims cause loss of trout fisheries. beaver habitat and crucial winter and winter/ yearlong moose habitat associated with riparian zones. Many other wildlife species would be affected where the high- or moderate-priority standard habitat sites were lost. Long-term damage has occurred to these habitats. The areas of open aquatic, willow floodplains, wetland, subirrigated meadow, cottonwood floodplain, aspen-conifer woodland, and lodgepole pine forest standard habitat sites remaining intact are

extremely important to many species. If gold mining activities continued to erode, these high-value habitats, trout fisheries, the Lander moses herd, the beaver pond ecosystems, and the populations of many other wildlife species would suffer significant cumulative negative effects.

Uranium exploration drilling activity has created some new, dependable water sources that have had beneficial effects on antelope and sage grouse. Some of these waters have increased use of previously under-used spring/summer/fall habitats, which might have helped increase annual production of young.

The South Pass Managment Unit would be open to the exploration and development of locatable minerals, with the exception of those areas currently segregated from mineral entry. These areas would be withdrawn. Gold and fron are the two major mineral resources in this area. Iron mining operations would probably not occur in the foreseeable future since a large mine just outside the management unit recently shut down permanently frefer to: wildlife maps in Chapter III, Affected Environment; also refer to: General Analysis - Impacts of Locatable Mineral Development Activities on Fish and Wildlife, area wide, this chapter.

Gold mining activity has been going on in this area for over 100 years. Most operations have been relatively small, but accumulatively, they continue to damage or destroy important fish and wildlife habitats. Operations on lode and placer mining claims cause loss of trout fisheries, beaver habitat. and crucial winter and winter/yearlong moose habitat associated with riparian zones. Many other wildlife species have been affected where the highor moderate-priority standard habitat sites have been lost. Much long-term damage to these habitats has already occurred. The areas of open aquatic, willow floodplain, wetland, subirrigated meadow, limber pine woodland, aspen-conifer woodland, and lodgepole pine forest standard habitat sites remain intact and are extremely important to many species. If gold mining activities continue to erode these high-value habitats, trout fisheries, the Lander moose herd, the beaver pond ecosystems, and the populations of many other wildlife species would suffer significant negative effects.

About 1,700 acres of these high-value-wildlife habilats have been segregated and would be withdrawn under this alternative. This is estimated to include about 10 to 15 percent of the acreage supporting the high-value habilats and fish and wildlife species discussed above. Withdrawal of the currently segregated lands would ensure that

at least minimal representation of the high-value habitats and associated fish and wildlife resources would continue to occur in the management unit.

In the Gas Hills Management Unit, past wildlife habitat losses from uranium exploration and mining have been extensive. Because of the location of the uranium reserves, future habitat losses would adversely impact mule deer, antelope, sage grouse, and raptors the most.

Assuming that the uranium industry revives, several thousand additional acres of routel winter and winter/yearlong mule deer range and crucial antelope winter range could be disturbed. The would affect populations in the Beaver Rim deer herd unit and the Fremont antelope herd unit. Losses in these high-value winter ranges would vary from 3 to 5 percent of the total range. Two sage grouse leks and several nesting areas could be lost or negatively affected, causing reduced sage grouse populations locally. Several documented raptor nests and prairie-dog colonies could also be lost.

Mining activities in the Gas Hills Mining District and uranium exploration drilling in the Copper Mountain Mining District have resulted in creation of some new, dependable water sources that have had beneficial effects on some wildlife species, primarily antelope and sage grouse. Some of these waters have increased use of previously underused spring/summer/fall habitats and may have helped increase annual production of young.

Approximately 10,394 acres of the East Fork Management Unit would be open to locatable mineral exploration and development under this alternative. The 3,432 acres afready withdrawn from mining under the Coordination Act would remain closed. Based on current mineral inventory information, no locatable mineral deposits of significant value occur on the management unit.

With nearly three-quarters of the East Fork Management Unit open to locatable mineral activities, many potentially serious impacts from exploration, assessment work, development, and mining could occur. With the high concentrations and restrictive nature of the big game populations depending on the unit, even relatively limited speculative and exploratory operations could still cause serious problems, especially with elk management. The fish and wildlife resources that would be affected, and many of the ways in which they would be affected by locatable mineral development activity, are similar to those described for oil and gas activities. (See the discussion of oil and gas effects on fish and wildlife resources in the East Fork Management Unit.)

Retaining withdrawal on the 3,432 acres in the unit would significantly benefit fish and wildlife by not allowing physical habitat losses to occur on these areas. The withdrawn lands, however, are broken into a number of tracts separated by lands that would be open to locatable mineral development under this alternative. Habitat losses through the effects of behavioral avoidance zones and the effects on big game species from stress, disturbance, and displacement would significantly reduce the value of the withdrawn lands as protected habitat. Nearly all of the stream and riparian habitat on Bear Creek, Wiggins Fork and the majority of the high- and moderate-priority standard habitat sites are not included in the withdrawn lands and receive no protection from the effects of locatable mineral activities under this alternative.

The Whiskey Mountain Management Unit (Whiskey Mountain bighorn sheep winter range) would be open for exploration and development of locatable minerals under this alternative, except for about 2,600 acres presently segregated from mineral entry. Based on current minerals inventory information, no locatable mineral deposits of significant value occur on the Whiskey Mountain Management Unit.

With nearly three-quarters of the Whiskey Mountain Management Unit, including parts of the Torrey Rim and Sheep Ridge preferred sites, open to locatable mineral activities, many potentially serious impacts from exploration, assessment work and development could occur. Habitat in the unit is essentially occupied by bighorn sheep, elk, and the other big game animals in a sensitive balance. Even relatively limited exploratory locatable mineral operations could cause serious problems from stress and displacement or from habitat loss, if activities occurred in one of the preferred sites. If a locatable mineral deposit were discovered and any significant developments were to result, as much as two-thirds of this unique bighorn sheep herd could be lost. Of major concern with any extensive development in the bighorn winter range would be the increased potential for a catastrophic die-off. The effects of locatable mineral development on the bighorns and other wildlife in this unit are similar to those that could occur as a result of oil and gas development.

Establishing a withdrawal on the approximately 2,600 acres currently segregated would provide significant beneficial effects in the protection afforded to at least part of the Whiskey Mountain bighorns and some wintering elk, mule deer and moose.

Under Alternative A, the Dubois Area Management Unit would be open for locatable mineral exploration and development with the exception of the Warm Springs Canyon area. Based on current inventory information, there are no known locatable mineral deposits that have development potential and no current interest in development here.

Although it does not appear that locatable mineral development would occur, if a significant amount of exploration and development activity did take place in high-value habitats, some fish and wildlife resources would be negatively affected. Habitat losses and displacement caused by placer mining in streams and riparian areas could be especially detrimental to moose, fisheries, water quality, and a variety of species dependent on the riparian associated high-priority standard habitat sites.

Any additional habitat losses and stress/ displacement limpacts occurring in crucial mule deer winter range or preferred fawning areas (several of the high- and moderate-priority standard habitat sites) could cause further reductions in the Dubois mule deer herd.

Conclusion. Under Alternative A, the Lander Slope and Red Canyon Management units could suffer significant long-term impacts to a variety of fish and wildlife resources if exploration and development occurred. In the Dubois Badlands, the risk of impacting the resident bighorn sheep herd and other big game species would be greatly increased. Significant long-term impacts could occur to elk and trout in the Green Mountain Management Unit; sage grouse, raptors, mule deer, and trout in the Beaver Creek Management Unit; trout and moose habitat in the South Pass Management Unit; mule deer, antelope, sage grouse, and raptors on the Gas Hills Management Unit; elk on the East Fork Management Unit; for the East Fork Management Unit; elk on the East Fork Management Unit;

bighorn sheep on the Whiskey Mountain Management Unit; and moose, mule deer, trout, and high-priority habitat types in the Dubois Area Management Unit.

Phosphates

Closing the Lander Slope and Red Canyon Management units to new phosphate prospecting permits and leases would provide significant long-term benefits to the variety of fish and wildlife species discussed in the oil and gas section. Closing the lands around the Sinks Canyon State Park would be particularly beneficial to the small population of bighorn sheep, as well as raptors and other species.

Management Actions for Fish and Wildlife

Under Alternative A, existing fish and wildlife habitat improvements would be maintained and routine habitat improvement projects would be completed to enhance and maintain fish and wild-life resources. These actions would result in significant long-term benefits to many fish and wildlife species and their associated habitats.

In the South Pass and Beaver Creek Management units, special emphasis would be placed on improving fisheries habitat, resulting in long-term benefits to both fish and wildlife associated with riparian habitat.

In the Red Canyon Management Unit, forage would be reserved for wintering elk. This action would provide significant long-term benefits to the Lander elk herd, which depends on this area for winter forage.



Management priority in the East Fork Management Unit would be for elk. Bighorn sheep would be the focus of management efforts on the Whiskey Mountain Management Unit. Both of these management efforts would not only benefit elk and bighorns, but many other wildlife species as well. Benefits would be significant and long term.

Conclusion. Under Alternative A, fish and wildlife management actions would significantly benefit wildlife on all management units, with special emphasis on particular fish and wildlife species on specific management units.

Management Actions for Forestry

Under Alternative A, the most intensive timber harvesting and management would occur on the Green Mountain Management Unit. At the present level of harvest (750 to 1,000 MBF sawtimber and 1,500 to 1,700 MBF other products), utilizing the proposed harvest restrictions, there would be a beneficial long-term impact on elik and deer by the rejuvenation of timber stands and the creation of desirable forage areas.

Maintaining the 40 percent to 60 percent coverforage ratio and closing roads as soon as possible after timber sales are terminated would especially benefit elk.

The deterioration of the old growth timber stands because of the mountain pine beetle epidemic has created adverse impacts on many bird and small game species that are dependent on this type of habitat. It has also created near optimum conditions for other species. The salvage harvest of the dead material would eventually recreate a mosaic of age classes, which would benefit some species and adversely affect others.

Limited timber harvesting and management on the Beaver Creek, Gas Hills, Whiskey Mountain, and Dubois Area Management units would be undertaken with timber sales considered on acase-by-case basis. Because harvestable stands of timber are very limited in the Beaver Creek and Gas Hills units, impacts to wildlife would be negligible. Timber sales in the Whiskey Mountain and Dubois Area Management units would incorporate fish and wildlife needs to maintain or improve habitat conditions.

Presently, the only cutting in the Red Canyon Management Unit is small amounts of poles and firewood by grazing allotees who use these lands. At this insignificant level of cutting, there would

be essentially no impacts on wildlife resources. If there were any impacts, they would probably be beneficial by removing stagnated or dead trees and producing forage while trees were regenerating.

Limited timber harvesting would be allowed in the South Pass Management Unit, resulting in small, isolated tract sales. Management would emphasize protection and improvement of fish and wildlife values. Cutting decadent aspen stands would benefit fish, beaver and moose. Keeping clearcuts small would ensure adequate cover for moose and elik.

Timber harvesting on the East Fork Management Unit would be allowed only where it was compatible with maintaining the integrity of the elk crucial winter range. This action would benefit elk and other wildlife by ensuring a proper ratio of cover to forace.

Forest resources are so limited in the Dubois Badlands that no impacts to fish and wildlife are anticipated.

The present situation of no timber harvesting on the Lander Slope Management Unit is generally a beneficial impact in the short term. Cover is not being disturbed, forage vegetation is not being lost to road construction and other surface disturbances (human and machine activities associated with timber harvest) are not disturbing wildlife during periods of stress.

However, opportunities to enhance wildlife habitat by creating more mixed-age forests, more edge effect and more diverse forage communities are being forgone. Also, some increased public use of wildlife resources are not being realized. These would be adverse impacts.

The timbered areas are stagnating and are ripe for a devastating beetle attack and a large wildire situation. This could have a short-term adverse impact on the wildlife habitat; however, the longterm impact could be beneficial.

Harvesting timber in the Lander Slope area would generally be an adverse impact in the short term, due mainly to increased public access. However, in the long term, the variety of age classes produced by logging would be a beneficial impact to the habitat. In the long term, if the timber access development did not result in significant increases in overall human activities in the area, the adverse impacts of timber management would be balanced or outweighed by the beneficial impacts.

Management Actions for Landownership Adjustments

Under Alternative A no lands in any of the management units would be sold or exchanged and public purpose patents would be issued on a case-by-case basis. No impacts to fish and wildlife resources would occur.

Management Actions for Recreation

Red Canyon Management Unit is the only unit where recreational activities would have an impact on wildlife resources. Allowing winter access to the Red Canyon Management Unit under Alternative A increases the risk of disturbing wintering big game, particularly elk, which could cause increased stress and displacement to adjacent private lands where hay damage could occur.

Management Actions for Off-Road Vehicles (ORVs)

In the long term, off-road vehicle management actions under Alternative A would help protect wildlife populations and habitat in the Green Mountain, Lander Slope, Red Canyon, Beaver Creek, and South Pass Management units. Limiting vehicle use to existing roads and trails would help prevent further terrestrial habitat losses and deterioration of fisheries. Seasonal closures in the Green Mountain and Lander Slope Management units would help to reduce stress and disturbance of wintering big game and siltation of fisheries during the spring. Snowmobile restrictions in the Red Canyon Management Unit would be especially helpful in reducing stress and disturbance to wintering elk and mule deer.

Off-road vehicle management actions under Alternative A would adversely affect fish and wildlife resources for the long term in the Gas Hills, East Fork, Dubois Badlands, Whiskey Mountain, and Dubois Area Management units. The availability of habitat would decrease and the quality of some fisheries would decline as new roads and Itrails developed, causing vegetation losses, disturbance, and stream slitation. Big game populations would be most affected by these impacts in the Dubois Area, Dubois Badlands, East Fork, Whiskey Mountain, and Gas Hills Management units. Fisheries would be most affected in the East Fork, Dubois Badlands and Dubois Area Management units.

Management Actions for Fire

Under Alternative A, full suppression of wildfires with no equipment restrictions would be recommended. Impacts to fish and wildlife from full suppression of wildfires could be positive or negative. Suppression in high productive, high-priority standard habitat sites would be beneficial to fish and wildlife resources. Suppression in decadent shrub and timber stands would negatively impact many fish and wildlife resources. In large stands of timber where wildfire could burn large expanses of important big game cover, full suppression would usually be beneficial. No equipment restrictions on steep slopes and fragile soils could cause significant fish and wildlife habitat damage.

Prescribed burns would improve habitat in all management units except the Dubois Badlands Management Unit where vegetation is too sparse to sustain a fire.

Management Actions for Access

Under Alternative A the existing transportation system would be maintained in all 10 management units. In the Green Mountain Management Units. In the Green Mountain Management Units. These roads not only represent a loss of habitat but interrupt the use of adjacent habitat by deer and elk. Limiting road maintenance to the existing transportation system would reduce habitat loss associated with new road building and upgrading.

In the Lander Slope Management Unit, maintaining the existing transportation system would be beneficial to wildlife by providing physical access for fish and wildlife harvest, habitat improvement projects and other fish and wildlife management activities.

No impacts to wildlife would occur in the remaining eight management units.

Forestry

The only management actions that would affect the forestry resources are oil and gas, locatable minerals, fire, and forestry; the remainder of the management actions would have no effect on this resource.

The Green Mountain, Lander Slope and South Pass Management units are the only units with significant forestry resources. The other units

have extremely small amounts of timber resources and, therefore, would incur no significant impacts from any of the management actions proposed in this RMP/EIS. For these reasons, this discussion only covers the management actions for oil and gas, locatable minerals, fire, and forestry in the Green Mountain, Lander Slope and South Pass Management units.

Management Actions for Energy and Minerals

Oil and Gas

Under this alternative, the Green Mountain area would be open for leasing, exploration and development of oil and gas resources. These activities could have a significant impact on the forestry program, depending on the level of future exploration and development.

Timber Quantities. Oil and gas development activities could significantly reduce the amount of timber available for harvest by removing timber in areas not planned for harvest in the immediate future. In some areas this could be beneficial because it would remove nonsalable timber and replace it with new growth through rehabilitation. In other areas on the mountain, this action would create adverse impacts by removing younger healthy, growing stands with the resultant loss of along period of growth. It could also be an adverse impacts if sites were permanently taken out of timber production by oil and gas activities.

Sustained Yield. On Green Mountain the oil and gas management action of opening the area to exploration and development could adversely impact the sustained yield by removing timbered areas from the land base.

Oil and gas management actions would have no significant impact on the sustained yield on Lander Slope and South Pass.

Timber Condition. On Green Mountain, depending on the level of exploration and development, opening the area to exploration and development of oil and gas could have significant impacts on timber condition. If exploration sites and roads were located in old-growth timber, this dead and dying resource would be removed from the sites. If the sites were rehabilitated after drilling, new growth would improve the condition of the timber stands and would be a beneficial impact.

If the exploration sites were located in regenerated areas, it would be an adverse impact because it would destroy the healthy, vigorous growing stock, and the growth would be lost for the period of exploration or development.

On Lander Slope and South Pass, management actions for oil and gas would have no significant impact on the timber condition.

Access. Keeping the areas on Green Mountain open to exploration and development of oil and gas could have a significant impact on access in the area, depending on the extent and level of exploration and development. There are already hundreds of miles of roads in the area that are not being used and have not been rehabilitated and are contributing to soil erosion in the area each year. If the industries instituted a high level of exploration or development again, this would increase the soil erosion potential and have a significant adverse impact. Increased access would also cause a beneficial impact because it would open more areas for the public to cut firewood. This would help to regenerate some areas faster.

On Lander Slope and South Pass, the oil and gas action would have no significant impacts on access.

Logging and Regeneration. On Green Mountain, oil and gas activities could have a significant impact on regeneration, depending on the level of exploration and development. By developing minerals, timber lands would be taken out of production.

On Lander Slope and South Pass, these activities would have no significant impact on logging and regeneration.

Uranium and Other Locatable Minerals

Impacts from actions for development of uranium and other locatable minerals would be the same as those from development of oil and gas resources.

Management Actions for Forestry

Timber Quantities

Harvesting 2 to 2.5 MMBF per year would deplete the larger timber on Green Mountain within 15 to 20 years and replace it with new growth.

On Lander Slope there would be no management of the forest resources, which would cause mortality to continue in the large trees because of old age, disease and insect infestation.

On South Pass the harvesting at the present level would remove the remainder of the large timber within 2 to 3 years and replace it with new growth.

Sustained Yield

On Green Mountain the continued salvage of the dead and dying stands would eventually increase the sustained yield by increasing the growth rate of timber stands.

On Lander Slope the continuation of present management would produce a decline in the sustained yield figures by reducing the growth on all areas because of increased mortality. This would reduce the acres available for calculation of the sustained yield allowable annual cut for the district by approximately 5.00 acres.

On South Pass the forest management actions of utilizing precommercial and commercial thinnings would have a significant impact on sustained yield by increasing the growth rate on areas affected.

Timber Condition

On Green Mountain the management action of harvesting (harvest level) would improve the general condition of the timber stands by replacing the old-growth stands with regeneration. Attempting to maintain a 40 percent cover to 60 percent open ratio for elk habitat and waiting to harvest large timber adjacent to clearcusts until the regeneration was large enough to provide big game cover, would cause a deterioration in the quality of timber stands. The large trees left adjacent to clearcusts would continue to deteriorate, and regeneration in the clearcust would be infested with mistletoe from adjacent trees.

Using precommercial and commercial thinnings in younger stands would significantly improve the condition of the timber stands by transferring the growth potential of the land onto the best formed trees and by eliminating the possibility of stagnation in the stands.

On Lander Slope, the forest management action of no action would generally have a deleterious effect on the timber condition because of the increased mortality rate.

On South Pass the forest management action of harvesting at the present level would signi-

ficantly improve the overall condition of the remaining stands by replacing them with new growth. The mistletoe and beetle activity would be reduced or eliminated.

Access

On Green Mountain, harvesting 2 to 2.5 MMBF annually adds 2 to 3 miles to the road system every year. This adds a certain amount of soil erosion potential each year, no matter how well the roads are constructed and maintained. This impact, along with the already present soil erosion from the existing roads, especially the Loop Road, creates a significant impact on the soil resource. Increased access would cause a benefical impact because it would open more areas for the public to cut firewood. This would help to regenerate some areas faster.

On Lander Slope and South Pass, there would be no significant impacts from the management actions associated with forestry.

Logging and Regeneration

Harvest levels on Green Mountain would have a beneficial impact on the regeneration of specific cut areas, but an adverse impact on the area as a whole. If old-growth stands were not harvested, the growth potential of the land would be wasted until these areas were harvested. The production potential of the land would not be realized on many areas for years.

The management action of attempting to create a 40 to 80 percent ratio of cover to forage and waiting to harvast large trees in stands adjacent to regenerated clearcuts, until the regeneration is large enough to provide big game cover, would have a detrimental effect on the regeneration of the area. Regeneration in clearcuts would become infested with mistetoe before it would be large enough to provide big-game cover. Also, there would be no regeneration produced in the larger stands that were not harvested.

The forest management action of preparing seedbeds for regeneration in harvested areas provides optimum conditions for regeneration. Clearcuts generally show some new regeneration within 2 years, and areas are fully stocked within 6 to 7 years.

Using precommercial and commercial thinnings in younger stands has a significant benefical impact on regeneration, because it eliminates mistletoe infested trees, transfers the growth potential of the land to the best trees and prevents the stagnation of the stands as they grow older.

On Lander Slope there would be no significant impact on logging and regeneration.

On South Pass harvesting the old-growth timber stands and replacing them with new growth would have a significant benefical impact on regeneration by producing much more growth.

Management Actions for Fire

Timber Quantities

Harvesting 2 to 2.5 MMBF peryear would reduce the wildfire hazard on Green Mountain by reducing the fuel and breaking up the contiguous stands of timber with clearouts. The bigger the clearcuts, the more broken up and separated the dead stands would be. Not loggling on slopes over 45 percent would have a significant impact on the mountain by leaving dead and dying trees on the areas, which would increase the fire hazard. Delaying harvesting larger trees adjacent to regenerated clearcuts for up to 20 years would cause further deterioration of these old stands and increases the fire hazard.

On the Lander Slope, increased timber mortality would increase the fire hazard.

On South Pass the management actions would have no significant impact on fire.

Sustained Yield

The only possible impact of fire on sustained for all areas would occur if a wildfire destroyed a regenerated clearcut. This would destroy the growth of the site for several years. In this case full suppression would be beneficial.

Timber Condition

On Green Mountain, Lander Slope and South Pass, the management actions associated with oil and gas and locatable minerals would have no significant impact on fire management.

This alternative could have an adverse impact on the lodgepole pine ecosystem because fire is a natural part of the ecosystem. The reason that these stands are in such poor condition is that fires and harvesting were excluded for a long time. Lodgepole pine needs rejuvenation on a regular basis. This can be done with wildfire, harvesting or prescribed burning. If some of the unharvested areas were burned, the regeneration of these sites could proceed, while still retaining wildlife cover. The timber could be salvaged at a later date.

Full suppression of fires would be a beneficial impact in the Douglas fir stands in the Lands Slope area. These are relatively young, healthy stands, and if a wildfire burned them, the timber would be killed and no natural regeneration would be produced. In order to take advantage of the growth potential of the land in a reasonable time, an expensive planting project would be needed.

The general impact of full suppression of fires in lodgepole pine stands would be an adverse impact, because dead and dying trees would stand for several years and take up vital growing space. Fire would be a fast and inexpensive way of rejuvenating these areas.

Access

Full suppression of fires with no equipment limitations could have a beneficial impact, because it would probably create more access to harvest dead and dying timber. It could also have an adverse impact because it would create more potential for soil erosion.

Cultural/Natural History Resources

Management Actions for Energy and Minerals

Oil and Gas

This program has standard protective measures (see Chapter II) that should adequately protect many cultural resources. Beyond the standard measures, Alternative A's management actions would cause significant impacts to several important cultural and natural history resources. These impacts would be both adverse and beneficial, depending on the type of management action and the resource involved.

Beneficial impacts. Alternative A would cause beneficial impacts through two forms of oil and gas management actions. No-surface occupancy restrictions would protect nine important cultural and natural history resources through the prevention of oil and gas-related surface disturbances and intrusions. These resources are the Oregon/Mormon Trail corridor (includes the Gilespie Place/Radium Springs site, the Willies Handcart Commemorative site, part of the Rocky Ridge site, part of the Copy Ridge site, part of the Copy Ridge site, part of the Copy Ridge site, part of the Rocky

(31.500 acres), the Beaver Rim proposed National Natural Landmark (1120 acres), four historical sites within the South Pass Management Unit (460 acres), and the Warm Spring Canyon Flume, National Bridge and Geyser site (190 acres). Withdrawals denying the leasing of oil and gas would also protect seven important cultural resources through the prevention of oil and gasrelated surface disturbances and intrusions. These resources are the Split Rock Landmark (640 acres), the Aspen Grove Campsite (see Wilderness Supplement for a description of this site) (280 acres), part of Rocky Ridge (560 acres), the Red Canyon National Natural Landmark (5760 acres), the Castle Gardens Rock Art site (80 acres), Devil's Gate Landmark (400 acres), and fragile lands along the Oregon/Mormon Trail (320 acres). In addition, the standard protective measures of the oil and gas program would ensure adequate protection of the Sparhawk Cabin, Avoidance of the cabin site and its immediate surroundings by oil and gas operations would be feasible in nearly all cases.

Adverse Impacts. Alternative A would cause adverse impacts because of a lack of restrictions around certain important cultural resources. Oil and gas operations conducted on leases on three different resources could adversely impact those resources through modern surface disturbances and intrusions. These endangered resources are the Ice Spring Slough (those portions not covered by the Oregon/Mormon Trail protective corridor) - (600 acres), most of the proposed South Pass National Register Mining District (11,440 acres), and Martin's Cove (600 acres),

The cumulative impacts of Alternative A's oil and gas management actions would generally be beneficial. Sixteen important cultural and natural history resource properties (covering 41,310 acres) would be protected from oil and gas-related impacts by either no surface occupancy or no leasing restrictions. However, three important cultural resource properties (covering 12,640 acres) could be subject to oil and gas-related impacts. This situation would result in protection for a majority of the important affected resources of the resource area, but some important sites would remain in danger of adverse impacts from oil and gas activities.

Locatable Minerals

This program has limited standard protective measures (see Chapter II) especially for operations disturbing less than 5 acres. As a result, fewer important cultural or natural history resources would be adequately protected by

standard protective measures for locatable minerals operations than by the standard protective measures of most other programs. The management actions in Alternative A would include significant effects on important cultural and natural history resources, some of which would be beneficial, and others could be adverse.

Beneficial Impacts. Alternative A would cause beneficial impacts through one form of locatable minerals management action.

Withdrawals that close lands to mineral location and activity would protect 15 important cultural resources through the prevention of all locatable minerals-related surface disturbances and intrusions. These resources are the same ones reported under beneficial impacts for oil and gas.

Adverse Impacts. Alternative A could cause adverse impacts because of a lack of restrictions around certain important resources. Mining operations, especially those disturbing less than 5 acres, could adversely impact ten different resources through modern surface disturbances and intrusions. These endangered resources are the Sparhawk Cabin (10 acres), the Oregon/ Mormon Trail corridor (those BLM-administered surface lands not covered by protective withdrawals) - (21,700 acres), Ice Spring Slough (1,250 acres), part of the Rocky Ridge site (that area not covered by protective withdrawal) - (280 acres), the Gilespie Place/Radium Springs site (40 acres), Willies Handcart site (40 acres). Beaver Rim proposed National Natural Landmark (1,120 acres). Red Canvon National Natural Landmark (5.760 acres), most of the proposed South Pass National Register Mining District (11,310 acres), and the Martin's Cove site (600 acres).

The cumulative impacts of Alternative A's locatable minerals management actions would be generally adverse. Ten important cultural and natural history resource properties (covering 42,110 acres) would be subject to locatable minerals impacts. Fifteen important cultural resource properties (only covering 3,060 acres) would be protected from mining impacts through no-mining restrictions. This situation would result in continued vulnerability for most of the important affected resource properties of the resource area, although some important properties would be protected.

Phosphates

This program has standard protective measures (see Chapter II) that should adequately protect many cultural resources. Beyond the standard

measures, Alternative A's management action would cause significant impacts to one important natural history resource. The impacts would be beneficial on this specific resource. The management action would close phosphate prospecting and leasing and would protect the Red Canyon National Natural Landmark (NNL) through the prevention of phosphate mining-related surface disturbances and intrusions. The Red Canyon NNL covers 5,760 acres. No adverse impacts would occur because of the total prevention of phosphate-falled activities.

The cumulative impacts of Alternative A's phosphate management action would be beneficial.

Management Actions for Landownership Adjustments and Utility Systems

This program has standard protective measures (see Chapter II) that should adequately protect many cultural resources. Beyond the standard measures, Alternative A's management actions would cause significant impacts to several important cultural and natural history resources. These management action impacts would be both adverse and beneficial, depending on the management action and the resource involved.

Adverse Impacts

Alternative A would cause adverse impacts through some of the utility system management actions. Major utility systems allowed on nine cultural and natural history resource properties could adversely impact those sites through surface disturbance and visual intrusion. These endangered resources are the Oregon/Mormon Trail corridor (includes the Gilespie Place/Radium Springs site, and Willies Handcart site) - (31,500 acres), Ice Spring Slough site (1,250 acres), the entire Rocky Ridge site (840 acres), Beaver Rim proposed National Natural Landmark (1,120 acres), Red Canyon National Natural Landmark (5,760 acres), South Pass proposed National Register Mining District (11,900 acres), and Devil's Gate Landmark (400 acres).

Beneficial Impacts

Landownership adjustments management actions involving retention of BLM-administered lands could beneficially impact one important cultural resource property through the retention of certain lands by BLM. Retention of these lands

would result in the continued protection of important historical trail resources. These resources are part of the Oregon/Mormon Trail, and 1,029 acres with trail resources would be preserved in their present state under this management action.

Standard procedures used in the utility systems management program would, in some cases, ensure avoidance of adverse impacts on certain important cultural resources. Because of the situations of these resources, unfavorable topography, unique location, etc., utility systems would probably not be built near these resources; in that sense, a beneficial effect would occur. The resources likely to be avoided are Sparhawk Cabin (10 acres), Split Rock Landmark (640 acres), the Aspen Grove site (280 acres), Castle Gardens (80 acres), the Warm Spring Canyon Flume, Natural Bridge and Geyser (190 acres), and Martin's Cove (600 acres).

The cumulative impacts of Alternative A's landownership adjustments and utility systems management actions would generally be adverse. Nine important cultural and natural history resource properties (covering 52,770 acres) would be subject to impacts from utility systems. Six important cultural resource properties (covering 1,800 acres) would be protected from utility system impacts, primarily because of their locations. Elements of one more important resource would be retained by BLM and would be protected. This situation would result in continued vulnerability for most of the important affected resources of the resource area, although some important resources would be protected.

Management Actions for Cultural/ Natural History

This program is oriented toward cultural and natural history resource protection, and all special management actions under this program would enhance the protection of selected important cultural and natural history resources. Alternative A would cause beneficial impacts through several special management actions, but could cause adverse impacts through the lack of special actions also.

Beneficial Impacts

Management plans would help protect several cultural resource properties through the well thought out management of those resources. The resources would be the Oregon/Mormon Trail

corridor (including the trail-related sites of the Split Rock Landmark, lee Spring Slough, Rocky, Ridge, Gilespie Place/Radium Springs, Willies Handcart Commemorative site, Devil's Gate Landmark, Martin's Cove, and Burnt Ranch, (if acquired)), Red Canyon National Natural Landmark, and South Pass proposed National Register Mining District (including five historical mining sites).

Adverse Impacts

Alternative A could cause adverse impacts because of a lack of adequate management at a few important cultural resource sites. Without adequate management, destructive forces (natural and human-caused) could cause deterioration of two cultural resource properties. These properties are the Castle Gardens Rock Art site and the Warm Spring Canyon Flume, Natural Bridge and Geyser site.

In addition to the above, some important cultural and natural history resources would not be given special management but would not be adversely affected. Because of each property's good integrity and protected location, these resources would not suffer from a lack of special cultural/natural history program management at this time. These properties are the Sparhawk Cabin, the

Aspen Grove site, and the Beaver Rim proposed National Natural Landmark.

The cumulative impacts of Alternative A's cultural/natural history management actions would generally be beneficial. Ten important cultural properties would be protected through enhanced management, and three more resources would remain protected despite the lack of enhanced management. Two resource properties would, however, be subject to deterioration because of a lack of adequate management.

Conclusion. Alternative A would impact the affected cultural and natural history resources of the resource area in both adverse and beneficial ways, but would be the least beneficial choice of all the alternatives from a cultural/natural history resource protection viewpoint. Alternative A protects fewer important resources than alternatives B and C in the Oil and Gas, Locatable Minerals, and Landownership programs. The most important resource (the Oregon/Mormon Trail and its sites) in the resource area would not be beneficially impacted for the most part by the Locatable and Landownership management actions. The South Pass Mining District, the second most important resource in the area, would also not be beneficially impacted by the Oil and Gas, Locatable, and Landownership management actions (see table 4-6).

TABLE 4-6

EFFECTS ON SIGNIFICANT CULTURAL/ NATURAL HISTORY RESOURCES ALTERNATIVE A

Management Unit	Significant Resources	Management Actions	Resource Protected
Green Mountain	Sparhawk Cabin	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes (1) No Yes (1) Yes (2)
Beaver Creek	Oregon/Mormon Trail	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes No No Yes (4)
	Oregon/Mormon Trail Sites —		
Beaver Creek	Split Rock Landmark	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems	Yes Yes Yes (1)
Beaver Creek	Ice Spring Slough	Cultural/Natural History Oil and Gas	Yes (4) Mostly
Deaver Creek	ioc opining alough	Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	No (3) No No No Yes (4)
Beaver Creek	Rocky Ridge	Oil and Gas Locatable Minerals	Yes Mostly Yes (3)
		Landownership Adjustments and Utility Systems Cultural/Natural History	Yes (1) Yes (4)
Beaver Creek	Gilespie Place/ Radium Springs	Oil and Gas Locatable Minerals, Landownership Adjustments and Utility Systems Cultural/Natural History	Yes No No Yes (4)
Beaver Creek	Willies Handcart Site	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes No No Yes (4)
Beaver Creek	Beaver Rim Proposed NNL	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems	Yes No No Yes (2)
Beaver Creek	Burnt Ranch	Cultural/Natural History Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems	N/A N/A
Beaver Creek	Aspen Grove Campsite (an 1824 fur- trappers' campsite in the Sweetwater Canyon - see Wilderness Supplement for details)	Cultural/Natural History Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes (4) Yes Yes Yes (1) Yes (2)

TABLE 4-6 (Continued)

EFFECTS ON SIGNIFICANT CULTURAL/ NATURAL HISTORY RESOURCES ALTERNATIVE A

Management Unit	Significant Resources	Management Actions	Resource Protected
Red Canyon	Red Canyon NNL	Oil and Gas Locatable Minerals Phosphates Landownership Adjustments	Yes No Yes
		and Utility Systems Cultural/Natural History	No Yes
South Pass	South Pass Pro- posed National	Oil and Gas	Mostly No (3)
	Register Mining District	Locatable Minerals	Mostly No (3)
		Landownership Adjustments and Utility Systems Cultural/Natural History	No Somewhat Yes (3)
Gas Hills	Castle Gardens	Oil and Gas Locatable Minerals Landownership Adjustments	Yes Yes
		and Utility Systems Cultural/Natural History	Yes (1) Somewhat Yes (3)
Gas Hills	Oregon/Mormon Trail	Oil and Gas Locatable Minerals Landownership Adjustments	Yes No
		and Utility Systems Cultural/Natural History	No Yes (4)
Gas Hills	Oregon/Mormon Trail Sites - Devils Gate	Oil and Gas Locatable Minerals Landownership Adjustments	Yes Yes
	Landmark	and Utility Systems Cultural/Natural History	No Yes (4)
Gas Hills	Martins Cove	Oil and Gas Locatable Minerals Landownership Adjustments	No No
		and Utility Systems Cultural/Natural History	Yes (1) Yes (4)
Dubois Area	Warm Spring Canyon Flume, Natural	Oil and Gas Locatable Minerals	Yes Yes
	Bridge and Geyser	Landownership Adjustments and Utility Systems Cultural/Natural History	Yes (1) No

^{(1) -} Resource would be protected by standard protection measures.

^{(2) -} Resource would not have special cultural/natural history program management, but would still be adequately managed.

^{(3) -} Part of site would be protected, part would not be protected.

^{(4) -} Managed according to the Oregon/Mormon Trail Management Plan recommendations.

ALTERNATIVE B

Management Actions for Energy and Minerals

Overall, mineral activities would be limited to a greater extent under Alternative B than under Alternative A (see table 4-4). Although the area open to oil and gas leasing would increase, the acreage that would have surface restrictions and that would be closed to locatable mineral activity would also increase. Area closed to mineral activity would preclude discovery or development. Seasonal, no-surface occupancy, and off-road vehicle restrictions could prevent mineral resources from being developed in the most timely and efficient manner.

Oil and Gas

Four and a half percent more acreage would have no-surface occupancy and seasonal restrictions applied under Alternative B than under Alternative A (see Chapter II, Alternatives Including the Proposed Action). The additional acreage would be the result of no-surface occupancy restrictions covering more area in the Beaver Creek and Gas Hills Management units under Alternative B than Alternative A. It would also result from opening the Lander Slope. Red Canyon, Whiskey Mountain, East Fork, and Dubois Badlands units to leasing, exploration and development and applying surface restrictions to areas within these units that were closed to oil and gas activity under Alternative A (see table 4-1). Thus, the adverse effects of not being able to discover oil and gas reservoirs in no-surface occupancy areas, plus the untimely and inefficient development of subsurface resources as a result of directional drilling, would increase (see Impacts to Oil and Gas that are Common to all Alternatives). Area-wide no-surface occupancy restrictions would cover approximately 99,000 acres, or 4 percent of the resource area.

Additional acreage (approximately 100,000 acres) would be open to oil and gas leasing, exploration and development under Alternative B because of the opening of the Lander Slope, Red Canyon, Whiskey Mountain, East Fork, and Dubois Badlands units to oil and gas activity. Thus, the potential to discover and develop oil and gas resources that was denied in these units under Alternative A. In

addition, potential drainage by wells drilled on adjacent private and state lands would be reduced.

Locatable Minerals

Under Alternative B, more acreage (approximately 90,000 acres) would be closed to exploration and development of locatable minerals than under Alternative A. The increased acreage would result from added withdrawals in the Beaver Creek and Gas Hills Management units, plus withdrawal of the Lander Slope, Red Canyon, South Pass, Whiskey Mountain, and part of the Dubois Badlands units from the mining laws. The closures would preclude the opportunity to discover and develop the locatable mineral resources in these areas.

Management actions would require a plan of operations for exploration and development of approximately 2 percent of the acreage open to locatable mineral entry. This restriction could cause delays in the development of the mineral resource and could deny use of the most efficient exploration and mining methods. Claimants and prospectors would have to wait for approval to use off-road vehicles. In addition, the rights of ingress and egress of mining claims and prospectors on public lands would be restricted by off-road vehicle limitations in the South Pass unit.

Phosphates

The management actions for phosphates would have the same impacts under Alternative B as under Alternative A. By not issuing new prospecting permits or leases, low-grade phosphate reserves in the Lander Slope and Red Canyon Management units would not be developed.

Other Actions

The impacts under Alternative B would be the same as under Alternative A. The withdrawal of lands around Sinks Canyon State Park would preclude any mineral resources in the withdrawn area from being discovered or developed.

A detailed description of the segregated and withdrawn areas, plus the areas that would have seasonal and no-surface occupancy restrictions for each energy and mineral resource can be found in Chapter II, Alternatives Including the Proposed Action.

No other management actions under Alternative B would significantly impact energy and mineral resources.

Conclusion. Under Alternative B, existing segregations and withdrawals, plus seasional, no-surface occupancy, and off-road vehicle restrictions, would limit mineral activities to a greater extent than under Alternative A. These actions would adversely affect the short-term (0 to 10 years) productivity of mineral resources on a larger acreage than under Alternative A. However, these impacts would not be irreversible or irretrievable since surface-restrictions could be modified or eliminated.

Soils, Water and Air Quality

Management Actions for Energy and Minerals

Oil and Gas

Under Alternative B all management units would have the potential to be impacted by oil and gas activities.

The impacts from oil and gas activities under this alternative would be more significant on the Lander Slope, Red Canyon, Whiskey Mountain, East Fork, and Dubois Badlands Management units than in Alternative A. Management actions on the remaining management units would not be significantly chanced from Alternative A.

Under all management units in this alternative, oil and gas activity may be divided into three main management actions: exploration, development and reclamation.

The major exploration activity of oil and gas development is seismographic investigations. Impacts associated with seismographic investigations are: vegetative cover destruction, soil compaction, gully and rill erosion, and streambank disturbance. All these impacts would result in accelerated erosion and potentially increased levels of sedimentation into adjacent live streams.

The most significant impacts to soil, watershed and air quality occur during development of oil and gas resources. Impacts are similar to those that occur with seismographic activities; however, impacts are generally concentrated on individual well locations, which average approximately 10 acres in size. An additional problem encounters with site development is salt loading. This is not

common but becomes a significant problem when previously nonsaline soils become saline from drastic soil disturbance on oil and gas development sites. Salt loading may limit reclamation success by restricting the growth of native species.

Most reclamation efforts are directed at reducing accelerated site erosion and establishing native vegetation on disturbed sites. In the short-term it takes an average of 3 to 5 years to establish adequate vegetation to control accelerated erosion on disturbed sites. In the long-term, it takes a substantially longer period of time to establish permanent native vegetation and to increase site fertility. On most disturbed sites, soil characteristics (soil physical, chemical and biological properties) will not return to their predisturbance levels within our lifetimes. This is an irreversible and irretrievable impact.

Air quality in producing areas could be adversely impacted by vehicle emissions, dust and potentially dangerous gases emitted from producing wells. These impacts might be significant in the short term (i.e., during well development and production phases, in a localized area) and insignificant in the long term (following well closure).

Soil and watershed damage would be minimal since no-surface occupancy restrictions could be used to protect water quality, fisheries, riparian areas, and steep slopes.

Locatable Minerals

With Alternative B all management units except Lander Slope, Red Canyon, South Pass, Whiskey Mountain, and East Fork would be open to exploration and development of locatable minerals. With exploration and development of locatable minerals, disturbed lands would be subject to soil compaction and accelerated wind and water erosion. Water quality related values would be affected by increased sediment loads in disturbed watersheds. Air quality values would have the potential to be degraded, depending on the amount of activity from locatable exploration and development.

Overall, the significance of impacts from tocatable mineral exploration and development in this alternative would be less than that in Alternative A, as a result of the closure of five management units to exploration and development. Impacts on Green Mountain, Beaver Creek, Gas Hills, and Dubois Area Management units would be similar to those in Alternative A.

On the Dubois Badlands Management Unit, the significance of impacts on existing locatable mineral claims would be greater than in Alternative A, but less than Alternative A in all other areas since no new claims would be issued.

Impacts from phosphate resource development would be the same as they are in Alternative A for the only two management units affected, Lander Slope and Red Canyon.

Management Actions for Fish and Wildlife

Some improvement in watershed quality and reductions in erosion rates would be expected with management actions for fish and wildlife in the Beaver Creek, South Pass, and Green Mountain Management Units. Slight change is expected in other management units. Some potential exists for temporary air quality degradation in the immediate area of a prescribed fire.

Management Actions for Forestry

Some impacts from timber harvesting and management would be expected on all but the Red Canyon Management Unit. Impacts would be greatest on the Green Mountain Management Unit. An increase, compared to Alternative A, in impacts to soil, watershed and air resources would be expected on the Green Mountain, Lander Slope and South Pass Management units. A decrease in impacts from timber harvesting would be expected on the Red Canyon Mangement Unit compared to Alternative A. No significant change in impacts would be expected on all other management units compared to Alternative A.

In the short-term, on all management units recommended for timber harvesting, this alternative would increase erosion and resultant sedimentation from removal of forest cover and from road disturbance associated with logging operations. Soil compaction would increase the potential for surface runoff, accelerate erosion, and increase sedimentation in roadways, landings, and skid trails from heavy equipment use. In the long term site, productivity might be significantly reduced in compacted areas.

If slash piles were burned following timber harvesting, soil nutrient enrichment and scarification for seedbed preparation would be a beneficial impact in these areas.

Management Actions for Access

In silty and fine sandy loam soil textures, air quality might be degraded during road construction and heavy local traffic use. These impacts would be insignificant and restricted to areas of local disturbance.

Management Actions for Landownership Adjustments and Utility Systems

An overall reduction in wind and water erosion and sedimentation would be expected in Alternative B compared to Alternative A, with recommended management actions for utility systems.

Impacts from utility system construction would be the same in this alternative on the Green Mountain, Beaver Creek, Lander Slope, Gas Hills, East Fork Dubois Area, and Whiskey Mountain Management units as they are in Alternative A.

There would be significantly less impact than in Alternative A on the Red Canyon, South Pass and Dubois Badlands Management units in this alternative from utility system construction.

Management Actions for Off-Road Vehicles (ORVs)

Overall, a slight reduction in erosion from ORV use would occur in Alternative B. compared to Alternative A, because of the closure of the Dubois Badlands Management Unit to ORV use. Impacts to soil and watershed resources would occur during the season of use and when the soil is not frozen or snow covered. The major impacts would be soil compaction and accelerated wind and water erosion, which would depend on the amount of traffic and how the road has been engineered and maintained.

Management Actions for Fire

Impacts to soil and watershed resources would be less from fire suppression operations in this alternative than in Alternative A, with limited or restricted use of heavy equipment. As was the case in Alternative A, impacts associated with use of heavy equipment include soil compaction, increased wind and water erosion, reduced site productivity, and increased sedimentation. These

impacts would have significant short-term effects on the affected areas.

In Alternative B, where additional acreage might be burned because of limited use of heavy equipment, two significant impacts might occur. One would increase potential for soil erosion until vegetation has been reestablished, and the other would cause a significant reduction in site productivity on some areas damaged by intense wild fire, e. g., in areas of high soil/OSS. These impacts would be significant in the short term or long term depending on extent and location of wildfires. Local air quality would be degraded during a fire, which would be a short-term impact.

Fish and Wildlife

Management Actions for Energy and Minerals

Oil and Gas

Management actions for the oil and gas program for the Green Mountain, Beaver Creek, Gas Hills, and Dubois Area Management units would be the same as Alternative A. The units would be open to oil and gas leasing, exploration, and development with no-surface occupancy and seasonal stipulations to protect important wildlife impacts to fish and wildlife. In these management units, no-surface occupancy and seasonal stipulations would benefit big game, fish, waterfowl, game birds, beaver, and many other fish and wildlife species associated with streams and riparian habitairs.

In the Green Mountain Management Unit, significant adverse impacts could occur to the elk and mule deer herds over the next 60 years from habitat disturbances in high- and moderate-potential oil and gas areas.

In the Beaver Creek and Gas Hills Management units, significant habitat losses over the next 60 years would adversely affect mule deer, antelope and sage grouse. The Dubois Area Management Unit could suffer significant moose, elk, deer, and bighorn sheep herd losses over the next 60 years from oil and gas activities.

Better raptor and priarie-dog colony inventories would be needed to avoid adverse impacts to raptors and possible black-footed ferrets in all four

of these management units. For the South Pass Management Unit, impacts to wildlife from oil and gas activities would be similar to Alternative A, except that the crucial moose habitat would be protected with a no-surface occupancy stipulation. This action could provide a significant long-term benefit to the wintering moose population, since this area is heavily used by a large portion of the Lander moose hert. Elk could also benefit since there is some overlap in moose and elk ranges.

The Lander Slope, Red Canyon, Whiskey Mountain, East Fork, and Dubois Badlands Management units would be open to oil and gas leasing, exploration and development with no-surface occupancy stipulations to protect water quality, fisheries, riparian areas, sage grouse breeding areas and threatened and endangered species. Seasonal restrictions would be used to protect big game crucial winter ranges, elk calving areas, sage grouse nesting areas and raptor nesting sites.

Significant long-term adverse impacts could occur to elk, mule deer, moose and bighorn sheep on the Lander Slope and Red Canyon Management units from habitat disturbance and increased access caused by oil and gas exploration and development.

The use of no-surface occupancy restrictions on streams and riparian areas in the Lander Slope and Red Canyon Management units would provide significant benefits through protection of moose habitat, fisheries (in seven streams and their tributaries), water quality, bald eagle winter roost areas (cottonwood floodplains), and several riparian associated high-priority standard habitatites (wetlands, subirrigated, cottonwood floodplains, willow floodplain).

No-surface occupancy restrictions on soils on steep slopes would protect raptor nesting habitat on many cliff sites and bighorn sheep escape cover, and some crucial habitat on steep canyon slopes. Also, some high-priority standard habitat sites would be protected by slope restrictions.

Seasonal restrictions on exploration activities would protect wintering big game from the effects of stress, disturbance and displacement from geophysical and exploration activities. These restrictions would not be in effect to protect wildlife should production be established or field or mine development become a reality.

Opening the East Fork Management Unit to oil and gas leasing, exploration and development

could cause significant long-term adverse impacts to elk and bighorn sheep. Habitat and forage losses could cause shifts in elk distribution, causing increased competition with other big game or displacement off the unit where conflicts with livestock and ranchers could occur.

Oil and gas leasing, exploration, and development in the Whiskey Mountain Management Unit could severely impact the bighorn sheep herd, especially if road building and pad construction occurred on one of the preferred wintering sites. A relatively small amount of habitat loss could significantly impact the bighorn population by increasing stress, disturbance and displacement factors.

No-surface occupancy restrictions would benefit riparian habitat, aquatic habitat and some bighorn sheep escape cover. Seasonal restrictions would benefit bighorn sheep, elk, moose, and mule deer on crucial winter and winter/yearlong ranges and raptors during nesting periods by eliminating stress and disturbance caused by oil and gas activities.

Major impacts from oil and gas activities in the Dubois Badlands would be disturbance of the resident bighorn sheep population and the wintering elk herd, and increased sedimentation in the Wind River, which would degrade aquatic habitat. The Wind River antelope herd and a portion of the Dubois mule deer herd could also be significantly impacted from these activities.

No-surface occupancy stipulations on a small stretch of the Wind River would protect winter mose habitat, fisheries and the cottonwood floodblain high-priority habitat type.

Conclusion. In the Green Mountain, Beaver Creek, Gas Hills, and Dubois Area Management units, no-surface occupancy and seasonal restrictions would help protect big game, fish, waterfowl, game birds, beaver, and many other fish and wildlife species. However, significant adverse impacts could occur to big game herds in these units over the next 60 years because of habitat losses over the majority of these units that are open to oil and gas leasing.

In the South Pass Management Unit, impacts to wildlife would be similar to Alternative A, except that the crucial moose habitat would be protected with a no-surface occupancy stipulation.

Opening the remaining units to oil and gas development would significantly impact big game herds.

Locatable Minerals

Under Alternative B, impacts to wildlife would be the same as under Alternative A for the Dubois Area, Green Mountain, Beaver Creek, and Gas Hills Management units. Briefly summarized, significant long-term adverse impacts could occur to moose, mule deer, trout, and high-priority habitat types in the Dubois Area Management Unit; elk and trout in the Green Mountain Management Unit; sage grouse, mule deer and trout in the Beaver Creek Management Unit; and mule deer, antelope, sage grouse, and raptors in the Gas Hills Management Unit.

The Lander Slope, Red Canyon, South Pass, and Whiskey Mountain Management units, as well as portions of the East Fork Management Unit not already withdrawn, would be closed to exploration and development of locatable minerals. The exceptionally high-value fish and wildlife resources in these units would not be exposed to the negative impacts of mineral exploration and development activities discussed under Alternative A. Significant long-term benefits to many fish and wildlife resources would result.

In the Dubois Badlands Management Unit, exploration and development of locatable minerals on existing claims would be allowed, but the remainder of the unit would be closed. The potential for negative impacts on bighorn sheep, elk and other fish and wildlife resources caused by mineral exploration and development would be precluded, and significant long-term benefits to fish and wildliffe resources would result.

The management actions for phosphates would be the same as under Alternative A. No new prospecting permits or leases would be issued. Habitat disturbance would not occur on areas not previously leased and fish and wildlife resources would benefit.

Bighorn sheep and raptors would be the main beneficiaries of withdrawing the lands around Sinks Canyon State Park from mineral leasing.

Conclusion. Adverse impacts could occur to fish and wildlife resources from mineral exploration and development in the Dubois Area, Green Mountain. Beaver Creek, and Gas Hills Management units. Significant long-term benefits would occur to fish and wildlife resources in the remaining management units.

Management Actions for Fish and Wildlife

Under Alternative B, management of fish and wildlife would be the same as under Alternative A for all management units except Gas Hills. Existing fish and wildlife habitat Improvements would be maintained and routine habitat improvement projects would be completed to enhance and maintain fish and wildlife resources. Special emphasis would be placed on fisheries management in the South Pass and Beaver Creek Management units, elk in the Red Canyon and East Fork Management units, and bighorn sheep in the Whiskey Mountain Management Unit. All of these management actions would provide significant long-term benefits to a variety of fish and wildlife species.

In the Gas Hills Management Unit, the only difference under this alternative is that bighorn sheep would be transplanted into the Sweetwater Rocks. Since this area is historically bighorn sheep range and adequate forage is present to support a large bighorn sheep herd, this transplant would establish another viable herd of bighorn sheep. This action would provide significant long-term benefits to the perpetuation of Rocky Mountain bighorn sheep by reintroducing them to historical range.

Conclusion. Management actions for fish and wildlife would significantly benefit fish and wildlife in all management units. Reintroduction of bighorn sheep into the Sweetwater Rocks would be a significant beneficial impact.

Management Actions for Forest Management

Under Alternative B, timber harvesting would be accelerated on the Green Mountain Management Unit. The proposed accelerated harvest of approximately 10 MMBF per year, along with the associated road construction, could have an adverse impact on the elk and deer herds by creating excessive loss of thermal and hiding cover. The network of roads needed could greatly increase the traffic on many areas at one time, thereby reducing the safe, isolated areas needed by big oame, especially elk.

Forest resources in the Beaver Creek, Gas Hills, and Dubois Badlands Management units are so scarce that no forest management actions are planned and, therefore, no impacts to wildlife are anticipated. Timber sales developed for the

Whiskey Mountain and Dubois Area Management units would incorporate fish and wildlife concerns, resulting in benefits to most fish and wildlife resources.

On the Lander Slope Management Unit, harvesting of one or several larger timber sales could have a long-term beneficial impact on wildlife habitat by creating more diverse vegetation patterns for cover and forage values. This would reduce the long-term adverse impacts to wildlife by harvesting larger volumes in a shorter time and reducing the time period that the area would be subjected to the adverse impacts associated with timber development.

By removing the majority of the volume in a period of 10 to 15 years, the stands would revert again to an even-aged condition, setting the stage for another beetle epidemic and a catastrophic fire situation. A large amount of new forage would be available for a relatively short time; however, the tree canopy closed, sunlight would not penetrate to the ground and new forage would not be produced. This would be a long-term adverse affect

By utilizing a modification of this alternative, whereby one or several sales totalling about 10 MMBF, plus sale of other minor forest products on a demand basis, were sold and cut, and restricting activity for about 10 years before another sale, a mixed-age class of timber stands could be developed. This would provide beneficial impacts to the habitat.

The short-term adverse impacts would be present while harvesting was actually taking place; however, with judicious development, utilizing restrictions to minimize impacts, significant longterm habitat improvement could be achieved.

In the South Pass Management Unit there are limited amounts of mature stands to provide adequate cover. Clearcutting these areas would remove much of the cover needed for big game habitat. More forage would be produced in the cutover areas. However, big game populations could be reduced because of the reduction in cover requirements.

Precommercial and commercial thinnings in immature stands would create beneficial impacts. The cover requirements would still be intact after thinning and the forage under the trees would not receive too much shade to retard growth.

Timber harvesting on the East Fork Management Unit would have to be compatible with elk management, which would result in long-term benefits to elk by ensuring that habitat needs

would be met. The lack of timber harvesting on the Red Canyon Management Unit would not cause any impacts to wildlife.

Conclusion. Accelerating timber harvesting on the Green Mountain Management Unit would have an adverse impact on elk and deer. No impacts to wildlife are anticipated from timber harvesting in the Beaver Creek, Gas Hills, Dubois Badlands, Whiskey Mountain, Dubois Area, and East Fork Management units. Harvesting one or several large tracts of timber on the Lander Slope unit could have long-term benefits for wildlife. Clearcutting the remainder of the mature timbered areas on the South Pass unit would have negative impacts on bio dame.

Management Actions for Landownership Adjustments

Under Alternative B, no lands would be sold or exchanged in the Green Mountain, Beaver Creek, Gas Hills, Dubois Area, East Fork, Lander Slope, Red Canyon, South Pass, and Dubois Badlands Management units. No impacts to fish and wildlife resources would occur.

In the Whiskey Mountain Management Unit, public lands would be available for sale or exchange after the Bighorn Sheep Interagency Technical Committee has analyzed and recommended landownership adjustments. This would ensure that bighorn sheep are not adversely impacted by any land actions.

Management Actions for Recreation

Closing the Red Canyon elk winter range to all winter activities would protect the elk from stress and displacement caused by human activities.

Management Actions for Off-Road Vehicles (ORVs)

Under Alternative B off-road vehicle management actions would have the same effects on fish and wildlife resources as under Alternative A in the Green Mountain, Beaver Creek, Lander Slope, Red Canyon, and South Pass Management units. Limiting ORV use to existing roads and trails would help prevent further terrestrial habitat loss and deterioration of fisheriot Under Alternative B these effects would also apply to fish and wildlife resources in the Gas Hills, East Fork, Dubois Area, and Whiskey Mountain Management units.

Seasonal closures would apply to the Green Mountain, Red Canyon, Lander Slope, East Fork and part of the Whiskey Mountain Management units. These closures would help reduce the effects of stress and disturbance on wintering big game and the siltation of fisheries during early spring.

Year round closure of the Dubois Badlands would mitigate the adverse effects of ORVs on the fragile fish and wildlife resources in this unit. Vegetation that supplies elk and bighorn sheep populations with essential winter forage would not be destroyed, and erosion would be minimized, reducing the effects of siltation on fisheries.

Management Actions for Fire

Under Alternative B full suppression with limited or restricted use of heavy equipment would be recommended. As stated under Alternative A, full suppression could have positive or negative impacts on fish and wildlife resources. The limited or restricted use of heavy equipment would protect fragile soils, resulting in significant fish and wildlife henefits.

Management Actions for Access

Under Alternative B the existing road transportation system would be maintained for all 10 management units, as under Alternative A. In addition, public access would be obtained on several roads.

In the Green Mountain Management Unit, obtaining public access on Willow Creek Road would be beneficial for management of fish and wildlife habitat. Legal access would allow monitoring of impacts from extensive mineral exploration in this area.

In the Beaver Creek Management Unit, obtaining public access on all six roads, which are isolated, would benefit wildlife by allowing easier access for wildlife management activities and by allowing a more uniform and complete harvest of surplus animals.

Public access on the Mormon Basin Road, with seasonal closures on the Lander Slope Management Unit, would allow long-term habitat

management of the area. However, if the road were upgraded, adverse impacts to wildlife could occur by attracting additional hunters and other uses to the area.

In the Gas Hills Management Unit, obtaining public access on the Copper Mountain Road would benefit wildlife by providing better access for wildlife management and obtaining a better, more even harvest

In the Dubois Area, public access on the Tappan Creek Road would also benefit wildlife for the same reasons as in the Gas Hills unit. No impacts to fish and wildlife would occur in the remaining management units.

Management Actions For Wilderness

Alternative B would be wilderness designation for all wilderness study areas. For Sweetwater Canyon, wilderness designation would provide long-term protection of the fishery resources, the moose habitat, the high-priority standard habitat types, and the species associated with these habitats. Restrictions on ORV use, road building and mineral development would benefit wildlife by reducing habitat disturbance and providing a secure area for wintering moose and elk.

For the Sweetwater Rocks, wilderness designation would provide long-term protection of the unique rockland habitat that supports a variety of wildlife species. High-potential habitat for bighorn sheep, peregrine falloons and mule deer habitat would remain undisturbed.

Wilderness designation for the Copper Mountains would provide long-term protection to wildlife habitat, particularly mule deer and antelope crucial winter range.

Forestry

Management Actions for Energy and Minerals

Oil and Gas, Uranium and Other Locatable Minerals

The Green Mountain Management Unit would be open for leasing, exploration and development under this alternative, and the impacts would be similar to those under Alternative A. On Green Mountain, the oil and gas and locatable management action of opening the areas to exploration and development could have significant impacts on timber condition, depending on the extent and level of exploration and development. Many exploration drill sites are in timbered areas. If these areas were cleared of timber and regenerated after drilling, the timber condition would generally improve—dead and dying trees would be replaced with young, growing stock. If the drill sites were in areas already regenerated, the impact would be adverse, because the growing stock would be destroyed and the growth on that site lost for the period of time taken for exploration activities.

On Lander Slope and South Pass, these management actions would have an insignificant impact on the forestry resources.

On Green Mountain oil and gas and locatable management actions would have significant impacts on access, depending on the extent of exploration and development activities. If existing roads were used for access to exploration sites, the impact could be beneficial in some cases, because some roads would need to be upgraded, which might reduce the soil erosion from its present level. Also, these roads could create access for the public to harvest dead timber in more areas.

The impact of using existing or new roads could also be adverse, depending on the level of control exerted over the location and construction and maintenance activities.

If many newly constructed roads were needed, this could increase the erosion potential and also, if they were permanent or semi-permanent, 2 to 2.5 acres per mile of road construction would be taken out of the forestry land base.

Management Actions for Forest Management

Timber Quantities

On Green Mountain the larger harvest level advocated (up to 7 MMBF sawtimber and 1.5 to 2 MMBF fuelwood and other products) would have a significant impact on timber quantities by depleting most of the larger timber in about 5 years

On Lander Slope the high level of harvest would deplete the larger timber in 5 to 7 years, but would replace it with young, healthy stands of regeneration.

On South Pass, the forestry management actions would have no significant impact on timber quantities.

Sustained Yield

On Green Mountain increasing the harvest would have a significant effect because it would bring the timber lands under intensive management more quickly and thereby increase the growth of timber stands dramatically. This would eventually lead to a higher, more reliable sustained yield figure.

On Lander Slope the impact of harvesting large timber volumes would replace the dying and dead stands with regeneration and quickly bring the area under intensive management. This would increase the growth rate of stands and eventually produce a higher and more reliable sustained yield harvest figure.

On South Pass the forest management actions would have no signficant impact on sustained yield.

Timber Condition

On Green Mountain this large harvest level would significantly improve the condition of the timber stands by replacing the dead and dying timber with young, growing stock. It would greatly reduce the misletce infestation, which deforms the trees, reduces their growth and eventually kills them. The mountain pine beetle would be greatly reduced by removing susceptible trees.

By waiting approximately 20 years to harvest old-growth adjacent to regenerated clearcuts, the mistletoe infestation would not be reduced but would reinfest the new trees, thereby starting the cycle over again.

The use of thinning in younger stands has a significant beneficial impact, because it transfers the growth potential onto fewer, healthier stems and prevents the stands from stagnating at an early age.

The impacts on the forestry resources on Lander Slope and South Pass would be similar to impacts on Green Mountain.

Timber Demand

On Green Mountain and South Pass, the forest management actions would have no significant impact on demand. On Lander Slope, the demand would be significantly affected by possibly transferring some of the logging from Green Mountain and Dubois to this area. Also, the demand of many commercial wood cutters and individual public wood cutters could be met in this area.

Access

On Green Mountain the proposed large harvest could mean less road construction for more volume. This harvest would make more intensive maintenance of the Green Mountain Loop Road necessary to keep it in a useable condition.

The Willow Creek Road would also need maintenance and some relocation. Some easement acquisition along the Willow Creek Road might also be necessary.

On Lander Slope the access to this area would be significantly impacted by offering large timber sales. Some existing roads would need to be upgraded and some new construction would be necessary. Both of these would increase access by the public for various activities. This would generally be beneficial for the forestry program, because it would create access for wood cutters to remove much of the dead and dying timber stands.

On South Pass the forest management actions would have no significant impact on access.

Logging and Regeneration

On Green Mountain this proposed large harvest level would mean more employment and more revenues for the timber industry. It would also significantly impact timber regeneration by removing large areas of dead and dying timber to create optimum conditions for regeneration.

The use of irregular clearcuts, up to a limit of 25 acres in size, would enhance natural regeneration potential by creating more edge effect and thus larger trees closer to harvested areas to produce seed for regeneration.

Preparation of seedbeds by pilling and burning the slash would improve the potential of the natural regeneration. This would enhance the value and economics of sales by achieving natural regeneration instead of planting or directly seeding harvested areas.

By utilizing thinnings in younger stands, regeneration would be enhanced by transferring

the growth onto fewer well-formed trees and preventing the stagnation of stands as they age.

The forestry management actions would have similar impacts on Lander Slope and South Pass as on Green Mountain.

Fire

On Green Mountain the harvest level would generally have the same impact as under Alternative A, only it would occur faster.

The impacts of fire management on Lander Slope would be similar to those on Green Mountain. These actions would have no significant impact on fire in the South Pass area.

Cultural/Natural History Resources

Management Actions for Energy and Minerals

Oil and Gas

This program has standard protective measures (see Chapter II) that should adequately protect many cultural resources. Beyond the standard measures, Alternative B's management actions would cause significant impacts to several important cultural and natural history resources. These impacts would be beneficial for all the affected resources involved. Alternative B would cause beneficial impacts through two forms of oil and gas management actions. No-surface occupancy restrictions would protect nine important cultural and natural history resources through the prevention of oil and gas-related surface disturbances and intrusions. These resources are the Oregon/Mormon Trail corridor (includes the Gilespie Place/Radium Springs site. the Willies Handcart Commemorative site and part of the Rocky Ridge site) (31,500 acres), the Beaver Rim proposed National Natural Landmark (1.120) acres), the Ice Spring Slough historical site (1,250 acres), the proposed South Pass National Register Mining District (11,900 acres), the Red Canyon National Natural Landmark (5,760 acres), Warm Spring Canyon Flume, Natural Bridge and Geyser site (190 acres), and Martin's Cove (600 acres).

Withdrawals denying the leasing of oil and gas would also protect six important outlural resources through the prevention of oil and gas-related surface disturbances and intrusions. These resources are the Split Rock Landmark (640 acres), part of Rocky Ridge (560 acres), the Aspen Grove Campsite (280 acres), the Devil's Gate Landmark (400 acres) and fragile lands along the Oregon/Mormon Trail (320 acres). In addition, the standard protection measures of the oil and gas program would ensure adequate protective of the Sparhawk Cabin. Avoidance of the cabin site and its immediate surroundings by oil and gas operations would be feasible in nearly all cases.

The cumulative impacts of Alternative B's oil and gas management actions would be beneficial. Fifteen important outlural and natural history resource properties (covering 54,600 acres) would be protected from oil and gas-related impacts by either no-surface occupancy or no-leasing restrictions. This situation would result in protection for all of the important affected cultural and natural history resources of the resource area from oil and gas-related impacts.

Locatable Minerals

This program has limited standard protective measures (see Chapter II), especially for operations disturbing less than 5 acres. As a result, fewer important cultural or natural history resources would be adequately protected by standard protective measures for locatable minerals operations than by the standard protective measures of most other programs. The management actions in Alternative B would cause significant beneficial effects on several important cultural and natural history resources. Alternative B would cause beneficial impacts through two forms of locatable minerals management actions. Plan of operations requirements would help to protect two important cultural resources through the use of measures designed to locate, evaluate and, if necessary, mitigate impacts to important resources affected by mining operations. Although there is a chance that operations could be allowed to proceed without adequate mitigation of impacts to some important resources, this situation is expected to occur only rarely. Resources that would be covered by plan of operations requirements under this alternative are Sparhawk Cabin (10 acres) and BLMadministered surface lands along the Oregon/ Mormon Trail corridor (21,700 acres).

Withdrawals that close lands to mineral location and activity would also protect 14 important cultural resources through the prevention or reduction of locatable minerals-related surface disturbances and intrusions. These resources are Split Rock Landmark (640 acres), the entire Rocky Ridge site (840 acres), the Aspen Grove campsite (280 acres), Gilespie Place/Radium Springs (40 acres). Willies Handcart Commemorative site (40 acres), Ice Spring Slough site (1,250 acres), Castle Gardens Rock Art site (80 acres), Devil's Gate Landmark (400 acres), fragile lands along the Oregon/Mormon Trail (320 acres), Beaver Rim proposed National Natural Landmark (1,120 acres), Red Canyon National Natural Landmark (5.760 acres), the proposed South Pass National Register Mining District (11,900 acres), Martin's Cove (600 acres), and Warm Spring Canyon (190 acres).

The cumulative impacts of Alternative B's locatable minerals management actions would be beneficial. Sixteen important cultural and natural history resource properties (covering 45,170 acres) would be protected from mining impacts through plan of operations or no-mining restrictions. This situation would result in a high degree of protection for all of the affected resources of the resource area.

Phosphates

This program has standard protective measures (see Chapter II) that should adequately protect many cultural resources. Beyond the standard measures, Alternative B's management action would cause significant impacts to one important natural history resource. The impacts would beneficial on this specific resource. The management action would close phosphate prospecting and leasing and would protect the Red Canyon National Natural Landmark (NNL), through the prevention of phosphate mining-related surface disturbances and intrusions. The Red Canyon NNL covers 5,760 acres. No adverse impacts would occur because of the total prevention of phosphate related activities.

The cumulative impacts of Alternative B's phosphate management action would be beneficial. One important natural history resource property (covering 5,760 acres) would be protected from all phosphate-related activities. This situation would result in the protection of an important affected natural history resource of the resource area from phosphate-related impacts.

Management Actions for Landownership Adjustments and Utility Systems

This program has standard protective measures (see Chapter II) that should adequately protect many cultural resources. Beyond the standard measures, Alternative B's management actions would cause significant impacts to several important cultural and natural history resources. These management action impacts would be both adverse and beneficial, depending on the resource involved.

Adverse Impacts

Alternative B would cause adverse impacts through some of the utility system management actions. Major utility systems allowed on seven cultural and natural history resource properties could adversely impact those sites through modern surface disturbances and intrusions. These endangered resources are the Oregon/Mormon Trail (includes the Gilespie Place/Radium Springs site, and Willies Handcart site) - (31,500 acres), lee Spring Slough site (1,250 acres), the entire Rocky Ridge site (840 acres). Beaver Rim proposed National Natural Landmark (1,120 acres), and Devil's Gate Landmark (400 acres).

Beneficial Impacts

Alternative B would cause beneficial impacts through the closure of major utility systems in some management units. Prevention of major utility systems would benefit two important cultural resources through the continued preservation of their important values. These resource properties are the Red Canyon National Natural Landmark (5,760 acres) and the proposed South Pass National Register Mining District (11,900 acres).

Landownership adjustment management actions involving retention of BLM-administered lands could beneficially impact one important cultural resource property through the retention of certain lands by BLM. Retention of these lands would result in the continued protection of important historical trail resources. These resources are part of the Oregon/Mormon Trail; trail resources on 1,029 acres would be preserved in their present state under this management action.

Standard procedures used in the utility systems management program would in some cases, help ensure avoidance or adverse impacts on certain important cultural resources. Because of the situations of these resources, unifavorable topography, unique location, etc., utility systems would probably not be built near these resources; in that sense, a beneficial effect would occur. The resources likely to be avoided are Sparhawk Cabin (10 acres), Split Rock Landmark (640 acres), the Aspen Grove Campsite (280 acres), Castle Gardens (80 acres), the Warm Spring Canyon Flume, Natural Bridge, and Geyser (190 acres), and Martin's Cove (600 acres).

The cumulative impacts of Alternative B's landownership adjustments and utility systems management actions could generally be adverse. Seven important cultural and natural history resource properties (covering 35,110 acres) could be subject to impacts from utility systems. Two important cultural resource properties (covering 17,660 acres) would be protected from utility system impacts. Six other important resources (covering 1,800 acres) would probably not be impacted by utility systems, primarily because of their locations. Elements of one important resource would be retained by BLM and would be protected. This situation would result in continued vulnerability for a majority of the important affected resources of the resource area, although several important resources would be protected.

Management Actions for Cultural/ Natural History

This program is oriented toward cultural and natural history resource protection, and all special management actions under this program would enhance the protection of selected important cultural and natural history resources. Alternative B would cause beneficial impacts through several special management actions. Management plans would help protect several cultural resource properties through the well thought out

management of those resources. The resources would be the Castle Gardens Rock Art site, Warm Spring Canyon, the Oregon/Mormon Trail corridor (including the trail-related sites of the Spilt Rock Landmark, lee Spring Slough, Rocky Ridge, Gilespie Place/Radium Springs, Willies Handcart Commemorative site, Devil's Gate Landmark, Martin's Cove, and Burnt Ranch (if acquired)), Beaver Rim proposed National Natural Landmark, Red Canyon National Natural Landmark, and the South Pass proposed National Register Mining District (all important sites).

Other important cultural and natural history resources would not be given special management but neither would they be adversely affected. Because of each property's integrity and protected location, these resources would not suffer from a lack of special cultural/natural history program management at this time. These properties are the Sparhawk Cabin and the Aspen Grove site.

The cumulative impacts of Alternative B's cultural/natural history management actions would be beneficial. Fourteen important cultural properties would be protected through enhanced management, and two more resources would remain protected despite the lack of enhanced management.

Conclusion. Alternative B would impact the affected cultural and natural history resources of the resource area in beneficial ways, and would be the most beneficial choice of all the alternatives from a cultural/natural history resource protection viewpoint. Alternative B protects more important resources than alternatives A and C in the Oil and Gas. Locatable Minerals, and Landownership programs. The most important resource (the Oregon/Mormon Trail and its sites) in the resource area would be most beneficially impacted by the Oil and Gas, the Locatable, and Landownership management actions under this Alternative. The South Pass Mining District, the second most important cultural resource in the resource area, would also be the most beneficially impacted by the Oil and Gas, Locatable, Landownership, and Cultural/Natural History management actions of this alternative (see table 4-7).

TABLE 4-7

EFFECTS ON SIGNIFICANT CULTURAL/ NATURAL HISTORY RESOURCES ALTERNATIVE B

Management Unit	Significant Resources	Management Actions	Resource Protected
Green Mountain	Sparhawk Cabin	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes (1) Yes Yes (1) Yes (2)
Beaver Creek	Oregon/Mormon Trail	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes No No Yes (4)
	Oregon/Mormon Trail Sites —		
Beaver Creek	Split Rock Landmark	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes Yes (1) Yes (4)
Beaver Creek	Ice Springs Slough	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes No Yes (4)
Beaver Creek	Rocky Ridge	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes Yes (1) Yes (4)
Beaver Creek	Gliespie Place/ Radium Springs	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes No No Yes (4)
Beaver Creek	Willies Handcart Site	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes No Yes (4)
Beaver Creek	Beaver Rim Proposed NNL	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes No Yes
Beaver Creek	Burnt Ranch	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	N/A N/A N/A Yes (4)
Beaver Creek	(See Wilderness Supplement for site description)	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes Yes (1) Yes (2)

TABLE 4-7 (Continued)

EFFECTS ON SIGNIFICANT CULTURAL/ NATURAL HISTORY RESOURCES ALTERNATIVE B

Management Unit	Significant Resources	Management Actions	Resource Protected
Red Canyon	Red Canyon NNL	Oil and Gas Locatable Minerals Phosphates Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes Yes Yes
South Pass	South Pass Pro- posed National Register Mining District	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes Yes Yes
Gas Hills	Castle Gardens	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes Yes (1) Yes
Gas Hills	Oregon/Mormon Trail	Oll and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes No Yes (4)
Gas Hills	Oregon/Mormon Trail Sites - Devils Gate Landmark	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes No Yes (4)
Gas Hills	Martins Cove	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	No No Yes (1) Yes (4)
Dubois Area	Warm Spring Canyon Flume, Natural Bridge and Geyser	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes No Yes

^{(1) -} Resource would be protected by standard protection measures.

^{(2) -} Resource would not have special cultural/natural history program management, but would still be adequately managed.

^{(3) -} Part of site would be protected, part would not be protected.

 ^{(4) -} Managed according to the Oregon/Mormon Trail Management Plan recommendations.

ALTERNATIVE C

Management Actions for Energy and Minerals

Alternative C would maximize the acreage open to oil and gas leasing and would decrease the acreage under seasonal and no-surface occupancy restrictions. As the rating for the potential occurrence of oil and gas increases from low to moderate to high, the restrictions on oil and gas exploration and development would decrease to only those necessary to protect threatened and endangered plant and animal species or nationally significant cultural resources in areas of high potential for oil and gas occurrence. Thus, the adverse impacts of not being able to discover oil and gas reservoirs in no-surface occupancy areas, plus the untimely and inefficient development of subsurface resources, as a result of directional drilling, would he minimized in high-potential areas. However, moderate- and low-potential areas might be precluded by surface restrictions from the discovery of valuable oil and gas resources, and thus the opportunity to be elevated to a higher potential rating category. Alternative C would also maximize the acreage of public land open to locatable mineral entry. However, it would hinder or preclude exploration and development of leasable and locatable minerals by considering disposal of tracts of land.

Oil and Gas

Alternative C would maximize the acreage open to oil and gas leasing and would decrease the acreage under seasonal and no-surface occupancy restrictions. The adverse impacts of surface restrictions would vary, depending on the potential for occurrence of oil and gas.

KGSs and Areas with High Potential for Occurrence of Oil and Gas: Management actions for these areas would ensure timely and efficient exploration and development of land known to be valuable for oil and gas resources. Exceptions would be lands that would require restricted or limited use because of threatened and endangered species or nationally significant cultural and natural history sites. Drainage of federal oil and gas reserves by wells drilled on adjacent private and state land would be avoided.

Areas with Moderate Potential for the Occurrence of Oil and Gas: By applying seasonal and no-surface occupancy restrictions on a case-bycase basis rather than automatically, the adverse impacts of not being able to discover oil and gas reservoirs, plus the untimely and inefficient development of subsurface resources as a result of directional drilling, would be minimized.

Areas with Low Potential for Occurrence of Oil and Gas: The application of seasonal and no surface occupancy restrictions would result in the same adverse impacts described under Alternative A. No-surface occupancy restrictions would preclude surface disturbing geophysical exploration and thus oil and gas reservoirs might not be discovered. These restrictions would also mandate directional drilling, resulting in untimely and inefficient development of subsurface resources. Seasonal restrictions would also preclude timely development of oil and gas (see Impact to Oil and Gas that are Common to all Alternatives).

Table 4-1 shows the acreage under seasonal, no-surface occupany, and no-lease restrictions, plus the acreage within each oil and gas potential occurrence category for each management unit. Area-wide no-surface occupancy restrictions would cover approximately 79,000 acres, or 3 percent of the resource area.

Management actions that would consider disposal of tracts of land in the Green Mountain, Beaver Creek, Lander Slope, Red Canyon, Cas Hills, East Fork, Dubois Badlands, and Dubois Area Management units would adversely impact the recovery of known oil and gas resources by hindering exploration and development. Even if the mineral estate were reserved to the United States, negotiations between surface owners and increased cost through compensation for surface damaces.

Locatable Minerals

Under Alternative C, approximately 99 percent of the public land in the 10 management units would be open to prospecting, exploration and development of locatable minerals. The management actions for locatable minerals would be beneficial because lands that would be closed under alternatives A and B would be open to development under Alternative C.

Management actions would require a plan of operations for exploration and development of approximately 0.5 percent of the acreage open to locatable mineral entry. This restriction could

cause delays in the development of the mineral resource and could deny use of the most efficient exploration and mining methods.

Management actions for off-road vehicles would not adversely impact locatable minerals under Alternative C to the extent they would under Alternative B, but would create greater impacts than under Alternative A. Actions that limit off-road vehicle use to certain areas or seasons would cause time delays, while claimants and prospectors wait for approval to use off-road vehicles.

Management actions that would consider disposal of tracts of land in the Green Mountain, Beaver Creek, Lander Slope, Cas Hills, and Dubois Area Management units would adversely impact known locatable mineral resources by hindering exploration and development. Even if the mineral estate were reserved to the United States, negotiations between surface owners and mineral operators could cause delays and increased cost through compensation for surface damages.

Phosphates

The management actions for phosphates under Alternative C would benefit the phosphate resource by allowing leasing, exploration and development of low-grade phosphate resources.

Management actions that would consider disposal of tracts of land in the Beaver Creek, Lander Slope and Red Canyon Management units would adversely Impact known phosphate resources by hindering exploration and development. Even if the mineral estate were reserved to the United States, negotiations between surface owners and mineral operators could cause delays and increased cost through compensation for surface damages.

Other Actions

Under Alternative C, lands around Sinks Canyon State Park would not be withdrawn from mineral entry. Thus, mineral resources around the park would benefit because they would be available for exploration and development.

A detailed description of the segregated and withdrawn areas, plus the areas that would have seasonal and no-occupancy restrictions for each energy and mineral resource can be found in Chapter II, Alternatives Including the Proposed Action.

No other management actions under Alternative C would significantly impact energy and mineral resources.

Conclusion. Four management units (the Green Mountain, Beaver Creek, Gas Hill, and Dubois Area units), or 18 percent of the public land within the Lander Resource Area, contain known geologic structures and areas known to have high potential for the occurrence of oil and gas. Since these areas are known to contain valuable oil and gas reserves, they would be available for exploration and development with minimal restrictions, thus ensuring long-term (greater than 10 years) productivity of the oil and gas resource. As the potential for the occurrence of oil and gas decreased to moderate and low, the area covered by surface restrictions would increase to where areas with the least oil and gas value would have the most surface restrictions applied to them. The main drawback of this management action would be that some moderate- and low-potential areas might not have the opportunity to be elevated to a higher potential rating category because the discovery of new oil and gas reservoirs might be precluded. Although this would limit the shortterm (0 to 10 years) productivity of the oil and gas resource, it would not necessarily mean the effects would be irreversible, or irretrievable because surface restrictions could be modified or eliminated.

The land available to locatable mineral operations under this alternative would be maximized. However, exploration and development of leasable and locatable minerals might be hindered or precluded by the disposal of some tracts of land. If the mineral estate was reserved to the United States and made available for disposal under terms of the surface patent, disposal of public land would not create an irreversible or irretrievable effect to locatable minerals.

Soils, Water and Air Quality

Management Actions for Energy and Minerals

Oil and Gas

In Alternative C the potential for significant impacts to soil, watershed and air quality from oil and gas activities would be the greatest of all alternatives. The most significant impacts would

occur on those portions of each management unit considered to be within an area of known geologic structures (KGSs). All or part of all management units would potentially be open to oil and gas exploration and development with this alternative.

Impacts would be the same as described in alternatives A and B for oil and gas exploration, development and reclamation, except they would be greater in extent and significance. As in alternatives A and B, the major exploration activity of oil and gas development is seismographic investigations. Impacts associated with seismographic investigations are: vegetative cover destruction, soil compaction, guily and rill erosion, and streambank disturbance. All of these impacts would result in accelerated erosion and potentially increased levels of sediment into adjacent streams.

The most significant impacts to soil, watershed and air quality would occur during development of oil and gas resources. Impacts would be similar to those that occur with seismographic activities; however, impacts would generally be concentrated on individual well locations, which average approximately 10 acres in size. An additional problem encountered with site development would be salt loading. This is not common but becomes a significant problem when previously nonsaline soils become saline from drastic soil disturbance on oil and gas development sites that restricts drainage or lowers the water table. Salt loading might limit reclamation success by restricting the growth of native species on reclaimed sites.

Most reclamation efforts would be directed at reducing accelerated soil erosion rates and establishing native vegetation on disturbed sites. In the short-term it takes an average of 3 to 5 years to establish adequate vegetation to control accelerated erosion on disturbed sites. In the long-term, it takes a substantially longer period of time to establish permanent native vegetation and increase site fertility. On most disturbed sites, soil characteristics (soil physical, chemical and biological properties) may not return to their predisturbance levels within our lifetimes. This is an irreversible and irretrievable impact.

Air quality in producing areas could be adversely impacted by vehicle emissions, dust and potentially dangerous gases emitted from producing wells. These impacts might be significant in the short-term (during well development and production phases, in a localized area), and insignificant in the long-term (following well closure).

Locatable Minerals

Under Alternative C, the most significant impacts to soil and watershed resources from locatable mineral exploration and development could occur. Most impacts would be similar to those described in Alternative A; however, the extent and significance of disturbance on the East Fork and Dubois Badlands would be greater than in Alternative A. As in Alternative A. all units would be partially or completely open to exploration and development of locatable minerals. With exploration and development of locatable minerals, disturbed lands would be subject to soil compaction and accelerated wind and water erosion. Water quality related values would be affected by increased sediment loads in disturbed watersheds. Air quality values would have the potential to be degraded, depending on the amount of activity from locatable mineral exploration and development.

Under this alternative, a significant increase in soil compaction and erosion could occur on the Dubois Badlands Management Unit, compared to Alternative A, with the removal of seasonal restrictions to protect watershed values.

Phosphates

Under Alternative C impacts from phosphate development would be significantly greater than in other alternatives, because of the availability of the Lander Slope and Red Canyon Management units for new phosphate prospecting, leasing and development. Impacts from phosphate development would be similar to those described under the locatable minerals section, except for an increase in extent and significance of those impacts.

Management Actions for Fish and Wildlife

Management actions for fish and wildlife for this alternative would create a significant increase in short-term impacts to soil, watershed and air quality on the Lander Slope, Green Mountain and Red Canyon Management units. In the short-term, prescribed burning on these management units would potentially increase wind and water erosion, sedimentation and degrade local air quality. In the long term, impacts would become insignificant as eyegatation was reestablished. Impacts on all other management units would be the same as they would be in Alternative A.

Management Actions for Forestry

Overall, impacts from timber harvesting would be the most significant under this alternative. Although slight reductions in impacts would occur on the Green Mountain and South Pass Management units, significant increases would occur on the Lander Slope Management Unit. Impacts on all other management units would remain the same as in the other alternatives.

In all units, in the short-term, timber harvest would vary in extent and significance, but would increase erosion and resultant sedimentation from forest cover removal and from road disturbance associated with logging operations. In the short term, soil compaction would increase the potential for surface runoff, accelerated erosion and increased sedimentation in roadways, landings and skid trails from heavy equipment use. In the long term, site productivity would be significantly reduced in compacted areas.

If slash piles were burned after timber harvesting, soil nutrient enrichment and scarification for seedbed preparation would cause beneficial impacts on these areas.

Management Actions for Access

In silty and fine sandy loam soil textures, air quality might be degraded during road construction and heavy local traffic use. These impacts would be insignificant and restricted to areas of local disturbance.

Management Actions for Landownership Adjustments and Utility Systems

No significant impacts to soil, watershed or air quality would be expected with the landownership adjustments recommended in this alternative.

On the Green Mountain, Beaver Creek, Lander Slope, Gas Hills, and Dubois Area Management units, impacts from installation of utility systems would be the same in this alternative as alternative A and B.

On the Red Canyon and Dubois Badlands Management units, impacts would be the same as they are in Alternative B and significantly more than they are in Alternative A.

There would be significantly less impact on the Whiskey Mountain Management Unit from installation of utility systems in this alternative than in alternatives A and B.

On the South Pass Management Unit, impacts from utility systems would be the same as in Alternative B and significantly less than in Alternative A.

Management Actions for Off-Road Vehicles (ORVs)

Overall, impacts from ORV use would be similar to those in Alternative A and slightly greater than in Alternative B. The major increase in impacts, compared to Alternative B, would be on the Dubos Badlands, which would have only seasonal restrictions on ORV use. As in alternatives A and B, major impacts from ORV use to soils, watershed and air quality would occur during the season of the and for those periods when the soil was not frozen or snow covered. The major impacts would be soil compaction and accelerated wind and water erosion, which would depend on the amount of traffic and how the road had been engineered and maintained.

Management Actions for Fire

Limited fire suppression would be used in all management units, therefore, impacts to soil and watershed resources would be less from fire suppression operations in this alternative than in alternatives A and B. Impacts such as soil compaction, wind and water erosion, reduced site productivity, and sedimentation would be less significant under this alternative.

Limited fire suppression might result in some impacts to soils, watershed and air quality. Generally, where a management decision has been made to allow wild fires to burn, two significant impacts might occur. One would be to increase the potential for soil erosion until vegetation has been reestablished, and the other would be to cause a significant reduction in site productivity on some areas damaged by intense wild fire, e.g., high soil loss. These impacts would be significant in the short term or long term, depending on extent and location of the impacts. In addition, local air quality would be degraded during wildfire events, a short-term impact.

Prescribed burns could adversely affect water quality, accelerate soil erosion, and degrade air quality. In properly planned prescribed fires, these effects could be minimal and held to acceptable levels. As vegetation increased after a prescribed fire, accelerated erosion rates would decrease and water quality would increase.

Overall, impacts from fire suppression operations would be the least significant, and impacts from wildfire damage would be the most significant under this alternative.

Fish and Wildlife

Management Actions for Energy and Minerals

Oil and Gas

Under Alternative C management actions for all management units would be the same but would vary for different areas within each unit, depending on the potential for the occurrence of oil and gas. Management actions would be applied differently to three major catecories:

- 1. KGSs and high potential oil and gas areas
- 2. Moderate potential oil and gas areas, and
- 3. Low potential oil and gas areas.

In the Green Mountain, Beaver Creek, Gas Hills and Dubols Area Management units discontinuing the use of no-surface occupancy stipulations in the use of no-surface occupancy stipulations will didversely impact big game habitat, fisheries, waterfowl, beaver, and a variety of other wildlife species associated with open water and riparian areas. These adverse impacts could be significant, long term and result in an irretrievable and irreversible commitment of resource, depending on the extent of oil and gas development.

Loss of the protection afforded big game animals, sage grouse nesting areas and raptor nest sites in high-potential oil and gas areas by ellminating seasonal restrictions would subject these animals to additional population depressing factors.

A major adverse impact would occur to the Green Mountain elk herd if the no-surface occupancy restriction were eliminated on the elk crucial winter range. Heavy habitat losses would significantly reduce elk carrying capacity and population levels.

The Lander Slope, Red Canyon, South Pass, East Fork, Dubois Badlands, and Whiskey Mountain Management units have low- or moderate-potential for oil and gas. Impacts to wildlife would be the same as leasing with no-surface occupancy and seasonal stipulations in these areas, unless an oil and gas reserve were discovered that would elevate the potential to high.

In moderate-potential areas, adequate documentation of the need for stipulations to avoid significant impacts to wildlife is already available. Requiring all stipulations to be considered on a site-by-site basis would only extend delays in lease and permit processing, and on-site investigations would be conducted to confirm or refine wildlife inventory data.

Conclusion. Green Mountain, Beaver Creek, Gas Hills, and Dubois Area Management units could suffer significant adverse impacts to big game, fisheries, waterfowl, beaver, and other wildlife species. Impacts to other management units would be the same as leasing with no-surface occupancy and seasonal stibulations.

Locatable Minerals

Under Alternative C the Green Mountain, Beaver Creek, Lander Slope, Red Canyon, and Gas Hills Management units would be managed the same as under Alternative A. The units would be entirely open for exploration and development of locatable minerals, except within areas previously withdrawn from mineral entry. Briefly summarized, significant long-term impacts could occur to elk and trout in the Green Mountain Management Unit; sage grouse, mule deer and trout in the Beaver Creek Management Unit; elk, moose, bighorn sheep, mule deer, and trout in the Lander Slope and Red Canyon Management units; and mule deer, antelope, sage grouse, and raptors in the Gas Hills Management Unit.

The South Pass, East Fork, Dubois Badlands, Whiskey Mountain, and Dubois Area Management units would be open to exploration and development of locatable minerals.

In the South Pass unit, trout, moose, beaver, and many other wildlife species would suffer significant long-term impacts. Many high-value standard habitat types would be severely degraded.

Mineral exploration and development in the East Fork, Dubois Badlands, Whiskey Mountain, and Dubois Area Management units could cause significant long-term impacts to elk, moose, bighorn sheep, mule deer, antelope, trout, and many other fish and wildlife resources. Many of these impacts would result in an irreversible and irretrievable commitment of resources.

Phosphates

Opening the Lander Slope, Beaver Creek, and Red Canyon Management units to phosphate

prospecting, leasing and development could potentially degrade the high-value fish and wildlife resources.

If lands around Sinks Canyon were not withdrawn from mineral entry, significant long-term impacts could occur to bighorn sheep and raptors.

Conclusion. Significant long-term adverse impacts could occur to high-value fish and wildlife resources in all management units under this alternative. In some units, such as Whiskey Mountain and East Fork, an irreversible and irretrievable commitment of fish and wildlife resources would result

Management Actions for Fish and Wildlife

Under Alternative C management actions for fish and wildlife would be the same as for Alternative A, with additional emphasis on prescribed burning to improve habitatin the Green Mountain, Lander Slope, Red Canyon, and South Pass Management units.

Burning dense and decadent stands of big sagebrush and mountain shrub habitat would increase forage for wintering elk, mule deer, moose, and bighorn sheep. Burning decadent aspen and willow in the Red Canyon and South Pass units would benefit moose, elk, fish, and a variety of other wildlife species dependent on healthy aspen and willow stands.

Conclusion. Under Alternative C management actions for fish and wildlife would benefit many species in all management units. Emphasizing prescribed fire in four units would provide significant long-term benefits to big game and many other fish and wildlife species as well.

Management Actions for Forestry

Under Alternative C, for the Green Mountain Management Unit, the harvest of approximately 4 MMBF per year on a compartment basis would have a beneficial long-term effect on elk and deer herds by concentrating most activities in specified areas for certain time intervals. This would create forage areas, while maintaining some isolated areas for temporary relocation of animals.

This management regime, if followed diligently, would create a more organized pattern of activities than has been undertaken in the past. This could

have far reaching beneficial impacts on other species such as birds and small mammals by allowing them use of much of the timbered area in a relatively undisturbed state, while forest management activities were being conducted in one or more isolated areas.

Forest resources in the Beaver Creek, Gas Hills and Dubois Badlands Management units are so scarce that no impacts to wildlife would be anticipated. Timber sales planned for the Whiskey Mountain, Dubois Area and East Fork Management units would incorporate fish and wildlife objectives and needs, which would result in benefits to most fish and wildlife resources.

This alternative would mean a more or less permanent presence of logging and firewood cutting activity on the Lander Slope Management Unit. This would have an adverse impact on the wildlife and habitat, causing a decline in populations through harassment and relocation, removal of large areas of thermal and hiding cover, surface disturbance on forage vegetation areas, and increased human and machine activity.

This alternative would have a more beneficial impact on the habitat diversity than Alternative A by producing stands with more diversity in age classes and more available forage for a longer period. Increased use of wildlife resources by the public through increased access and consequent increased fuelwood harvest will be achieved. However, this continual activity would be an adverse impact because it would create continual harrassment of animals and consequent displacement of the heris.

The management of the aspen stands would be a beneficial impact on the habitat diversity. Much of the present aspen is mature or overmature and is in need of rejuvenation.

For the Red Canyon Mangement Unit, an intensity of timber harvest similar to Alternative A, with restrictions, would be recommended. If the proposed restrictions were utilized in the harvesting and prescribed burning of pine and aspen stands, impacts to wildlife and wildlife habitat would be beneficial.

Some timber stands would be opened and more complex forage vegetative communities could be produced in these areas.

On the South Pass Management Unit, small volumes of coniferous timber would be harvested, while 600 to 700 acres of aspen would be managed to improve moose habitat. These actions would increase vegetative diversity and promote aspen regeneration, resulting in beneficial impacts to fish and wildliffe resources.

Conclusion. Long-term benefits for elk and deer herds would occur for the Green Mountain Management Unit. Adverse impacts would result from accelerated harvest on the Lander Stope unit, but habitat diversity and forage production would increase. Impacts to fish and wildlife resources would be beneficial on the Red Canyon and South Pass Management units. Wildlife needs would be considered on the remaining management units in any timber sales, which would result in beneficial impacts.

Management Actions for Landownership Adjustments and Utility Systems

Under Alternative C the disposal of two isolated tracts in the Green Mountain Management Unit would not cause any significant impacts to fish and wildlife resources.

In the Beaver Creek Management Unit, 41 tracts would be targeted for disposal. The majority of these tracts are scattered throughout the area. Only about one-fourth of the tracts has legal access, and most of the tracts are small. The tracts do not represent unique types of wildlife habitat and none of the tracts is known to contain sources of water, except for 164, which has a spring on it. There appears little chance that there would be a change in land use if the lands were disposed of, because of lack of demand for homesites in the area and problems in acquiring access. The adjoining landowners would have priority, if the lands were sold, which could result in the lands being purchased by ranchers and continuing to be used for livestock grazing. For these reasons, there would probably be no change in land use if the lands were disposed of.

There are four tracts (125, 128, 130, and 131) in the area that contain a high diversity of species habitat, including waterfowl habitat. These parcels are near the Sweetwater River bottom and the associated riparian areas. There is some potential for homesites or intensive agricultural development in these areas that could be detrimental to the high-value fish and wildlife habitat.

In the Gas Hills Management Unit, 60 tracts would be considered for disposal. These tracts are concentrated in Copper Mountain and scattered throughout the rest of the unit. The tracts in the Copper Mountain area are isolated from other public land in the area. These parcels provide crucial and high-value habitat for elk, deer and upland game, but because of the rugged terrain and lack of access, the land use would probably not change if the tracts were disposed of.

The remaining tracts scattered throughout the unit provide habitat for antelope, deer and sage grouse. Because of the remoteness and semi-arid qualities of the land and lack of demand for these types of lands, no changes in land use would be anticipated; therefore, there should be minimal impacts to fish and wildlife resources.

In the Dubois Badlands Management Unit, three isolated tracts would be considered for disposal. Existing land use would probably not change because of the lack of access, lack of demand and adjacent landowner preference for purchase. No impacts to fish and wildlife resources would occur from disposal of these tracts.

In the Dubois Area Management Unit, 31 tracts would be considered for disposal. All of these tracts have high fish and wildlife values, but only 13 tracts have physical or legal access. Of these 13 tracts, four parcels are adjacent to the Wind River or east fork of the Wind River. These tracts have high riparian and fishery values. Because of access on these 13 parcels, land use could change, resulting in significant adverse impacts to fish and wildlife resources. Because there is no access, terrains are steep and the parcels are remote, no impacts are anticipated with disposal of the remaining 18 tracts.

Twenty-six parcels would be considered for disposal in the Lander Slope Management Unit. No land change would be anticipated on 16 tracts, but the remaining 10 tracts have legal or physical public access or have a potential to be developed as homesites. These tracts, where the land use could change, could cause significant long-term adverse impacts to high-value wildlife resources. These impacts would be irreversible and irretrievable.

The tracts that would be the target for disposal in the Whiskey Mountain and East Fork Management units would cause detrimental impacts to high-value wildlife, unless these parcels were transferred to the U.S. Fish and Wildlife Service, U.S. Forest Service or Wyoming Game and Fish Department. Since no lands would be disposed of in the Red Canyon and South Pass Management units, no impacts would occur to fish and wildlife.

Management Actions for Recreation

Under Alternative C wintering elk could be significantly impacted by winter recreational activities in the Red Canyon Management Unit.

Management Actions for Off-Road Vehicles (ORVs)

In the long term, off-road vehicle management actions under Alternative C would have the same effects on fish and wildlife resources as under Alternative A in the Green Mountain, Beaver Creek, Red Canyon, and South Pass Management units. In these management units, ORV use would be limited to existing roads and trails, which would help prevent further terrestrial habitat loss and further deterioration of fisheries. In the Green Mountain, Lander Slope and Dubois Badlands Management units, seasonal closures would help reduce stress and disturbance of wintering big came populations.

Off-road vehicle management actions under Alternative C would adversely affect fish and wildlife resources for the long term in the Lander Slope, East Fork, Whiskey Mountain, Dubois Badlands, and Dubois Area Management units. Habitat availability would decrease and the quality of some fisheries would decline as new roads and trails increased in these areas. The lack of winter closures in the Lander Slope and East Fork Management units might result in displacement of big game animals onto private lands, causing conflicts with landowners.

Although ORV traffic would be limited to existing roads and trails in the Dubois Badlands, the fragility of the area, combined with the difficulty of enforcement, would result in lish and wildlife habitat damage if ORVs deviated from existing roads and trails. Habitat damage and ORV disturbance would adversely affect big game populations, in spite of the winter closure for this unit.

Management Actions for Fire

Under this alternative limited suppression and prescribed fires could improve forage on elk, moose, mule deer, and bighorn sheep seasonal ranges, as well as to improve grouse habitat. Under planned conditions, natural fires could improve wildlife habitat if allowed to burn. Conditions and restrictions on fire management techniques and equipment could be planned to prevent unnecessary damage to fish and wildlife habitat.

Management Actions for Access

Under Alternative C the existing transportation system would be maintained in all 10 management units, as described under Alternative A. Wildlife impacts would be beneficial on the Lander Slope Management Unit and no impacts would occur in the remaining nine units.

Forestry

Management Actions for Energy and Minerals

Oil and Gas, Uranium and Other Locatable Minerals

Under this alternative, the entire Green Mountain Management Unit would be open for leasing, exploration and development for oil and gas, uranium and other locatable minerals under certain quidelines.

On Green Mountain oil and gas and locatable minerals could have significant impacts on the forestry program, depending on the level of future exploration and development. These activities could significantly reduce the amount of timber available for harvest by depleting the resources in areas not planned for harvest in the immediate future. This could be beneficial in some areas by removing nonsalable quality timber and replacing it with regeneration after rehabilitation. In other areas it could create adverse impacts by removing healthy, growing stands and losing a long period of growth on these sites. It could also be a longterm, adverse impact if sites were permanently taken out of timber production by oil and gas or locatable mineral production.

On Lander Slope the oil and gas and locatable minerals management actions would have no significant impact on the forest resources.

On South Pass the oil and gas and locatable actions would have no significant impact on timber quantities.

Management Actions for Forestry

Timber Quantities

On Green Mountain, the forestry action of harvesting at the level of up to 3 MMBF of sawtimber and 1.5 to 2 MMBF of fuelwood and other products per year would deplete the larger timber within 10 to 15 years.

On Lander Slope the action of harvesting about 1 MMBF of timber per year, plus the public demand for firewood, would deplete the larger timber within 20 years.

On South Pass the harvest level would have the same impact as Alternative B, except the aspen stands would be managed more intensively. This would reduce the level of larger trees and increase the regeneration in aspen stands.

Sustained Yield

On Green Mountain, managing the timber on a compartment basis, using a harvest level roughly equal to the present demand, would bring the area under a more organized, systematic, intensive management regime. This would produce optimum growth conditions to take advantage of the productive potential of the land and eventually produce a reliable sustained yield figure.

On Lander Slope the impacts from the forest management actions would be the same as under Alternative B.

On South Pass there would be no impact on sustained yield from forest management actions.

On Green Mountain oil and gas and locatable mineral management actions could have a significant effect on the sustained yield figures by removing timber lands from the base acreage, if large deposits were found. By reducing the acreage in the timber land base, the sustained yield figure would be reduced.

Timber Condition

On Green Mountain, by harvesting at the proposed level on a compartment basis, the harvesting could be staggered over various sections of the mountain. This would produce a mosaic of different age classes of regeneration over the whole mountain. In this way no large areas of similar age class trees would be adjacent to each other. This would greatly reduce the possibility of another large scale beetle epidemic in the future. On Lander Slope the forest management action impacts affecting timber condition are the same as under Alternative B.

On South Pass the management action would have the same effect on condition as Alternative B, except the condition of the aspen stands would improve.

On Green Mountain the oil and gas and locatable mineral actions would have the same impact on timber condition as in Alternative B.

Timber Demand

On Green Mountain the forest management actions would have no significant impacts on demand.

On Lander Slope the impact on demand from forest management actions would be the same as under Alternative B.

On South Pass the harvest level would have the same impact on demand as Alternative B, with the exception that if the aspen stands were managed intensively, more of the present demand for minor forest products might be met.

Access

On Green Mountain the management action of harvesting on a compartment basis might reduce the total length of roads needed for timber sales. This would reduce the physical impact on soil and other resources on the area.

On Lander Slope the impact on access from forest management actions would be the same as under Alternative B.

On South Pass the forest management actions would have no significant impact on access.

Logging and Regeneration

On Green Mountain the forest management actions would have the same impacts on logging and regeneration as Alternative A.

On Lander Slope the forest management actions would have the same impacts as Alternative B.

On South Pass the forest management actions of annexisting and thinning would have the same impacts on logging and regeneration as Alternative B, with the exception that by managing the aspen stands intensively, more and healthier regeneration would be produced.

Management Actions for Fire

Under this alternative, the management action for fire would be limited suppression.

Depending on the specific actions in a plan and the location of fires and weather conditions, limited suppression could have a beneficial impact on the lodgepole pine and aspen stands by replacing the dead and dying stands with young, healthy regeneration, which would take advantage of the growth potential of the site.

This same alternative could have an adverse impact on the Douglas fir stands by killing the presently healthy, growing trees and producing no regeneration on the sites.

Cultural/Natural History

Management Actions for Energy and Minerals

Oil and Gas

This program has standard protective measures (see Chapter II) that should adequately protect many cultural resources. Beyond the standard measures, Alternative C's management actions would cause significant impacts to several important cultural and natural history resources. These impacts would be both adverse and beneficial, depending on the type of management action and the resource involved.

Beneficial Impacts. Alternative C would cause beneficial impacts through two forms of oil and gas management actions. No-surface occupancy restrictions would protect 33 important cultural and natural history resources through the prevention of oil and gas-related surface disturbances and intrusions. These resources are the Oregon/Mormon Trail corridor (includes the Gilespie Place/Radium Springs site and the Willies Handcart Commemorative site - 26,950 acres), the Beaver Rim proposed National Natural Landmark (1,120 acres), the Ice Spring Slough historical site (1,250 acres), 20 historical sites within the South Pass Management Unit (665 acres), the entire Rocky Ridge Historical site (840 acres), the Warm Spring Canyon Flume, Natural Bridge and Geyser site (190 acres), the Aspen Grove Campsite (280 acres), the Split Rock Landmark (640 acres), the Red Canvon National Natural Landmark (5,760 acres), Castle Gardens (80 acres), Devil's Gate (400 acres), and Martin's Cove (600 acres).

Extensive archeological investigations in intensive oil and gas development areas would protect as yet unknown cultural and/or natural history resources through the early identification and, if necessary, protection of important resources in the vicinity of the development area. Units expected to be beneficially affected by this management action would be Green Mountain, Reaver Creek, Gas Hills, and Dubols Area.

In addition, the standard protective measures of the oil and gas program would ensure adequate protection of the Sparhawk Cabin. Avoidance of the cabin site and its immediate surroundings by oil and gas operations would be feasible in nearly all cases.

Adverse Impacts. Alternative C would cause adverse impacts because of a lack of restrictions around certain important cultural resources. Oil and gas operations conducted on leases on one resource could adversely impact other resources through surface disturbances and intrusions. Resources in danger of disturbance would be most of the proposed South Pass National Register Mining District (11,235 acres).

The cumulative impacts of Alternative C's oil and gas management actions would be mostly beneficial. Thirty-three important cultural and natural history resource properties (covering 38,775 acres) would be protected from oil and gas-related impacts by no-surface occupancy restrictions. However, one important cultural resource (covering 11,235 acres) would be subject to oil and gas-related impacts. This situation would result in protection for most of the important affected cultural and natural history resources of the resource area from oil and gas-related impacts, but one important resource would remain in danger of adverse impacts from oil and gas activities.

Locatable Minerals

This program has limited standard protective measures (see Chapter II), especially for operations disturbing less than 5 acres. As a result, fewer important cultural or natural history resources would be adequately protected by standard protective measures for locatable minerals operations than by the standard protective measures of most other programs. The management actions in Alternative C would include significant effects on important cultural and natural history resources, some of which would be beneficial, and others could be adverse.

Beneficial Impacts. Alternative C would cause beneficial impacts through two forms of locatable minerals management actions. Plan of operations requirements would help to protect one cultural and natural history resource through the use of measures designed to locate, evaluate and if necessary, mitigate impacts to important resources affected by mining operations. Although there is a chance that operations could he allowed to proceed without adequate mitigation of impacts to some important resources, this situation would probably occur only rarely. Resources that would be covered by plan of operations requirements under this alternative would be the proposed South Pass National Register Mining District (11.900 acres). Withdrawals that close lands to mineral location and activity would also protect six important cultural resources through the prevention of locatable minerals-related surface disturbances and intrusions. These resources are Split Rock Landmark (640 acres), the Aspen Grove campsite (280 acres), part of the Rocky Ridge site (560 acres), Castle Gardens Rock Art site (80 acres). Devil's Gate Landmark (400 acres), and fragile lands along the Oregon/Mormon Trail (320 acres).

Adverse Impacts. Alternative C could cause adverse impacts because of a lack of restrictions around certain important resources. Mining operations, expecially those disturbing less than 5 acres, conducted on 10 different resources, could adversely impact those resources through modern surface disturbances and intrusions. Resources in danger of disturbance would be the Sparhawk Cabin (10 acres), the Oregon/Mormon Trail corridor (those areas not covered by protective withdrawals - 26,140 acres), Ice Spring Slough (1,250 acres), part of the Rocky Ridge site (those areas not covered by protective withdrawals - 280 acres), the Gilespie Place/ Radium Springs site (40 acres), Willies Handcart site (40 acres), Beaver Rim proposed National Natural Landmark (1,120 acres), Red Canyon National Natural Landmark (5,760 acres), the Martin's Cove site (600 acres), and Warm Spring Canvon (190 acres).

The cumulative impacts of Alternative C's locatable minerals management actions would be generally adverse. Ten important cultural and natural history resource properties (covering 33,430 acres) would be subject to locatable minerals impacts. Only seven important cultural resource properties (covering 14,180 acres) would be protected from mining impacts through plan of operations or no-mining restrictions. This

situation would result in continued vulnerability for most of the important affected resources of the resource area, although some important resources would be protected.

Phosphates

This program has standard protective measures (see Chapter II) that should adequately protect many cultural resources. Beyond the standard measures, Alternative C's management action would cause significant impacts to one important natural history resource. The impacts would be adverse on this specific resource. The management action could open phosphate prospecting and leasing and could subject the Red Canyon National Natural Landmark (NNL) to phosphate mining-related surface disturbances and intrusions. The Red Canyon NNL covers 5,760 acres. Adverse impacts could occur because of the potential for phosphate-related activities.

The cumulative impacts of Alternative C's phosphate management action could be adverse. One important natural history resource property (covering 5,760 acres) would be subject to phosphate-related activities. This situation could result in the deterioration of an important affected natural history resource of the resource area from phosphate-related impacts.

Management Actions for Landownership Adjustments and Utility Systems

This program has standard protective measures (see Chapter II) that should adequately protect many cultural resources. Beyond the standard measures, Alternative C's management actions would cause significant impacts to several important cultural and natural history resources. These management action impacts would be both adverse and beneficial, depending on the resource involved.

Adverse Impacts

Alternative C could cause adverse impacts through some of the utility system management actions. Major utility systems allowed on eight cultural and natural history resource properties could adversely impact those sites through modern surface disturbances and intrusions. Resources in danger of disturbance are the Oregon/Mormon Trail (includes the Gilespie

Place/Radium Springs site, and Willies Handcart site - 26,950 acres), Ice Spring Slough site (1,250 acres), the entire Rocky Ridge site (840 acres), Beaver Rim proposed National Natural Landmark (1,120 acres), Red Canyon National Natural Landmark (5,760 acres), and Devil's Gate Landmark (400 acres).

Landownership adjustments management actions involving disposal of BLM-administered lands could adversely impact one important cultural resource property through the transfer of certain lands into non-BLM controls. Transfer of these lands (parcels 128, 129, 131, 132, 151, 153, 158, and 159) could result in permanent loss of important historical trail resources. These resources are part of the Oregon-Mormon Trail or are adjacent to the trail, and trail resources on 1,029 acres would be disposed of under this management action.

Beneficial Impacts

Alternative C would cause beneficial impacts through the closure of major utility systems in some management units. Prohibition of major utility systems would benefit one important cultural resource through the continued preservation of its important values. This resource property is the proposed South Pass National Register Mining District (11,900 acres)

Standard procedures used in the utility systems management program would, in some cases, help ensure avoidance of adverse impacts on certain important cultural resources. Because of the situations of these resources, unfavorable topography, unique location, etc., utility systems would probably not be built near these resources; in that sense, a beneficial effect would occur. The resources likely to be avoided are Sparhawk Cabin (10 acres), Split Rock Landmark (640 acres), the Aspen Grove Campsite (280 acres), Castle Gardens (80 acres), Warm Spring Canyon (190 acres), and Martin's Cove (600 acres)

The cumulative impacts of Alternative C's cocatable minerals management actions would generally be adverse. Eight important cultural and natural history resource properties (covering 36,320 acres) could be subject to impacts from utility systems. Part of one more resource property (covering 1,029 acres) would be subject to adverse impacts from land disposal actions. Only one important cultural resource property (covering 11,900 acres) would be protected from utility system impacts. Six other resources (covering 1,800 acres) would probably not be impacted by utility systems, primarily because of their locations. This situation would result in continued

vulnerability for most of the important affected resources of the resource area, although some important resources would be protected.

Management Actions for Cultural/ Natural History Resources

This program is oriented towards cultural and natural history resource protection, and all special management actions under this program would enhance the protection of selected importate cultural and natural history resources. Alternative C would cause beneficial impacts through several special management actions, but could cause adverse impacts through the lack of special actions also.

Beneficial Impacts

Management plans would help protect several cultural resource properties through the well thought out management of those resources. The resources would be the Oregon/Mormon Trail corridor (including the trail-related sites of the Split Rock Landmark, loe Spring Slough, Rocky Ridge, Gilespie Place/Radium Springs, Willies Handcart Commemorative site, Devil's Gate Landmark, Martin's Cove, and Burnt Ranch (if acquired)), the proposed South Pass National Register Mining District (including five historical mining sites), and Red Canyon National Natural Landmark.

Adverse Impacts

Alternative C would cause adverse impacts because of a lack of adequate management at a few important cultural resource sites. Without adequate management, destructive forces (natural and human-caused) could cause deterioration of two cultural resource properties. These properties are the Castle Gardens Rock Art site and the Warm Spring Canyon Flume, Natural Bridge and Geyser site.

In addition to the above, some important cultural and natural history resources would not be given special management but would not be adversely affected. Because of each property's good integrity and protected location, these resources would not suffer from a lack of special cultural/natural history program management at this time. These properties are the Sparhawk Cabin, the Aspen Grove site, and the Beaver Rim proposed National Natural Landmark.

The cumulative impacts of Alternative C's cultural/natural history management actions would generally be beneficial. Eleven important cultural properties would be protected through enhanced management, and three more resources would remain protected despite the lack of enhanced management. Two resource properties would, however, be subject to deterioration because of a lack of adequate management.

Conclusion. Alternative C would impact the affected cultural and natural history resources of the resource area in both adverse and beneficial ways, but would be the middle choice of all the alternatives from a cultural/natural history

resource protection viewpoint. Alternative C protects more important resources than Alternative B in the Oil and Gas, Locatable Minerals, and Landownership programs. The most important resource (the Oregon/Mormon Trail and its sites) in the resource area would not be beneficially impacted for the most part by the Locatable and Landownership management actions under this Alternative. The South Pass Mining District, the second most important resource in the resource area, would also not be (generally) beneficially impacted by the Oil and Gas management actions (see table 4-8).

TABLE 4-8

EFFECTS ON SIGNIFICANT CULTURAL/
NATURAL HISTORY RESOURCES
ALTERNATIVE C

Management Unit			Resource Protected	
Green Mountain	Sparhawk Cabin	oarhawk Cabin Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems		
		Cultural/Natural History	Yes (1) Yes (2)	
Beaver Creek	Oregon/Mormon Trail	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems	Yes No	
	Oregon/Mormon Trail Sites —	Cultural/Natural History	Yes (4)	
Beaver Creek	Split Rock Landmark	Oil and Gas	V	
beaver Creek	Spill Hock Landinark	Locatable Minerals Landownership Adjustments and Utility Systems	Yes Yes Yes (1)	
		Cultural/Natural History	Yes (4)	
Beaver Creek	Ice Springs Slough	Oil and Gas	Yes	
		Locatable Minerals Landownership Adjustments	No	
		and Utility Systems Cultural/Natural History	No Yes (4)	
Beaver Creek	Rocky Ridge	Oil and Gas Locatable Minerals	Yes Mostly Yes (3)	
		Landownership Adjustments	168 (3)	
		and Utility Systems Cultural/Natural History	Yes (1) Yes (4)	
Beaver Creek	Gilespie Place/ Radium Springs	Oil and Gas Locatable Minerals Landownership Adjustments	Yes No	
		and Utility Systems Cultural/Natural History	No Yes (4)	
Beaver Creek	Willies Handcart Site	Oil and Gas Locatable Minerals	Yes No	
		Landownership Adjustments and Utility Systems Cultural/Natural History	No Yes (4)	
Beaver Creek	Beaver Rim Proposed NNL	Oil and Gas Locatable Minerals Landownership Adjustments	Yes No	
		and Utility Systems Cultural/Natural History	No No	
Beaver Creek	Burnt Ranch	Oil and Gas	N/A	
		Locatable Minerals Landownership Adjustments and Utility Systems	N/A N/A	
		Cultural/Natural History	Yes (4)	

TABLE 4-8 (Continued)

EFFECTS ON SIGNIFICANT CULTURAL/ NATURAL HISTORY RESOURCES ALTERNATIVE C

Management Unit	Unit Resources Management Actions		Management Actions Resource Protected	
Beaver Creek			Yes Yes Yes (1) Yes (2)	
Red Canyon	Red Canyon NNL	Oil and Gas Locatable Minerals Phosphates Landownership Adjustments and Utility Systems Cultural/Natural History	Yes No No No Yes	
South Pass	South Pass Pro- posed National Register Mining District	Oil and Gas No (3) Locatable Minerals Landownership Adjustments and Utility Systems	Somewhai Yes Yes	
Gas Hills	Castle Gardens	Cultural/Natural History Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes (3) Yes Yes Yes (1) Somewha Yes (3)	
Gas Hills	Oregon/Mormon Trail	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes No No Yes (4)	
Gas Hills	Oregon/Mormon Trail Sites - Devils Gate Landmark	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes No Yes (4)	
Gas Hills	Martins Cove	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes No Yes (1) Yes (4)	

TABLE 4-8 (Continued)

EFFECTS ON SIGNIFICANT CULTURAL/ NATURAL HISTORY RESOURCES ALTERNATIVE C

Management Unit	Significant Resources	Management Actions	Resource Protected
Dubois Area	Warm Spring Canyon	Oil and Gas	Yes
	Flume, Natural Bridge and	Locatable Minerals Landownership Adjustments	No
	Geyser	and Utility Systems	No
		Cultural/Natural History	No

- (1) Resource would be protected by standard protection measures.
- (2) Resource would not have special cultural/natural history program management, but would still be adequately managed.
- (3) Part of site would be protected, part would not be protected.
- (4) Managed according to the Oregon/Mormon Trail Management Plan recommendations.

PREFERRED ALTERNATIVE

Management Actions for Energy and Minerals

Under the preferred alternative, exploration and development, with minimal restrictions on areas known to contain valuable mineral resources (i.e., known geologic structures and areas with high potential for the occurrence of oil and gas), and restricted mineral activity on almost all of the area that contains unknown, low potential or low demand mineral resources would be allowed. The only commodity that could not be explored or developed under the preferred alternative is the low-grade phosphate deposits in the Lander Slope and Red Canyon Management units. All other comodities would be available for exploration and development, either restricted or unrestricted, some place within the Lander Resource Area.

Oil and Gas

Table 4-1 shows the acreage under seasonal, no-surface occupancy, and no-lease restrictions, plus the acreage within each oil and gas potential occurrence category for each management unit. Area-wide no-surface occupancy restrictions would cover approximately 150,000 acres, or 5 percent of the resource area.

In areas with high potential for the occurrence of oil and gas and in areas with established production such as KGSs, oil and gas management actions under the preferred alternative would ensure timely and efficient exploration and development of oil and gas. New oil and gas leases in these high-potential areas would be conditioned with no-surface occupancy and seasonal restrictions on a case-by-case basis and only when necessary to avoid a significant adverse impact on another resource. Even more acreage could be opened to oil and gas operations if the operator showed or the BLM determined that adverse effects to other significant resources could be adequately mitigated or if plans of operations or leases restrictions would protect these resources, thus resulting in a waiver of the restrictions by BLM. Drainage of federal oil and gas reserves by wells drilled on private and state lands would be avoided.

In areas of low, moderate, or no potential for occurrence of oil and gas in all management units, no-surface occupancy and seasonal restrictions

would cause untimely and inefficient development of subsurface resources. No-surface occupancy restrictions would preclude surface disturbing geophysical exploration and thus oil and gas reservoirs might not be discovered. However, areas without surface restrictions would be available for timely and efficient oil and gas operations and would be open for the potential discovery of oil and gas reservoirs.

Preferred alternative management actions that would consider disposal of tracts of land in the Green Mountain, Beaver Creek, Lander Slope, Gas Hills, Dubois Badlands, and Dubois Area Management units would adversely impact known oil and gas resources by hindering exploration and development. Even if the mineral estate were reserved to the United States, negotiations between surface owners and mineral operators could cause delays and increased cost through compensation for surface damages.

Locatable Minerals

Under the preferred alternative, 99 percent of the public land in the 10 management units would be open to prospecting, exploration and development of locatable minerals. The mineral resource would benefit by being available for discovery and development over almost the entire resource area. The only management unit that would be entirely closed to locatable mineral activities would be the Whiskey Mountain unit. Locatable minerals in this unit would not be discovered or developed. The remaining units would be almost entirely open, except for existing and proposed withdrawalls.

Management actions would require a plan of operations for exploration and development of approximately 1 percent of the acreage open to locatable mineral entry. This restriction could cause delays in the development of the mineral resource and could deny use of the most efficient exploration and mining methods.

Management actions for off-road vehicles would put restrictions on ORV use in all management units. This would cause lost time while claimants and prospectors waited for approval to use off-road vehicles.

Management actions that would consider disposal of tracts of land in the Green Mountain, Beaver Creek, Lander Slope, Gas Hills, Dubois Bandlands, and Dubois Area Management unit would adversely impact known locatable mineral resources by hindering exploration and development. Even if the mineral estate were

reserved to the United States, negotiations between surface owners and mineral operators could cause time delays and increased cost through compensation for surface damages.

Phosphates

Under the preferred alternative, phosphate prospecting, exploration and development, and leasing would be allowed with the restrictive measures described in Appendix 2. If under these restrictive measures mining could occur, impacts would be the same as those described in Alternative C (phosphates would be recovered). If, on the other hand these restrictions prevented mining, the impacts would be the same as those in Alternative A (phosphate resources would not be developed).

Other Actions

The preferred alternative would allow withdrawal of lands around Sinks Canyon State Park from mineral entry, thus precluding any mineral resources in that area from being discovered or developed.

A detailed description of the segregated and withdrawn areas, plus the areas that would have seasonal and no-surface occupancy restrictions for each energy and mineral resource can be found in Chapter II, Alternatives Including the Proposed Action.

Conclusion. The alternatives for energy and minerals display a wide range of management actions that vary from providing minimal restraints on mineral activity to applying extensive restrictions on mineral activity. Although Alternative A would be the most adverse toward leasing, exploration and development of oil and gas, Alternative B would limit all mineral activity to a greater extent overall. Alternative C would maximize the acreage that would be open to oil and gas and other mineral activity. Implementation of the preferred alternative would also keep the largest possible area open to mineral exploration and development, yet at the same time it would provide protection of sensitive and significant surface resources.

Soils, Water and Air Quality

Management Actions for Energy and Minerals

Oil and Gas

In the preferred alternative all management units would be subject to some impacts from oil and gas activity, except the Whiskey Mountain Management Unit. Overall, impacts from oil and gas activity would be the same or less than on all other alternatives, except on the Dubois Badlands Management Unit. Alternative A would have slightly less significant impacts than this alternative because of the closure of this unit to new oil and gas leasing.

As in the other alternatives, all management units would be open to some exploration, development and reclamation activities, except the Whiskey Mountain Management Unit. The major exploration activity of oil and gas development is seismographic investigations. Impacts associated with seismographic investigations are: vegetative cover destruction, soil compaction, guily and rill erosion, and streambank disturbance. All these impacts would result in accelerated erosion rates and potentially increased levels of sediment into adjacent live streams.

The most significant impacts to soil, watershad and air quality occur during development of oil and gas resources. Impacts are similar to those that occur with seismographic activities; however, impacts are generally concentrated on individual well locations, which average approximately 8 acres in size. An additional problem encountered with site development is salt loading. This is not common but becomes a significant problem when previously nonsaline soils become saline from drastic soil disturbance on oil and gas development sites, which restricts drainage or lowers the water table. Salt loading might limit reclamation success by restricting the growth of native species on reclaimed sites.

Most reclamation efforts are directed at reducing accelerated soil erosion and establishing native vegetation on disturbed sites. In the short-

term it takes an average of 3 to 5 years to establish adequate vegetation to control accelerated erosion on disturbed sites. In the long-term, it takes a substantially longer period of time to establish permanent native vegetation and to increase site fertility. On most disturbed sites, soil characteristics (soil physical, chemical and biological properties), will not return to their predisturbance levels. This is an irreversible and irretrievable impact.

Air quality in producing areas can be adversely impacted by vehicle emissions, dust, and potentially dangerous gases emitted from producing wells. These impacts may be significant in the short term (i.e., during well development and production phases, in a localized area) and insignificant in the long term (following well closure).

Locatable Minerals

Generally, impacts from locatable mineral exploration and development to soil, watershed, and air quality would be the least significant of all alternatives in the Preferred Alternative. Impacts on the Green Mountain, Beaver Creek, Gas Hills, East Fork, and Whiskey Mountain Management units would be moderately less than in Alternative A, the same or slightly less than they are in Alternative B, and much less than in Alternative C. On the Lander Slope, Red Canyon, South Pass, and Dubois Area Management units, impacts would be slightly less than those in Alternative A, about the same as in Alternative B, and much less than in Alternative C. For the Dubois Badlands Management Unit, impacts would be about the same as alternatives A and B and moderately less than for Alternative C.

As in the other alternatives with exploration and development of locatable minerals, disturbed lands would be subject to soil compaction and accelerated wind and water erosion. Water quality related values would be affected by increased sediment loads in disturbed watersheds. Air quality values would have the potential to be degraded, depending on the amount of activity from locatable mineral exploration and development.

Phosphates

Only the Lander Slope and Red Canyon Management units would have the potential to be impacted by phosphate resource development in the Preferred Alternative. Impacts would be the same for this alternative as they would be in alternatives A and B, and significantly less than

they would be in Alternative C. Impacts would be similar to those discussed under locatable mineral exploration and development.

Management Actions for Fish and Wildlife

Overall, impacts to soil, watershed and air quality would not be significantly different in the long-term under the Preferred Alternative or other alternatives with the recommended management actions for fish and wildlife.

On the Beaver Creek, Gas Hills, East Fork, Dubois Badlands, Whiskey Mountain, and Dubois Area Management units under management actions for fish and wildlife, impacts to soil, watershed and air quality would be the same as under the other alternatives.

For the Green Mountain, Lander Slope and South Pass Management units, actions would be the same as they are in Alternative C. In the short-term there would be an increase in impacts to soil, watershed and air quality in these units compared to alternatives A and B. In the long-term, i.e., following vegetation re-establishment on prescribed burn areas, impacts would be the same or less than under alternatives A and B.

Management Actions for Forestry

Overall, impacts from timber harvesting and management would be slightly less or the same than expected on Alternative C and slightly more or the same than expected on alternatives A and B. Impacts on the Green Mountain and South Pass Management units would be less than expected with Alternative C and slightly more than expected with alternatives A and B. Significant reductions of impacts on the Lander Slope Management Unit would be expected on the Preferred Alternative, compared to alternatives B and C and much more impact than would be expected on Alternative A. Significant reductions in impacts on the Red Canyon Management Unit would be expected on the Preferred Alternative compared to Alternative C. much more impact than expected under Alternative B, and moderately more impact than expected under Alternative A.

All other management units would have similar impacts from timber harvesting and management in the Preferred Alternative as in the other alternatives. On all management units, timber harvesting would increase erosion and resultant

sedimentation from removal of forest cover and from road disturbance associated with logging operations, in the short term. Soll compaction would increase the potential for surface runoff, accelerated erosion, and increased sedimentation in roadways, landings and skid trails from heavy equipment use, in the short-term. In the long term, site productivity might be significantly reduced on compacted areas.

If slash piles were burned following timber harvesting, soil nutrient enrichment and scarification for seedbed preparation would be a beneficial impact on these areas.

Management Actions for Access

In silty and fine sandy loam soil textures, air quality might be degraded during road construction and heavy local traffic use. These impacts would be insignificant and restricted to areas of local disturbance.

Management Actions for Landownership Adjustments and Utility Systems

Overall, impacts from installation of utility systems should be less significant in the Preferred Alternative than all other alternatives because 6 of the 10 units would be avoided by major utility corridors. Impacts on the Green Mountain, Beaver Creek, Gas Hills, and Dubois Area Management units would be the same as under the other alternatives. These impacts would result in slight to moderately significant disturbance in the short term. The Red Canyon, South Pass, Lander Slope, East Fork, Dubois Badlands, and Whiskey Mountain Management units would have minimal to no impacts from utility system installation since they would be avoided when locating major utility systems.

Management Actions for Off-Road Vehicles (ORVs)

Impacts from ORV use would be the same as they are in Alternative B for all management units. Overall, impacts to soil, watershed and air quality would be slightly less than expected in alternatives A and C. Impacts from ORV use would occur during the season of use and for those periods when the soil was not frozen or snow covered. The major impacts would be soil compaction and

acelerated wind and water erosion, depending on the amount of traffic and how the road would be engineered and maintained.

Management Actions for Fire

Overall, a balance of minimum impacts from fire suppression equipment and minimum impacts from wildfire damage would be expected in the Preferred Alternative. On the Green Mountain. Lander Slope and Red Canyon Management units. impacts from full or limited suppression would be the same as in Alternative B. South Pass. East Fork, Dubois Badlands, and Dubois Area Management units would have impacts similar to Alternative A, where full fire suppression has been recommended. Where limited suppression has been recommended on the Whiskey Mountain Management Unit, impacts would be the same as in Alternative C. The Beaver Creek and Gas Hills Management units would have a combination of impacts from all three alternatives, depending on the zone of fire occurrence

As was stated in Alternative A, impacts from full suppression would be mainly from use heavy equipment. Impacts associated with use of heavy equipment include soil compaction, increased wind and water erosion, reduced site productivity, and increased sedimentation. These impacts would have significant short-term effects on the affected areas.

Where management actions were to limit the use of heavy equipment on fires, as on the Green Mountain, Lander Slope and Red Canyon Management units, impacts might still occur from heavy equipment although to a lesser extent. In addition, the possibility of burning more acreage, because of limiting heavy equipment use, might result in other significant impacts. One impact would be to increase the potential for soil erosion until vegetation has been reestablished. The other impact would be a significant reduction in site productivity on some areas damaged by intense wild fire, e.g., in areas of high soil organic matter content and with substantial downed timber. These impacts would be significant in the short term or long term depending on extent and location of the impacts. In addition, local air quality would be degraded during wildfire events. a short-term impact.

Impacts from limited suppression on Whiskey Mountain Management Unit would be the same as discussed under Alternative C. If a management decision were made to allow wild fires to burn, two significant impacts might occur. One impact

would be to increase the potential for soil erosion until vegetation has been reestablished. The other impact would be to cause a significant reduction in site productivity on some areas damaged by intense wild fire, e.g., in areas of high soil loss. These impacts would be significant in the short term or long term, depending on the extent and location of the impacts. In addition, local air quality would be degraded during wildfire events, a short-term impact.

Impacts to soil, watershed and air quality on the Beaver Creek and Gas Hills Management units would be a combination of all or part of the impacts previously discussed.

If prescribed burns were permitted, they could adversely affect surface water quality, accelerate soil erosion and degrade air quality. In properly planned prescribed fires, these effects could be minimal and held to acceptable levels. As vegetation increased after a prescribed fire project, accelerated erosion rates would decrease and water quality would increase.

Fish and Wildlife

Management Actions for Energy and Minerals

Oil and Gas

The Green Mountain, Beaver Creek, Lander Slope, Red Canyon, South Pass, Gas Hills, and Dubois Area Management units would be open for oil and gas leasing. High-potential oil and gas areas and KGSs would be subject to no-surface occupancy and seasonal stipulations on a case-by-case basis to protect significant resource values. New leases in moderate, low and no potential oil and gas areas would also be conditioned with no-surface occupancy and seasonal restrictions.

No-surface occupancy stipulations designed to protect water quality, fisheries, steep slopes and riparian areas would result in significant beneficial impacts to fish, waterfowl, game birds, beaver, big game, and a variety of other animals. The highpriority standard habitat sites associated with riparian areas and steep slopes would also be protected from oil and gas disturbances.

Seasonal restrictions would provide long-term benefits to big game on crucial winter ranges, elk on calving areas, sage grouse on strutting grounds, and raptors during the nesting periods by eliminating unnecessary stress, disturbance and displacement caused by oil and gas activities. Seasonal restrictions during critical periods might help reduce mortality, ensure reproductive success and survival of young, and reduce conflicts with adjacent landowners caused by displaced animals.

However, habitat losses associated with oil and gas activities during the noncritical period indicated that adverse impacts could occur to big game herds over the next 60 years. These habitat losses are projected by comparing the overlap between high and moderate oil and gas areas and big game high-value habitats, such as calving areas and crucial winter ranges (refer to Environmental Consequences, Introduction - Habitat Losses).

In the Dubois Badlands Management Unit, nosurface occupancy restrictions within the wilderness study area boundaries would protect a large portion of the bighorn sheep yearlong range and elk winter range from habitat disturbance. However, surface disturbance could cause adverse impacts to big game. The degree of impact would depend on the location and extent of oil and as activity.

No-surface occupancy restrictions to protect water quality (fisheries, riparian areas, sage grouse strutting grounds and steep slopes would benefit the Wind River fishery resource as well as many other wildlife species. High-priority habitat sites associated with riparian areas and steep slopes would also be protected. Exploration activities could cause additional stress to the resident bighorn sheep population. Since Rocky Mountain bighorn sheep programment of the programment of the

In the East Fork Management Unit, impacts to wildlife would be the same as in Alternative A. Issuing oil and gas leases with no-surface occupancy restrictions would protect important elk and bighorn sheep ranges, stream fisheries and several high-priority standard habitat sites. Because of the high density of elk that winter on the East Fork Management Unit, drilling on existing leases would cause adverse impacts to this elk herd. It would also impact fisheries and moose habitat.

In the Dubois Badlands Management Unit, nosurface occupancy restrictions within the wilderness study area boundaries would protect a large portion of the bighorn sheep yearlong range and elk winter range from habitat disturbance. However, surface disturbance could cause adverse impacts to big game. The degree of impact would depend on the location and extent of oil and gas activity.

The Whiskey Mountain Management Unit would remain closed to oil and gas leasing, exploration and development, resulting in significant longterm benefits to the nationally significant bighorn sheep herd.

Conclusion. No-surface occupancy and seasonal restrictions would offer some protection to a variety of fish and wildlife species and priority habitats in the Green Mountain, Beaver Oreach, Lander Slope, Red Canyon, South Pass, Gas Hills, and Dubois Area Management units. However, habitat losses caused by oil and gas activities could significantly impact several big game herds in these management units over the next 60 years.

No-surface occupancy and seasonal restrictions over a large portion of the Dubois Badlands Management Unit would benefit bighorn sheep, elk and fisheries in the Wind River. However, exploration activities could negatively impact the resident bighorn sheep herd.

No new leases in the East Fork and Whiskey Mountain Management units would provide significant long-term benefits to bighorn sheep and elk.

Locatable and Other Minerals

Alternative A was chosen as the preferred alternative for the Dubois Area Management Unit. The unit would be open for exploration and development of locatable minerals, except for Warm Springs Canyon. Withdrawing Warm Springs Canyon would protect important trout fisheries and reptor nesting areas, resulting in long-term beneficial impacts. Although mineral development is unlikely to occur in the near future, any habitat loss displacements caused by Placer mining in streams could be detrimental to moose, fisheries and a variety of species dependent on morparian habitat. Any additional disturbances in the mule deer crucial winter range would be detrimental to the herd.

Alternative B was chosen as the preferred alternative for the East Fork and Whiskey Mountain Management units. The units would be closed to exploration and development of locatable minerals. The exceptionally high fish and wildlife values, particularly bighorn sheep and kin these units, would be protected. Significant long-term benefits to fish and wildlife resources would occur.

Alternative B was also chosen as the preferred alternative for the Gas Hills Management Unit. The area would be open for exploration and development of locatable minerals, except within

several historical sites. Extensive mineral development could cause significant long-term adverse impacts to mule deer, antelope. sage grouse, and raptors.

A modified alternative was selected as the preferred alternative for each of the remaining management units. The units would be open for exploration and development of locatable minerals, except in areas already segregated or wittdrawn from mineral entry. A plan of operation would be required within certain areas.

The risk of stressing and displacing wintering big game on the Lander Slope and Red Canyon Management units would increase under the preferred alternative. Habitat losses associated with exploration and development activities could significantly impact the high-value wildlife resources, although a plan of operation would attempt to minimize these impacts.

In the South Pass Management Unit, impacts to wildlife would be similar to Alternative A only less severe because a plan of operation would be required. Some high-priority habitat types would be disturbed and the Lander moose herd, trout fisheries, beaver pond ecosystems, and other wildlife species could be negatively impacted. Withdrawal of the current segregated lands would protect some high-value habitat and fish and wildlife resources.

The Green Mountain elk herd and trout stream habitat could still be negatively impacted under the preferred alternative, although the required plan of operation would attempt to mitigate some of these impacts.

In the Beaver Creek Management Unit, a plan of operation would attempt to reduce impacts to nesting raptors along Beaver Rim. Uranium development could adversely impact sage grouse and raptors, and zeolite development could cause neattive impacts to mule deer.

A plan of operation would be required for the area previously included in the Dubois Badlands Wilderness Study Area, but the risk of stressing and displacing the resident population of bighorn sheep would be increased. Impacts to the fishery resources and other wintering big game species could probably be mitigated in the plan of operation.

Phosphate prospecting, exploration and leasing would be allowed for the Lander Slope and Red Canyon Management units with the standard protective requirements for surface-disturbing activities (see Appendix 2). These protective requirements would minimize impacts to high-value fish and wildlife resources.

Withdrawing the lands around Sinks Canyon State Park would provide significant benefits to nesting raptors and the bighorn sheep herd.

Conclusion. Fish and raptors in Warm Springs Canyon, elk on the East Fork Management Unit, bighorn sheep on the Whiskey Mountain Management Unit, as well as many other fish and wildler species, would benefit significantly unider the preferred alternative. The risk of stressing and displacing big game in the Lander Slope. Red Canyon, Green Mountain, and Dubois Badlands Management units would increase depending on the extent of mining activity and the effectiveness of mitigative plans. Some impacts could occur to fish and wildlife on the remaining management units, depending on the amount and duration of habitat disturbance.

Management Actions for Fish and Wildlife

For the Beaver Creek, East Fork, Dubois Badlands, Whiskey Mountain, and Dubois Area Management units, Alternative A is the preferred alternative. Existing fish and wildlife habitat improvements would be maintained and routine habitat improvements would be completed to enhance and maintain fish and wildlife resources. Fish and wildlife species and habitat would benefit significantly from these actions.

Bighorn sheep management would be the top wildlife priority on the Whiskey Mountain Management Unit, while management actions would focus on wintering elk herds on the East Fork and Red Canyon Management units. Fisheries management would be emphasized in the South Pass and part of the Beaver Creek Management units. These management actions, directed at specific fish and wildlife species, would not only provide significant long-term benefits to these priority species but to many other species as well.

Prescribed burning techniques would be used to increase big game winter forage and to regenerate aspen and willow stands in the Green Mountain, South Pass, Red Canyon, and Lander Slope Management units. Wintering elk, moose, mule deer, and bighorn sheep would benefit significantly, as well as many other fish and wildlife species.

In the Gas Hills Management Unit BLM would continue to cooperate with the Wyoming Game and Fish Department, interested sportsmen, conservation groups and adjacent landowners in

efforts to develop a workable bighorn sheep reintroduction program for the Swsetwater Rocks. If a workable program could be developed, bighorn sheep would significantly benefit from reestablishment of a viable population.

Conclusion. Maintenance of existing fish and wildlife improvements and completion of improvements would significantly benefit many fish and wildlife species in all management units. Emphasizing management of a particular priority species on specific units would not only provide significant long-term benefits to that species but many other fish and wildlife species as well. If a bighorn sheep resetablishment program could be developed and implemented, bighorn sheep would receive significant long-term benefits.

Management Actions for Forestry

Fish and wildlife objectives and habitat needs would be considered in all management units. This would benefit deer and elk on the Green Mountain Management Unit, moose and trout on the Red Canyon and South Pass Management units, big game on the Lander Slope Management Unit, bighorn sheep on the Whiskey Mountain Management Unit, elk on the East Fork Management Unit, and a variety of fish and wildlife resources on the remaining management units.

Management Actions for Landownership Adjustments and Utility Systems

Under the preferred alternative, the rationale for all management units would be to not dispose of lands where a land-use change might occur that would cause significant adverse impacts to fish and wildlife resources. Landownership adjustments for the East Fork and Whiskey Mountain Management units would only be completed if they were compatible with fish and wildlife objectives. No impacts to wildlife would be anticipated under the preferred alternative.

Management Actions for Recreation

Closing the Red Canyon Management Unit to winter recreational activities would ensure that the wintering elk herd would not be distressed or displaced by winter recreationists.

Management Actions for Off-Road Vehicles (ORVs)

Yearlong closure of the Dubois Badlands to ORVs would protect fragile fish and wildlife resources in this unit. Vegetation that supplies essential forage for elk and bighorn sheep would be maintained, and erosion would be minimized, reducing the effects of silitation on fisheries.

Winter closures in the Green Mountain, Lander Slope, Red Canyon, and parts of the Whiskey Mountain Management units would help reduce the effects of stress and disturbance of wintering big game and the silitation of fisheries during early spring. Snowmobile restrictions in the Red Canyon Management Unit would be especially helpful in reducing stress and disturbance to wintering elk and mule deer.

Limiting ORV use to existing roads and trials in the nine management units that would not be closed year round would help prevent further terrestrial habitat losses and deterioration of fisheries that would otherwise result from the proliferation of new roads.

Management Actions for Fire

Full or limited suppression would be recommended on all management units. Full suppression could have beneficial or adverse impacts on fish and wildlife resources. Restricting the use of heavy equipment in areas with fragile soils or steep slopes, when the risk of a catastrophic fire is low, would benefit fish and wildlife resources.

Management Actions for Access

Alternative A is the prefered alternative for the Red Canyon, South Pass, East Fork, Dubois Badlands, and Whiskey Mountain Management units. The existing transportation would be maintained in these units, resulting in no impacts to wildliffe.

Alternative B is the preferred alternative in the Green Mountain, Beaver Creek, Lander Slope, Gas Hills, and Dubois Area Management units. Public access would be sought on 12 roads in these units. Beneficial impacts to fish and wildlife would occur from obtaining public access on all 12 roads.

Forestry

Management Actions for Energy and Minerals

Oil and Gas, Uranium and Other Locatable Minerals

The preferred alternative for the Green Mountain and South Pass Management units is Alternative C. Under this alternative, the units would be open for leasing, exploration and development of oil and gas, uranium and other locatable minerals, under certain guidelines. The impacts from the alternative include:

- The amount of available timber would be reduced.
- Some land could be permanently removed from timber production.
- In some areas, this could create a beneficial impact by replacing nonsaleable quality timber with regeneration.
- In other areas, this could create an adverse impact by removing healthy stands over a long period.

There are no irreversible or irretrievable impacts under any of these alternatives, including the preferred.

Adverse Impacts. The following impacts could occur from oil and gas developments.

- Deplete resources and reduce timber production in the short term.
- Remove healthy stands of timber in the short term.
- Lose growth potential in some areas over the long term.
- 4. Increased soil erosion from access roads.

Beneficial Impacts. The following impacts could occur from oil and gas developments.

- Create opportunities for regeneration in the long term.
- Remove stagnant stands and thereby increase growth rate in the long term.
- More access roads would improve access to dead timber and improve the stands in the short term. Improving access roads could also reduce soil erosion in the short term.

On the South Pass unit, there would be no additional significant impacts to the forest resources from this alternative.

Alternative B is the preferred alternative for Lander Slope. Under this alternative, the area would be open to leasing, exploration and development of oil and gas, uranium and other locatable minerals. There would be no significant impacts to the forest resource in this unit.

Management Actions for Forestry

The preferred alternative for the Green Mountain and South Pass Management units is Alternative C. Under this alternative, timber harvesting on Green Mountain would involve approximately 2 MMBF of sewtimber and 1.5 to 2 MMBF of fuelwood and other wood products per year. This level of harvest would deplete the larger trees, allowing for regeneration. The management action under this alternative would create a more organized, systematic and intensive management regime and produce optimus growth conditions for the mountain. This method would also reduce the possibility of a beetle epidemic.

Adverse Impacts. The following impacts could occur as a result of management actions for forest management.

- Deplete large timber in certain areas in the short term.
- Increase in access roads could permanently remove land from the forest land base (2 to 2.5 acres per mile) in the long term.

Beneficial Impacts. The following impacts could occur as a result of management actions for forest management.

- Thinning of stands would transfer growth potential to young, vigorous trees and increase growth rates in the short term and long term.
- Harvesting on a compartment basis would create uneven-aged stands, which would reduce chances of a beetle epidemic in the long term.
- Large harvests would create employment and generate revenues in the short term.

This alternative would not have any additional significant impacts on the forest resources in the South Pass Management Unit.

The preferred alternative for the Lander Slope is a modified Alternative B. The only change would be the addition of one or more timber sales in the unit. Timber would be harvested at a high level under this alternative, which would replace larger timber with young, healthy stands of regeneration. This would increase the growth rate of stands and, in the long term, produce a high and more reliable sustained yield figure. To reach the timbered areas, access roads would have to be upgraded or constructed. This would have a beneficial impact of creating access to dead and dying stands for cutting fuelwood and sawlogs.

Management Actions for Fire

The preferred alternative for the Green Mountain and South Pass Management units is Alternative C, which is limited suppression. This management action would have a beneficial impact on the lodgepole pine and aspen stands by replacing old stands with young, healthy receneration.

The preferred alternative for Lander Slope is full suppression. This action would have a beneficial impact on the Douglas fir stands on the slope by preventing a total loss of stands. If the stands were destroyed by fire, it would be a long-term, adverse impact because it would destroy the potential growth in the area.

Full Suppression. The following impacts could occur as a result of management actions for fire using full suppression.

- Adverse impact to lodgepole pine because it needs to be cleared on a regular basis in order to regenerate.
- —Would be beneficial to Douglas fir because fire would destroy any chances of regeneration.

Limited Suppression. The following impacts could occur as a result of management actions for fire using limited suppression.

- —Would be a beneficial impact to lodgepole pine because fire is an efficient and inexpensive method of clearing decadent stands in the short term.
- —Would be an adverse impact to Douglas fir, because immediate regeneration of burned areas would not occur, as with lodgepole pine.

Lack of forest management would have an adverse impact on forest resources in all management units because unmanaged stands

would suffer from increased mortality as a result of old age, disease and beetle infestations. Thinning and harvesting prevents this deterioration and benefits the stands in the long term by allowing regeneration and transferring growth potential to the young, vigorous stands.

Conclusion. The magnitude of the impacts resulting from this alternative would vary, depending on the size of the forest resource, the level of development of any oil and gas, uranium or other locatable minerals, the size of the reserve, and the length of time the field is under production.

For more detailed information on the location of these types of impacts and their causes, see table 4-5.

Cultural/Natural History Resources

Management Actions for Energy and Minerals

Oil and Gas

This program has standard protective measures (see Chapter II) that should adequately protect many cultural resources. Beyond the standard measures, the preferred alternative's management actions would cause significant impacts to several important cultural and natural history resources. These impacts would be beneficial for all the affected resources involved.

The preferred alternative would cause beneficial impacts through two forms of oil and gas management actions. No-surface occupancy restrictions would protect 10 important cultural and natural history resources through the prevention of oil and gas-related surface disturbances and intrusions. These resources are the Oregon/Mormon Trail corridor (includes the Gilespie Place, Radium Springs site, part of the Rocky Ridge site, and the Willies Handcart Commemorative site - 26,950 acres), the Beaver Rim proposed National Natural Landmark (1,120 acres), the Ice Spring Slough proposed National Register site (1,250 acres), the proposed South Pass National Register Mining District (11,900 acres), the Red Canvon National Natural Landmark (5,760 acres), the Warm Spring Canyon Flume, Natural Bridge and Geyser site (190 acres), Martins Cove (600 acres), and the Castle Gardens Rock Art site (80 acres).

Continuing existing withdrawals, which have the affect of denving the leasing of oil and gas. also protect four important cultural resources through the prevention of oil and gas-related surface disturbances and intrusions. These withdrawals, totaling 2,200 acres, were made in October 1970. They protect the Split Rock Landmark (640 acres), part of Rocky Ridge (560 acres), the Aspen Grove Campsite (280 acres), the Devil's Gate Landmark (400 acres) and fragile lands along the Oregon/Mormon Pioneer Trail (320 acres). In addition, the standard protective measures of the oil and gas program would ensure adequate protection of the Sparhawk Cabin. Avoidance of the cabin site and its immediate surroundings by oil and gas operations would be feasible in nearly all cases.

These cumulative impacts of the Preferred Alternative's oil and gas management actions would be beneficial. Fifteen important cultural and natural history resource properties (covering 50,050 acres) would be protected from oil and gas-related impacts by either no-surface occupancy or no leasing restrictions. This situation would result in protection for all of the important affected cultural and natural history resources of the resource area from oil and gas-related impacts.

Locatable Minerals

This program has limited standard protective measures (see Chapter II), especially for operations disturbing less than 5 acres. As a result, fewer important cultural or natural history resources would be adequately protected by standard protective measures for locatable minerals operations than by the standard protective measures of most other programs. The management actions in the preferred alternative would include significant effects on important cultural and natural history resources, all of which would be beneficial. The preferred alternative would cause beneficial impacts through two forms of locatable mineral management actions. Plan of operations requirements would help to protect eight important cultural and natural history resources through the use of measures designed to locate, evaluate, and if necessary, mitigate impacts to important resources affected by mining operations. Although operations might be allowed to proceed without adequate mitigation of impacts to some important resources, this situation would occur only rarely. Resources that would be covered by plan of operations requirements under this alternative are Sparhawk Cabin (10 acres), the Oregon/Mormon Pioneer Trail corridor

(includes the Gilespie Place/Radium Springs site, and the Willies Handcart Commemorative site, 25,140 acres), Beaver Rim proposed National Natural Landmark (1,120 acres), Red Canyon National Natural Landmark (5,760 acres), most of the proposed South Pass National Register Mining District (11,310 acres) and the Ice Spring Slough site (1,250 acres).

Withdrawals that close lands to mineral location and activity would also protect eight important cultural resources through prevention or reduction of locatable minerals-related surface disturbances and intrusions. These resources are Split Rook Landmark (640 acres), the entire Rocky Ridge site (640 acres), the entire Rocky Ridge site (640 acres), Castle Gardens Rock Art site (80 acres), Devil's Gate Landmark (400 acres), fragile lands along the Oregon/Mormon Trail (320 acres), the presently segregated lands in the South Pass National Register Mining District (590 acres), Martins Cove (600 acres), and Warm Spring Canyon (190 acres).

The cumulative impacts of the preferred alternative's locatable minerals management actions would be beneficial. Sixteen important cultural and natural history resource properties (covering 45.50 acres) would be protected from mining impacts through plans of operations or no mining restrictions. This situation would result in some degree of protection for all of the affected resources of the Resource Area.

Phosphates

This program has standard protective measures (see Chapter II) that should adequately protect many cultural resources. Beyond the standard measures, the preferred alternative's management action would cause significant impacts to one important natural history resource. The impacts would be beneficial on this specific resource. The management action would close phosphate prospecting and leasing and would protect the Red Canyon National Natural Landmark (NNL), through the prevention of phosphate mining-related surface disturbances and intrusions. The Red Canyon NNL covers 5,760 acres. No adverse impacts would occur because of the total prevention of phosphate-falted activities.

The cumulative impacts of the preferred alternative's phosphate management action would be beneficial. One important natural history resource property (covering 5,760 acres) would be protected from all phosphate-related activities. This situation would result in the protection of an important affected natural history resource of the resource area from phosphate-related impacts.

Management Actions for Landownership Adjustments and Utility Systems

This program has standard protective measures (see Chapter II) that should adequately protect many cultural resources. Beyond the standard measures, the preferred alternative's management actions would cause significant impacts to several important cultural and natural history resources. These management action impacts would be both adverse and beneficial, depending on the resource involved.

Adverse Impacts

The preferred alternative could cause adverse impacts through some of the utility system management actions. Major utility systems allowed on three cultural and natural history resource properties could adversely impact those sites through modern surface disturbances and intrusions. These endangered resources are lee Spring Slough site (that portion outside the Oregon/Mormon Trail corridor - 600 acres), and Beaver Rim proposed National Natural Landmark (1.120 acres).

Beneficial Impacts

The preferred alternative would cause beneficial impacts through the closure or restriction of major utility systems in some management units. Prevention or restriction of major utility systems would benefit 10 important cultural resources through the continued preservation of their important values. These resource properties are the Red Canyon National Natural Landmark (5,760 acres), the proposed South Pass National Register Mining District (12,900 acres), the Oregon/ Mormon Trail corridor (including Gilespie Place/ Radium Springs, and Willies Handcart Site - 26,950 acres), Split Rock Landmark (640 acres), all of Rocky Ridge (840 acres), the Aspen Grove Campsite (280 acres), Devil's Gate 400 acres), and Martins Cove (600 acres).

Landownership adjustments management actions involving retention of BLM-administered lands could beneficially impact one important cultural resource property through the retention of certain lands by BLM. Retention of these lands would result in the continued protection of important historical trail resources. These resources are part of the Oregon/Mormon Trail, and 869 acres with trail resources would be preserved in their present state under this management action.

Standard procedures used in the utility systems management program would in some cases, help ensure avoidance or adverse impacts on certain important cultural resources. Due to the situations of these resources, unfavorable topography, unique location, etc., utility systems would probably not be built near these resources; in that sense, a beneficial effect would occur. The resources likely to be avoided are Sparhawk Cabin (10 acres), Warm Spring Canyon (190 acres), and Castle Gardens (80 acres).

The cumulative impacts of the preferred alternative's landownership adjustments and utility systems management actions would generally be beneficial. Two important cultural and natural history resource properties (covering 1.720 acres) would be subject to impacts from utility systems. Ten important cultural resource properties (covering 47.190 acres) would be protected from utility system impacts, and three other important resources (covering 280 acres) would probably not be impacted by utility systems, primarily because of their locations. Elements of one more important resource would be retained by BLM and would be protected. This situation would result in continued vulnerability for a few of the important affected resources of the resource area, but most of the important resources would be protected.

Management Actions for Cultural/ Natural History Resources

This program is oriented towards cultural and natural history resource protection and all special management actions under this program would enhance the protection of selected important cultural and natural history resources. The preferred alternative would cause beneficial impacts through several special management actions. Management plans would help protect several cultural resource properties through the well thought out management of those resources. The resources would be the Castle Gardens Rock Art site, Warm Spring Canyon, the Oregon/ Mormon Trail corridor (including the trail-related sites of the Split Rock Landmark, Ice Spring Slough, Rocky Ridge, Gilespie Place/Radium Springs, Willies Handcart Commemorative site. Devil's Gate Landmark, Martins Cove, and Burnt Ranch (if acquired)), Beaver Rim proposed National Natural Landmark, Red Canyon National Natural Landmark, and South Pass proposed National Register Mining District (all important sites).

In addition to the above, some important cultural and natural history resources would not be given special management but would not be adversely affected. Due to each property's good integrity and protected location, these resources would not suffer from a lack of special cultural/natural history program management at this time. These properties are the Sparhawk Cabin and the Aspen Grove site.

The cumulative impacts of the preferred alternative's cultural/natural history management actions would generally be beneficial. Fourteen important cultural properties would be protected through enhanced management, and two more resources would remain protected despite the lack of enhanced management (see table 4-9).

TABLE 4-9

EFFECTS ON SIGNIFICANT CULTURAL/ NATURAL HISTORY RESOURCES PREFERRED ALTERNATIVE

Management Unit	Significant Resources	oin Oil and Gas Locatable Minerals Landownership Adjustments	
Green Mountain	Sparhawk Cabin		
		and Utility Systems Cultural/Natural History	Yes (1) Yes (2)
Beaver Creek	Oregon/Mormon Trail	Oil and Gas Locatable Minerals Landownership Adjustments	Yes Yes
		and Utility Systems Cultural/Natural History	No Yes (4)
	Oregon/Mormon Trail Sites —		
Beaver Creek	Split Rock Landmark	Oil and Gas Locatable Minerals	Yes Yes
		Landownership Adjustments	
		and Utility Systems Cultural/Natural History	Yes Yes (4)
Beaver Creek	Ice Springs Slough	Oil and Gas Locatable Minerals	Yes Yes
		Landownership Adjustments	
		and Utility Systems Cultural/Natural History	No (3) Yes (4)
Beaver Creek	Rocky Ridge	Oil and Gas Locatable Minerals	Yes Yes
		Landownership Adjustments	
		and Utility Systems Cultural/Natural History	Yes Yes (4)
Beaver Creek	Gilesple Place/	Oil and Gas	Yes
	Radium Springs	Locatable Minerals Landownership Adjustments	Yes
		and Utility Systems Cultural/Natural History	Yes Yes (4)
Beaver Creek	Willies Handcart	Oil and Gas	Yes
	Site	Locatable Minerals Landownership Adjustments	Yes
		and Utility Systems Cultural/Natural History	Yes Yes (4)
Beaver Creek	Beaver Rim Proposed	Oil and Gas	Yes
	NNL	Locatable Minerals Landownership Adjustments	Yes
		and Utility Systems Cultural/Natural History	No Yes
Beaver Creek	Burnt Ranch	Oil and Gas	N/A
		Locatable Minerals Landownership Adjustments	N/A
		and Utility Systems Cultural/Natural History	N/A Yes (4)

TABLE 4-9 (Continued)

EFFECTS ON SIGNIFICANT CULTURAL/ NATURAL HISTORY RESOURCES PREFERRED ALTERNATIVE

Management Unit	Unit Resources Management Actions		Resource Protected
Beaver Creek			Yes Yes nts Yes Yes
Red Canyon	Red Canyon NNL	Oil and Gas Locatable Minerals Phosphates Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes Yes Yes
South Pass	South Pass Pro- posed National Register Mining District	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes Yes Yes
Gas Hills	Castle Gardens	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes Yes (1) Yes
Gas Hills	Oregon/Mormon Trail	Oll and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes Yes Yes (4)
Gas Hills	Oregon/Mormon Trail Sites - Devils Gate Landmark	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes Yes Yes (4)
Gas Hills	Martins Cove	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes Yes Yes (4)
Dubois Area	Warm Spring Canyon Flume, Natural Bridge and Geyser	Oil and Gas Locatable Minerals Landownership Adjustments and Utility Systems Cultural/Natural History	Yes Yes No Yes

^{(1) -} Resource would be protected by standard protection measures.

^{(2) -} Resource would not have special cultural/natural history program management, but would still be adequately managed.

^{(3) -} Part of site would be protected, part would not be protected.

^{(4) -} Managed according to the Oregon/Mormon Trail Management Plan recommendations.

TABLE OF CONTENTS

CHAPTER V THE PREFERRED ALTERNATIVE


ALTERNATIVE FORMULATION AND THE PROCESS USED TO	
SELECT THE PREFERRED ALTERNATIVE/PREFERRED PLAN	289
OVERVIEW OF PREFERRED ALTERNATIVE	289
Energy and Minerals	289
Oil and Gas	289
Locatable Minerals	291
	291
Fish and Wildlife	293
	293
Landownership Adjustments and Utility Systems	
	295
Fire Management	
	298
	301
	301
Livestock Grazing	
	303
	304
	304
	304
THE PREFERRED ALTERNATIVE AND RATIONALE BY	004
	306
	306
	306
	306
Oil and Gas	
	308
	308
	308
	310
	310
	310
	310
	312
	312
	312
Oil and Gas	
	314
Phosphates	
	314

Table of Contents

Landownership Adjustments and Utility Systems	
Recreation	
Off-Road Vehicles (ORVs)	
Cultural/Natural History	317
Fire Management	
Access	320
Lander Slope Management Unit	320
Energy and Minerals	320
Oil and Gas	320
Locatable Minerals	320
Phosphates	320
Fish and Wildlife	321
Forest Management	321
Landownership Adjustments and Utility Systems	322
Recreation	322
Off-Road Vehicles (ORVs)	
Fire Management	322
Access	
Red Canyon Management Unit	324
Energy and Minerals	
Oil and Gas	
Locatable Minerals	324
Phosphates	
Fish and Wildlife	
Forest Management	
Landownership Adjustments and Utility Systems	
Recreation	
Off-Road Vehicles (ORVs)	
Cultural/Natural History	
Fire Management	
Access	327
South Pass Management Unit	327
Energy and Minerals	329
Oil and Gas	329
Locatable Minerals	
Fish and Wildlife	
Forest Management	
Landownership Adjustments and Utility Systems	
Recreation	
Off-Road Vehicles (ORVs)	
Cultural/Natural History	
Fire Management	
Access	
Gas Hills Management Unit	
Energy and Minerals	
Oil and Gas	
Locatable Minerals	
Fish and Wildlife	
Landownership Adjustments and Utility Systems	
Recreation	

Table of Contents

Off-Road Vehicles (ORVs)	335
Cultural/Natural History	339
Fire Management	339
East Fork Management Unit	341
Energy and Minerals	341
Oil and Gas	341
Locatable Minerals	341
Fish and Wildlife	344
Landownership Adjustments and Utility Systems	344
Recreation	344
Off-Road Vehicles (ORVs)	344
Fire Management	344
Access	346
Dubois Badlands Management Unit	346
Energy and Minerals	346
Oil and Gas	346
Locatable Minerals	346
Fish and Wildlife	346
Landownership Adjustments and Utility Systems	346
Recreation	350
Off-Road Vehicles (ORVs)	350
Fire Management	350
Access	350
Whiskey Mountain Management Unit	350
Energy and Minerals	350
Oil and Gas	350
Locatable Minerals	352
Fish and Wildlife	352
Landownership Adjustments and Utility Systems	352
Recreation Management	352
Off-Road Vehicles (ORVs)	355
Fire Management	355
Access	355
Dubois Area Management Unit	355
Energy and Minerals	. 355
Oil and Gas	. 355
Locatable Minerals	. 357
Fish and Wildlife	. 35
Landownership Adjustments and Utility Systems	. 35
Recreation Management	. 35
Off-Road Vehicles (ORVs)	. 360
Cultural/Natural History	. 360
Fire Management	. 360
Access	. 36
Sweetwater Canyon Management Unit (Wilderness Study Area)	. 36
Sweetwater Bocks Management Unit (Wilderness Study Area)	. 360
Copper Mountain Management Unit (Wilderness Study Area)	. 36



CHAPTER V

THE PREFERRED ALTERNATIVE

ALTERNATIVE FORMULATION AND THE PROCESS USED TO SELECT THE PREFERRED ALTERNATIVE/PREFERRED PLAN

Both the National Environmental Policy Act (NEPA) and the BLM resource management planning regulations require consideration of a range of alternatives. The basic goal in formulating RMP alternatives was to identify various combinations of public land uses and resource management practices that responded to the planning issues. The alternatives presented in this chapter represent combinations of actions to guide landuse activities and resource management in the Lander Resource Area.

There are four alternatives presented in this document. One alternative, Alternative A, is the no action alternative. This means there would be a continuation of present management. The other three alternatives provide a range of choices offering various options, ranging from an emphasis on resource conservation to an emphasis on production. The preferred alternative is a combination of elements of Alternatives A, B and C.

Alternative A, present management, served as the foundation for formulating other alternatives. During the development of the management situation analysis (see Chapter 1, Planning Process), all land-use plans for the Lander Resource Area were compiled into one alternative. Alternative A. The effects of Alternative A were then analyzed to determine if there were better options to the way the resource area was being managed. Through this analysis, it was shown that there were different options for different parts of the resource area.

Because of these differences, it was convenient to portray present management and the options to present management by geographic area or units were identified, including the wilderness study areas (section III in this chapter lists the management units).

Once present management was portrayed by management unit and all the reasonable options to present management were developed for each management unit (see Appendix 1). Two additional alternative plans for the resource area (alternative B and C) were formulated. This resulted in the consideration of three alternative plans (A, B and C).

Alternatives A (no action, continuation of present management), B and C were analyzed first to identify any significant impacts they might cause and to determine how effective they might be at issue resolution. Following this analysis and the consideration of multiple-use tradeoffs, the preferred alternative or plan was selected by choosing among the various options within alternatives A, B and C. This preferred alternative was then analyzed to see if it would change any of the previously identified impacts. It did not. Following that analysis, a cumulative analysis was made to see if the cumulative impacts of the preferred alternative would be less than those caused by alternatives A, B or C (see Chapter IV).


OVERVIEW OF PREFERRED ALTERNATIVE

Energy and Minerals

Oil and Gas

The overall theme for management of the oil and gas resources within the resource area is to make public lands available for leasing to the maximum extent possible, while giving due consideration to the protection of other significant resource values. The potential for the occurrence of oil and gas and the significance and sensitivity of other resource values present in the resource area were used as management tools to aid in the determination of detailed management prescriptions for each management unit.

All of the slightly more than 2.7 million acres of federal mineral estate within the resource area would be open to leasing (see map 5-1). All but approximately 12,000 acres of the open acreage



Open, No Surface Occupancy

Open with Standard Requirements

Preferred Alternative/Plan

would be managed under a management prescription that would allow for enhanced management of the oil and gas resources by being less restrictive of oil and gas development related to other surface resource values in areas rated as having a high potential for the occurrence of oil and gas. In addition, as new information on the potential occurrence of oil and gas in any given area is obtained or new discoveries of oil and gas reserves are made, the potential rating for the area would be revised to reflect the new data.

Oil and gas leases issued within the resource area would be conditioned with stipulations to protect other important resource values. These restrictions (see Appendix 2) would provide needed protection to other resources and at the same time allow for as much opportunity as possible to explore for and develop the oil and ass reserves within the resource area.

Geophysical activities associated with oil and gas exploration would generally be restricted in the same manner as other oil and gas exploration and development activities. Geophysical activities don't necessarily have the same impacts on surface resources as do other oil and gas exploration activities, but because of the wide variety of methods and the even wider variety of impacts associated with them, it would be impossible to predict all possible combinations of methods and resources potentially impacted and to develop a management prescription that would be detailed enough to cover all possibilities. If a particular method of geophysical exploration could be conducted within the constraints necessary to protect other resources, it would be allowed.

Locatable Minerals

All federal lands within the resource area would be open to locatable mineral exploration and development unless specifically withdrawn or segregated from appropriation under the mining laws (see map 5-2). At the present time, approximately 1 percent of the federal mineral estate within the resource area is closed to locatable mineral exploration and development. Under the preferred management alternative, that portion of the resource area that would be closed to locatable mineral exploration and development would increase by 30,000 acres to approximately 2 percent of the total federal mineral estate within the resource area. The additional acreage proposed for withdrawal would be withdrawn to

protect crucial wildlife habitat in the East Fork Elk Winter Range and Whiskey Mountain Bighorn Sheep Winter Range, and the remaining acreage would be scattered throughout the resource area in small tracts primarily for the protection of significant cultural and historical resources.


In addition, in an attempt to minimize the acreage withdrawn to protect significant surface values, the preferred alternative would require that plans of operations be approved for all exploration and mining operations (except for casual use) in certain areas that might otherwise be withdrawn, and that notices of intent for operations of 5 acres or less would not be allowed. This would provide for a higher degree of protection for significant surface values, while still providing maximum opportunity to explore and develop the locatable mineral resources within the resource area.

Phosphates

The preferred management plan for the resource area would allow prospecting, exploration and development, and leasing of phosphate reserves. The phosphate reserves are located in a belt running along the northeast flank of the Wind River Range and extend into three different management units. Phosphate activities within the Red Canyon and Lander Slope Management units would require stringent stipulations and mitigation measures to protect significant surface resource values. The Beaver Creek Management Unit, which contains approximately one-half of the known phosphate reserves, would remain open to exploration, development and leasing with fewer restrictions than would be the case in the Red Canyon and Lander Slope Management units. In the Red Canyon and Lander Slope Management units, these restrictions would adversely affect the economic recovery of the phosphate resource (see Appendix 2 for applicable restrictive measures).

Other Minerals

The preferred management plan for the resource area would provide for the exploration and development of other minerals such as sand and gravel, building stone, and other common variety mineral materials on a demand basis and consistent with the limitations and restrictions imposed on oil and gas, locatable minerals, and phosphate exploration and development within the resource area.



Withdrawn (existing & proposed)

Open, Plans of Operations Required Except Casual Use

Open with Standard Requirements

Fish and Wildlife

General emphasis in management actions for the fish and wildlife program within the resource area has been established by the preferred alternative selected for each management unit. Based on these selections, the following management direction is indicated.

Improvement of aquatic and riparian habitats for fish, beaver, moose, and many other animals would receive top priority in the South Pass and Beaver Creek Management units, high priority in the Green Mountain Management Unit, and special attention in the Red Canyon Management Unit. Aquatic/riparian habitat management plans would be developed for an area encompassing parts of the upper Sweetwater River and Beaver Creek drainages and for the Green Mountain area.

Improvement of important big game ranges would receive high priority. The use of prescribed burning, cutting, thinning, planting, seeding, pitting, herbicide treatment, or other appropriate methods would be employed. Priority areas for action would be the Red Canyon and Lander Slope units for elk and other big game habitat, the Whiskey Mountain unit for bighorn sheep, the southwest part of the Beaver Creek unit and the South Pass unit for moose and mule deer, the Green Mountain unit for elk and mule deer, and the Sweetwater Rocks portion of the Gas Hills unit for mule deer. Terrestrial habitat management plans would be developed for the Red Canyon and Lander Slope units, the Sweetwater Rocks, and the south-central part of the Beaver Creek unit

BLM would continue to work closely with the Wyoming Game and Fish Department (WGFD) in all matters affecting fish and wildlife resources. Habitat management plans would be developed in cooperation with WGFD. BLM would continue to uphold its commitments made through cooperative agreements, cooperative management plans and memoranda of understanding such as those long-standing agreements concerning the Red Canyon and East Fork Big Game Winter Range and the Whiskey Mountain Bighorn Sheep Winter Range.

Objectives for some wildlife habitat management actions would be incorporated into other activity plans such as timber management, allotment development,

or cooperative management. This would occur where limited or specialized fish or wildlife objectives could be accomplished through guidance provided by these plans without developing a full-scale, overlapping habitat management plan.

Development of small scale, simple or routine habitat improvement projects and maintenance of useful existing projects would be continued throughout the resource area. Such actions would be subject to normal interdisciplinary environmental review, and budgetary and management constraints.

Forest Management


Most of the timber management in the resource area would occur in the Green Mountain Management Unit (see map 5-3). Small volumes may be offered from South Pass and Dubols units and larger volumes from the Lander Slope unit.

Minor forest products (fuelwood, post and poles, houselogs, etc.) would continue to be sold from timbered areas on a demand basis, depending on resource management objectives. Most fuelwood outting would occur in the Green Mountain Management Unit.

Sawtimber volumes offered would be approximately 2 million board feet per year and minor forest product volumes would be 1.5 to 2 million board feet. The primary objective of the harvesting program would be to achieve management of the timber resources by salvaging the dead and dying timber and regenerating the harvested areas. However, other resource objectives, such as wildlife, would be integrated into management plans to enhance these other values.

Prescribed burning techniques would be included in management plans for conifer and aspen stands to achieve multiple resource objectives. Standard and special provisions would be employed on all sales and burns to achieve management objectives. Clearcuts, in all cases, would be limited to 25 acres and the size of prescribed burns would be determined on an individual project basis. Regeneration of all harvested and burned areas would be assured, either through natural or artificial regeneration.

Forest-cultural practices in timber stands would be undertaken as needed, depending on funding, to assure optimum growth conditions in all stands.



Forest Management Areas

Landownership Adjustments and Utility Systems

The preferred alternative is to retain the majority of the 2.5 million acres of public lands in federal ownership. One hundred seventy-two tracts, encompassing approximately 24,500 acres, meet the basic ortheria for disposal pursuant to the Federal Land Policy and Management Act of 1976. Following more detailed analysis, it appears that 108 of these tracts, encompassing 13,000 acres, could be considered for future disposal through either sale or exchange (see map 5-4). The other 64, encompassing approximately 11,500 acres, would be retained in public ownership.

Proposals for disposal or exchange received in the future would be considered on a case-by-case basis. If a certain proposal is determined to be consistent with the objectives of this RMP, it could be approved without preparing a planning amendment.

Leases and disposals under the Recreation and Public Purposes Act would continue to be used to meet the needs of local and state governments.

Major utility and transportation systems would be located to make use of existing corridors whenever possible, to provide for cost-efficient routes, and to provide for protection of other resource values such as scenery and wildlife. Most of the area would be open for location of major utility systems. However, areas with the most potential conflicts have already been identified as areas to avoid. The avoidance areas would be areas where rights-of-way may be granted only when no feasible alternative route or designated rights-of-way corridor is available. These areas include the Whiskey Mountain Bighorn Sheep Winter Range, the East Fork Crucial Elk Winter Range, the Dubois Badlands, the Lander Slope, Red Canyon, South Pass, Sweetwater Canyon, the Sweetwater Rocks, and 1/4 mile or the visible horizon, whichever is less, on each side of the Oregon/Mormon National Historic trails (see map 5-5).

Recreation Management

The preferred alternative provides for management and maintenance of seven existing recreational sites, including Atlantic City, Big Atlantic Gulch and Cottonwood campgrounds; Split Rock and Devil's Gate interpretive sites; and Wild Horse Point Overlook and Castle Gardens picnic areas. The Split Rock and Devil's Gate interpretive sites are included in the Oregon/ Mormon Pioneer National Historic Recreation Area Management Plan.


An interpretive marker would be added for the Red Canyon National Natural Landmark overlook. Hazard reductions would be implemented and maintained on Green Mountain and South Pass. Plans for resource protection and maintenance of dispersed recreational opportunities and settings in the South Pass Historic Mining Area would be provided in a recreation management plan.


The Lander Resource Area staff would continue to monitor recreational use throughout the resource area. Area personnel would supervise recreational use and provide enforcement of recreation-oriented regulations and special designations. Monitoring and use supervision would be accomplished by patrolling high-use areas and contacting users in the field. Special efforts would be made to ensure compliance with the terms of special recreation use permits, authorizing commercial guide/outfitter services, permits for tours of the Oregon/Mormon Pioneer National Historic trails, and special designations dealing with recreation such as a 14-day camping limit on public lands and off-road vehicle designations. Quotas would be established for commercial hunting camps in the Green Mountain, Lander Slope, Red Canyon, and Whiskey Mountain Management units.

Winter sports would be restricted in the Red Canyon elk winter range area.

Off-Road Vehicles (ORVs)

The preferred alternative for ORV management would provide for the continuation of existing ORV designations completed in 1981 on about one-half of the resource area. It would also provide for designations to be completed on the remaining areas of public lands. ORV management would focus more intensive management on those management units having crucial wildlife values. significant visual resources, high watershed sensitivity and outstanding natural character. Intensive management would limit ORV use to designated roads and vehicle routes and impose seasonal closures (from approximately December through June) on areas or roads where vehicle use is totally incompatible with other resource values. ORV use in the remainder of the resource





Open Areas
Avoidance Areas

area would be limited to existing roads and vehicle routes, except for the performance of necessary tasks (i.e., work requiring the use of a motor vehicle. Examples include picking up big game kills, repairing range improvements, managing livestock, mineral activities where surface disturbance does not total more than 5 acres as described in the "5-acre exemption" under the 43 CFR 3809 regulations, etc.). ORV designations are summarized in table 5-1 (see map 5-6).

Cultural/Natural History

The various management actions chosen from the alternatives to make up the preferred alternative are generally oriented toward protection and maintenance of the significant cultural resources located in the Lander Resource Area.

The significant resources listed in several management units, including the Oregon/Mormon Trail; the South Pass Historic mining

TABLE 5-1
OFF-ROAD VEHICLE DESIGNATIONS

Designation	Area	Approximate Acreage
Limited to designated roads and vehicle routes	Lander Slope/ Red Canyon	40,000 acres
Limited to designated roads and vehicle routes	Green Mountain	56,000 acres
Limited to designated roads and vehicle routes	Whiskey Mountain	4,500 acres
Closed	Castle Gardens	80 acres
Closed	Dubois Badlands	4,500 acres
Limited to existing roads and vehicle routes	All other public land in Lander Resource Area	2,400,000 acres


area; Castle Gardens; the Red Canyon National Natural Landmark; and the Warm Springs Canyon flume, natural bridge and geyser, have been selected for enchanced protection. The significant resources listed in the remaining management units, including the Sparhawk Cabin site, need no further management at this time; therefore, no special management at each six be seen on Surches and success the second success th

Fire Management

The preferred alternative for approximately 2 percent of BLM administered lands is full suppression, with no equipment restrictions (see map 5-7). This would have the objective of suppressing all wildfires as quickly as possible with all available resources.

The areas for full suppression are areas with large amounts of intermingled or adjacent private and state lands and they contain either high historical or man-made values or very high wildline habitat values. The values that could potentially be destroyed by uncontrolled wildline far outweigh the damages that could occur from fire-fighting activities. For these reasons, wildfires in these areas should be suppressed as quickly as possible.

The preferred alternative for approximately 60 percent of the lands is full suppression of wildfires with limited or restricted use of heavy equipment. This does not preclude the use of heavy equipment, such as bullozers, but does limit their use on initial attack and requires fire authorities to analyze a fire situation critically before committing heavy equipment to a fire.




Existing Roads and Trails

Designated Roads and Trails (Green Mountain, Lander Slope, Whiskey Mountain)

Closed (Castle Gardens; Dubois Badlands)

Note: Red Canyon Elk Winter Range is closed to over Snow Vehicles.



Full suppression with no restrictions; prescribed burns allowed.

Full suppression with no heavy equipment on initial attack; prescribed burns allowed.

Limited suppression; prescribed burns allowed.

This alternative was chosen for some of the more critical areas in terms of resources such as visual, wildlife habitat, soils, timber, and recreation. There are many man-made improvements in these areas and large areas of intermingled private and state lands. Because these improvements and other lands could be severely damaged by uncontrolled fires, fires should be suppressed as quickly as possible. However, the inherent values in the area could be damaged beyond immediate repair through the uncontolled use of heavy ground equipment in the fire-fighting operations; therefore, limitation would be put on the use of heavy equipment.

The preferred alternative for approximately 38 percent of the public lands in the resource area is limited suppression of wildfires. Under this alternative there would be no initial attack on the fire and an observer would monitor a wildfire to ensure management objectives were being met. Suppression of a wildfire would occur when the fire 1) exceeds or has the potential to exceed the size specified in a predetermined plan, 2) threatens private property, 3) threatens other man-made structures, or 4) threatens human life.

The areas chosen for this alternative are generally more remote areas with few man-made improvements and small amounts of intermingled private and state lands. Wildfires would have little

potential for damaging improvements or other lands; therefore, the cost of suppression activities cannot be justified.

Access

The preferred alternative, which balances access needs with existing access, provides the most realistic overall transportation plan. Under this alternative, unneeded access roads would be rehabilitated, as outlined in the plan and funded by the benefitting activity. BLM access easement negotiations with landowners would be proposed for areas where public or administrative access would be needed. Current and proposed BLM road easements are delineated on table 5-2 and map 5-8.

Soil, Water and Air Management

Soil, water and air management were not considered as separate resource programs or issues in the alternatives and analyses, but were considered in each of the resource programs analyzed to assure management actions meet

TABLE 5-2

Existing Easements		Easements Proposed for Negotiation	
Maintenance Standard*	Road Name	Maintenance Standard*	Road Name
4 2 3 2 2 2 2 2 2 2 1 1 2	Ft. Stambaugh Loop Hudson-Atlantic City 2302 Three Forks-Atlantic City 2317 Green Mountain Loop 2411 Codar Rin 2301 Agate Flats 2404 Castle Gardens 2107 Cyclone Rim 3216 Red Creek 2219 Blson Basin-Hadsell Crossing Copper Mountain 2113 Oil Springs 2305	1 3 1 1 2 4 2 2 2 2 1 1 1	East Beaver Creek 2401 Crooks Mountain 2409 Mormon Basin 2202 Government Draw 2304 Signor Ridge Taggert Marchic City 2303 Opport Mountain 2113 Willow Creek 2412 Beef Gap Wolf Gap East Beaver Tappan Creek Dilabaugh Butte 2315


301

^{*}Maintenance standards are based on need and are:

^{1 =} primitive road, minimal intermittent maintenace.

^{2 =} single land bladed, intermittent regular maintenance.

 ^{3 =} graded, double lane ditched, regular maintenance.
 4 = graded, double lane ditched, regular maintenance, graveled.



- Existing Access Easements Fort Stambaugh Loop 2324 B Hudson-Atlantic City 2302 C Three Forks-Atlantic City 2317 Green Mountain Loop 2411 D E Cedar Rim 2301 Agate Flats 2404 G Castle Gardens 2107 Н Cyclone Ridge 3216 Red Creek 3219 Bison Basin-Hadsell Crossing 3221

K Copper Mountain 2113

Oil Springs 2305

Proposed Access Easement Negotiations

Beaver Rim 2401 2 Crooks Mountain 2409

3 Mormon Basin 2202 Government Draw 2304

Signor Ridge 6 Taggert Meadows

Hudson-Atlantic City 2302

Copper Mountain 2113 8 9 Willow Creek 2412

10 Beef Gap Wolf Gap

12 East Beaver Tappan Creek

Dilabaugh Butte 2315

Map 5-8 Access Lander Resource Area basic objectives. The objective is to manage the public lands in a manner that will protect and improve the quality of the soil, water and air resources associated with the public lands.

Livestock Grazing

Grazing allotments have been grouped into three categories: M (maintain), C (custodial) and I (improve). For each category, recommendations are made for an intensity of grazing management, including specific multiple-use resource management objectives, range improvement and monitoring needs, and actions needed to improve and maintain rangeland condition and productivity (see Livestock Grazing Supplement). Under the preferred alternative, present management would continue until monitoring results were available. Management actions based on all available data would then be implemented on the allotments, beginning with those needing the most improvement.

There are 291 allotments in the Lander Resource Area. Category M allotments comprise 19 percent of the allotments and 27 percent of the acreage in the resource area. The principal objective for these allotments is to maintain or improve their present satisfactory resource condition and allotment management. Category C allotments comprise 28 percent of the allotments and 4 percent of the acreage in the resource area. The principal short-term objective on these allotments is to prevent deterioration of the current resource conditions by managing the lands in a custodial manner. Category I allotments comprise 43 percent of the allotments and 69 percent of the acreage in the resource area. The principal objective for management of Category I allotments is to improve existing resource conditions and reduce or eliminate conflicts. Specific management actions proposed for these allotments depend upon the specific problems affecting each allotment (refer to Grazing EIS Supplement and Green Mountain EIS).

Green Mountain EIS Area

In the rangeland management section of the Green Mountain Management Framework Plan, the grazing allotments were grouped into categories, and for each category recommendations were made for an intensity of grazing management, including: specific multiple-use resource management objectives; range improvement and monitoring needs; and actions needed to improve and maintain rangeland condition and productivity. Tradeoffs considered in arriving at the recommendations were identified in the analysis found in the MFP. Under the proposed action, present management continued until monitoring results were available. Management actions based on all available data would then be implemented.

Category M allotments comprise 20 percent of the allotments and 6 percent of the acreage in the EIS area. The principal objective for these allotments is to maintain or improve their presently satisfactory resource condition and allotment management, Category C allotments comprise 26 percent of the allotments and 1 percent of the acreage in the EIS area. The principal short-term objective on these allotments is to prevent deterioration of the current resource conditions by managing the lands in a custodial manner. Category I allotments comprise 54 percent of the allotments and 93 percent of the acreage in the EIS area. The principal objective for management of category I allotments is to improve existing resource conditions and reduce or eliminate conflicts. Specific management actions proposed for these allotments depend on the specific problems affecting each allotment.

Under the elimination of livestock grazing attendartentive, livestock grazing would be eliminated from the public lands in the Green Mountain EIS area, and the lands would be managed for other resource values. Wild horse populations would be allowed to increase, and all managed wildlife species would be allowed to increase to population levels identified in the Wyoming Game and Fish Department's Strategic Plan for Comprehensive Management of Wildlife in Wyoming.

Under the enhanced livestock grazing alternative, forage available for domestic livestock use would be increased through an accelerated program of range improvements. Suitable allotments would be placed under allotment management plans (AMPs), and livestock would have priority in forage allowances.

Under the no action alternative, the existing range management program would be frozen. There would be no new range improvement projects, but maintenance of existing improvements would be allowed. Livestock management actions such as changes in seasons-of-use, class of livestock, etc., would not be allowed, regardless of need. Wild horse and wildlife numbers would be maintained at current levels through wild horse

gathering operations and coordination with the Wyoming Game and Fish Department.

Under the management based on currently available forage data alternative, currently available forage data statistic statistic forage data would be used, in lieu of monitoring, to establish grazing capacities. Maintenance and construction of range improvements would continue as planned. Plans for investock and wild horse adjustments would begin immediately. Other management actions would be the same as for the Proposed Action.

The Proposed Action is the preferred alternative. The proposed rangeland management for the EIS area was formulated through the BLM planning system, specifically the Green Mountain MFP. Resource problems and possible solutions were identified and analyzed to determine effects on other resources. The resulting multiple-use MFP recommendations were the basis for the proposed action (refer to Green Mountain Grazine EIS).

Gas Hills EIS Area

The preferred alternative was selected over the other alternatives (described in the Gas Hills Grazing ElS Supplement) because it includes the mangement actions and rangeland improvements needed to improve conditions in those allotments where there is a need and potential for improvement. It also provides for maintenance of present satisfactory conditions and management in the other allotments.

Specifically, it was selected over the continuation of present management alternatives because present management does not address the monitoring and management needs for those allotments where improvement is necessary.

Wilderness

Three management units in the Lander Resource Area are wilderness study areas (WSAs). These units, which encompass 6 WSAs totalling 48,000 acres, are Sweetwater Canyon, Sweetwater Rocks (4 units), and Copper Mountain (see map 5-9). Please refer to the Wilderness EIS Supplement for the detailed description and analysis.

The Sweetwater Canyon Wilderness Study Area is located south of Lander in the southwest portion of the resource area. The preferred alternative for Sweetwater Canyon is partial wilderness

The Sweetwater Rocks Wilderness Study Areas are four separate units located east of Jeffrey City in the southeastern portion of the resource area. The preferred alternative for all four units is continuation of present multiple-use management.


The Copper Mountain Wilderness Study Area is located in the north-central portion of the resource area and north of the town of Shoshoni. The preferred alternative is continuation of present multiple-use management.

Areas of Critical Environmental Concern

To protect significant surface values such as scenic areas, cultural resources and significant wildlife habitats, the preferred alternative would require intensive management of all surface disturbing activities in the following areas: the protective corridor for the Oregon/Mormon Pioneer Trail and specific sites along the trail, and the South Pass, Red Canyon, Lander Slope and the Dubois Badlands Management units.

Because unrestricted surface disturbing activities like mineral exploration and development could cause significant impacts to the unique values present in these areas, the preferred atternative would designate these areas as ACECs.

BLM has the authority to manage almost all surface disturbing activities to prevent significant impacts to other resources without specifically designating an area as an Area of Critical Environmental Concern (ACEC). However, locatable mineral activities, such as uranium exploration and development disturbing 5 acres or less are an exception. Therefore, in order to implement the preferred alternative, the areas listed above would have to be designated as ACECs.



Map 5-9 General Location-Wilderness Study Areas Lander Resource Area

THE PREFERRED ALTERNATIVE AND RATIONALE BY MANAGEMENT UNIT

Introduction and Background

Early in the process, guidance was established to provide for identification of resource management units and management actions for each unit (see Appendix 1 for maps of each management unit). The Lander Resource Area has 13 such units that were delineated based on resource values, competing land uses, and areas that provide specific opportunities and needs for management actions (see map 1-1). Alternatives were then formulated to resolve these issues and management needs for each unit. The 13 management Green Mountain, Beaver Creek. Lander Slope, Red Canyon, South Pass, Gas Hills, East Fork, Dubois Badlands, Whiskey Mountain, Dubois Area. Sweetwater Canyon (WSA), Sweetwater Rocks (WSA), and Copper Mountain (WSA)

Please note that the planned management actions for each of the 13 areas will focus mainly on the resource values present and the preferred alternative for each resource program in that unit.

The planned management actions define the types of land use that would occur in each management unit as a result of the preferred management plan. Where dominant resource values are not present, the prescription will focus on major or priority management actions that would be carried out to improve, sustain or protect resources in the unit. This process affords detailed direction to specific geographic units and provides a clear picture of what resource values and BLM program actions would be initiated to manage resources over a 10-year period. It will also serve as an important budgeting tool, because work force requirements and materials can be budgeted systematically to carry out planned actions.

Green Mountain Management Unit

The Green Mountain Management Unit contains about 126,000 acres of BLM-administered surface, 149,000 acres of federal mineral estate, and 36,000 acres of state and private lands.


The Green Mountain area encompasses some of the most diverse and intensive uses of resources within the resource area. It is the site of extensive unanum exploration, mining, oil and gas activity, and contains substantial commercial-grade timber stands that are being harvested. It also contains important wildlife habitat values. Green Mountain is a popular and well-used recreational area enjoyed by hunters, anglers, off-road vehicle enthusiasts, snowmobilers, campers, hikers, and other outdoorsmen. It is also used by livestock operators for cattle grazing, and it is part of the area used as range by wild horses.

Energy and Minerals

Oil and Gas

The preferred alternative for management of the Green Mountain Management Unit would include keeping the entire unit open for oil and gas leasing with some no-surface occupancy restrictions (see map 5-10). New oil and gas leases issued in areas rated as having moderate, low or no potential for the occurrence of oil and gas reserves would include a no-surface occupancy restriction to protect water quality, fisheries, riparian areas, sage grouse leks, steep slopes, threatened and endangered species, significant cultural sites, elk crucial winter range, and the campground and picnic site on Green Mountain. In addition. seasonal restrictions would be applied to the leases to protect crucial wildlife habitat areas. In areas with moderate, low or no potential for occurrence of oil or gas, restrictions would be applied automatically prior to lease issuance. These restrictions could be waived later if appropriate. In areas with high-potential for the occurrence of oil or gas including KGSs. restrictions would not be automatically applied prior to lease issuances. Instead, new oil and gas leases in these areas would be conditioned with no-surface occupancy and seasonal restrictions only when necessary to avoid a significant adverse impact on another resource. This alternative would further provide for the enhancement of oil and gas development in KGSs and high-potential areas through the waiver of lease restrictions on demonstration by the lessee that adverse impacts to other resources could be acceptably mitigated.

Implementation of the preferred alternative would allow for maximum management flexibility over the full range of resources. In areas of moderate, low and no potential for occurrence of oil and gas, this alternative allows for enhanced management of the surface resources, while providing opportunities for exploration and



1

Open with Standard Requirements

development of the oil and gas reserves. Conversely, in areas of high potential for the occurrence of oil and gas or in areas of established production such as KGSs, this alternative allows for enhanced management of exploration and development activities by minimizing the restrictions imposed on these activities.

Locatable Minerals

The Green Mountain Management Unit would be open for locatable mineral exploration and development, except for 120 acres around the BLM and county campgrounds and picnic sites on Green Mountain, which are presently segregated from appropriation under the mining laws. In addition, a plan of operations would be required for all locatable mineral exploration and development activity within 350 feet of the Sparhawk Cabin and on crucial elk winter range (see map 5–11).

The preferred alternative maintains opportunities for the exploration and development of locatable mineral resources. It restricts locatable mineral exploration and development on only a few sites where these activities could cause unacceptably high adverse impacts to other significant resource yailor.

Fish and Wildlife

Under the preferred alternative, routine fish and wildlife habitat improvement projects and maintenance of existing projects would be completed after appropriate review and would be consistent with program capabilities and priorities. Prescribed burns and other cultural practices would be used to manipulate selected tree and shrub sites to improve habitat for elk, mule deer, beaver, fisheries, and a variety of other animal species. The Green Mountain Management Unit would be a moderate priority area for development of an aquatic habitat management plan for improvement of fisheries and riparian and beaver habitats. Major habitat improvement objectives for elk and mule deer would be incorporated into a comprehensive timber management plan and grazing allotment management or development plan.

This alternative was selected because it would provide reasonable ways to maintain and enhance the significant fish and wildlife resource values in the unit, based on the need to upgrade management of the timber resource and allow for continued development of the high-value uranium and oil and gas resources.


Cultural practices designed to promote aspen and willow regeneration and create diversity in size, age-class, and edge-effect in conifer stands, while still maintaining elk cover requirements, would improve habitat for elk and mule deer. Improving the vigor of aspen and willow stands, expanding the size of stands or reestablishing stands would help stabilize the forage and material base to maintain beaver and their dam complexes. This, in turn, would benefit many other wildlife species by helping to raise water tables, stabilize stream flows and stabilize or expand riparian rones.

Forest Management

The preferred alternative for forest management in the Green Mountain Management Unit involves advertised or negotiated timber sales totalling approximately 2 MMBF (million board feet) per year to meet the demand for sawlimber products. Also, approximately 1.5 to 2.0 MMBF would be sold on a public demand basis to meet the demand for minor forest products (fuelwood, posts and poles and houselogs).

The entire mountain would be managed on a compartment basis, whereby the timber sales would be harvested from specific compartments on a rotation basis. The mountain has been divided into 17 compartments. Management activities would be conducted for 5 or 6 years in each compartment, and the operations would then be moved to the next compartment. After the sales have been terminated, efforts would be made to concentrate the majority of the public woodcutting in the compartments in which the advertised sales were being conducted. Also, prescribed burns or other techniques would be applied to areas within each compartment, either at the same time sales were being conducted or immediately after sales have been terminated. The plan is to complete all management actions in every compartment within 110 years.

The management actions in adjacent compartments would be separated in times of that the forest would eventually progress to an uneven-aged condition. This would enhance the wildlife habitat by maintaining a continual supply of forage and also a continual supply of thermal and hiding cover for big-game animals. This would also enhance the timber condition by removing the dead and dying mature and overmature stands and replacing them with vigorous new stands. The harvested stands would be separated enough so that the new stands. When mature, would make



Map 5-11 Locatable Minerals Green Mountain

the forest less susceptible to another mountain pine beetle epidemic similar to the one that has recently occurred.

Most harvesting would utilize clearcuts up to 25 acres in size, which would be irregularly shaped to create more edge effect for wildlife and to enhance natural regeneration of harvested areas. Clearcuts would not be allowed within 100 feet of perennial streams to reduce disturbances to riparian habitats. To reduce erosion potential, no harvesting with conventional logging equipment (buildozers or rubber-tired skidders) would be allowed on slopes over 45 percent.

If any harvesting in aspen stands were conducted, clearcut sizes would be determined on an individual project basis.

Harvested sites would be prepared for regeneration by piling and burning all unuseable wood and debris left after logging (slash). Natural regeneration has been very successful in the past. However, if I were unsuccessful in some areas, artificial regeneration (planting or direct seeding) would be employed.

Precommercial or commercial thinnings in younger stands would be employed as required.

Landownership Adjustments and Utility Systems

The preferred alternative is to consider two isolated tracts (134 and 135) butsling 166 acres for disposal through sale or exchange (see map 5-12). The rationale is that these parcels do not have legal public access and do not contain any known significant or unique resource values.

Proposals for disposal or exchange received in the future would be considered on a case-by-case basis. If a certain proposal is determined to be consistent with the objectives of this RMP, it could be approved without preparing a planning amendment.

Recreation and Public Purpose (R&PP) Act leases and patents would be allowed on a case-by-case basis. R&PP proposals would be analyzed to determine compatability with the unit's resource values as applications were received from organizations and state and local governments.

Public lands would be open for location of utility and transportation systems. These systems would be concentrated in existing utility corridors whenever possible. No significant impacts are anticipated from major utility systems, especially if located in existing corridors.

Recreation Management

The preferred alternative would maintain existing developments, establish a 14-day camping limit on all camping, eliminate safety hazards and improve aesthetic values. Quotas would be established for commercial hunting camps.

Generally, this unit would be managed as an extensive recreation management area where dispersed recreation would be encouraged and where visitors would have freedom of recreational choice with minimal regulatory constraint. Recreation management would emphasize the resolution of competing uses and provide resource protection. Thus, recreation management priorities include maintaining existing investments, reducing public safety hazards, enhancing aesthetic values, and establishing camping and commerical use audots.

Off-Road Vehicles (ORVs)

The preferred alternative would continue the present ORV designations that limit ORV use to designated roads and vehicle routes and establish seasonal road closures on Green Mountain above 7,000 feet elevation. Long- and short-term resource damage, user access requirements, and public safety suggest that limitation of ORV use is in the best public interest. Several roads and vehicle routes would be closed seasonally in order to protect the roadbed and surrounding watershed values (December 1 through June 15).

Fire Management

The preferred alternative, full suppression with limited or restricted use of heavy equipment, was chosen for this area. This would entail an aggressive initial attack with all available resources, with the exception of heavy equipment such as bulldozers. The objective would be to suppress wildfires as quickly as possible with as little surface disturbance as possible.

The Green Mountain Management Unit has a very high fire danger because of the recent mountain pine beetle epidemic, which killed the majority of the larger trees. The area has a history of two lightning fires every year, and there are many man-made structures on the mountain, such as telephone and television relay stations, and exploratory drilling rigs during the summer and



Map 5-12 Landownership Adjustments Green Mountain

fall. There is also a very high use of the area for woodcutting and general recreation.

Wildfries probably could not be managed or controlled on Green Mountain and might cause more harm than good. However, fires in the area could play a very beneficial role in wildlife habitat and timber stand enhancement. It would be much safer, though, and objectives could be more fully met, by utilizing prescribed burns.

Because of the potential erosion problems on steep slopes, heavy equipment should be limited and used only when absolutely necessary. Uncontrolled use of heavy equipment during a previous fire on the Green Mountain Management Libit resulted in surface disturbance.

Access

The preferred alternative would provide public access to public lands for forest, wildlife, recreation and livestock grazing management. Existing BLM roads and easements would be maintained, and BLM would negotiate additional easements as identified in the District Transportation Plan. As of 1985, the plan calls for negotiating easements on the Willow Creek Road (via the Cooper Creek Road), the Crooks Mountain Road and the Taggart Meadows Road.

Unnecessary roads, such as the Cooper Creek fire access road, would be obliterated and rehabilitated, thus restoring the natural landscape to some extent.

Beaver Creek Management Unit

The Beaver Creek management unit contains about 1,165,000 acres of BLM-administered surface, 1,370,000 acres of federal mineral estate, and 323,000 acres of state and private lands.


The Beaver Creek Management Unit has important uranium and oil and gas resources. It is extensively used for livestock grazing and contains valuable wildlife habitat. Several nationally significant cultural and historical sites, such as the Oregon/Mormon Trail and the Split Rock landmark are located within this unit.

Energy and Minerals

Oil and Gas

The preferred alternative for management of the Beaver Creek Management Unit would include keeping the entire unit open for oil and gas leasing. except for existing withdrawals and segregations, which encompass approximately 1,500 acres (see map 5-13). Oil and gas leases issued in areas rated as having moderate, low or no potential for the occurrence of oil and gas reserves would include a no-surface occupancy restriction to protect water quality, fisheries, riparian areas, sage grouse leks, steep slopes, threatened and endangered species, significant cultural sites, Jeffrey City, the Jeffrey City airport, Beaver Rim (starting at U.S. Highway 287 and extending north 8 miles), the proposed Ice Slough National Register site, and portions of the Oregon/Mormon Pioneer National Historic trails. In addition, seasonal restrictions would be applied to the leases to protect crucial wildlife habitat areas. In areas with moderate, low or no potential for occurrence of oil or gas. restrictions would be applied automatically before lease issuance. These restrictions could be waived later if appropriate. In areas with high potential for the occurrence of oil or gas, including KGSs. restrictions would not be automatically applied before lease issuance. Instead, new oil and gas leases in these areas would be conditioned with no surface occupancy and seasonal restrictions only when necessary to avoid a significant adverse impact on another resource. This alternative would further provide for the enhancement of oil and gas development in KGSs and high-potential areas through the waiver of lease restrictions when the lessee has demonstrated that adverse impacts to other resources could be acceptably mitigated.

Implementation of the preferred alternative would allow for maximum management flexibility over the full range of resources. In areas of moderate, low and no potential for occurrence of oil and gas, this alternative would allow for enhanced management of the surface resources, while providing opportunities for exploration and development of the oil and gas reserves. Conversely, in areas of high potential for the occurrence of oil and gas or in areas of established production such as KGSs, this alternative would allow for enhanced management of exploration and development activities by minimizing the restrictions imposed on these activities.



Locatable Minerals

The Beaver Creek Management Unit would be open for locatable mineral exploration and development, except for 1,200 acres around the Split Rock Landmark, Rocky Ridge and the Aspen Grove Site, areas withdrawn from appropriation under the mining laws, and an additional 280 acres proposed to be withdrawn from appropriations under the mining laws around Rocky Ridge (see map 5-14). A plan of operations would be required for all locatable mineral exploration and development activity (except casual use) within 1/4 mile of the Gilespie Place Historic Site and Willies Handcart Commemorative Site, Beaver Rim (starting at U.S. Highway 287 and extending north 8 miles), and the Ice Slough proposed National Register Site. A plan of operations would also be required for all locatable mineral exploration and development activities within 1/4 mile of the visible horizon of the Oregon/Mormon Pioneer Trail.

The preferred alternative places restrictions on locatable mineral exploration and development only in areas where these activities could cause significant adverse impacts to other significant resource values. This alternative provides for maximum opportunities for the exploration and development of the locatable mineral resources.

Phosphates

The preferred alternative for management of the Beaver Creek Management Unit would include keeping the unit open for exploration and development of the phosphate reserves within the unit. All exploration permits and leases issued within the unit would include a no-surface occupancy restriction, when needed, to protect water quality, fisheries, riparian areas, sage grouse leks, steep slopes, threatened and endangered species, and significant cultural sites. In addition, seasonal restrictions would be applied to the leases as needed to protect crucial wildlife habitat areas (see Appendix 2).

The preferred alternative provides for the protection of sensitive surface resources, while providing for opportunities to explore and develop the phosphate reserves within the management unit.

Fish and Wildlife

The preferred alternative provides for development of routine fish and wildlife habitat

improvement projects and maintenance of existing projects after appropriate review and where consistent with program capabilities and priorities. Special management actions and projects to improve fisheries and associated riparian habitats in the upper Sweetwater River and Beaver Creek drainages would also be undertaken. They would be included as objectives in a fisheries and riparian habitat-oriented, habitat management plan.

This alternative was selected because it provides for a concerted effort to address the problems of damaged and deteriorating fisheries and associated riparian habitats. The upper Sweetwater River and Beaver Creek drainages have the most extensive public land stream fisheries and stream-associated aquatic-riparian habitat base in the resource area. This area of high fisheries/riparian value overlaps the southwest part of the Beaver Creek Management Unit and the South Pass Management Unit. The fisheries and riparian habitats are mostly associated with small streams, commonly with aspen/willow and beaver pond complexes. There is high demand for the fishing opportunities in the area from local and regional outdoor recreationists attracted to the general South Pass historical area. The riparian habitats here also provide crucial winter habitat for Shiras moose and important habitat for fawning mule deer and many other animals.


Many of the important riparian-aquatic habitat values have been seriously damaged or lost as a result of mining activities and many years of excessive grazing pressure on stream bottoms. There is a relatively high potential for significantly improving fish and wildlife habitat, increasing recreational opportunities (fishing, hunting) and reducing further fish and wildlife resource losses under the preferred alternative.


Landownership Adjustments and Utility Systems

The preferred alternative is to retain 17 isolated tracts and consider disposal of 26 isolated tracts through sale or exchange (see map 5-15).

Proposals for disposal or exchange received in the future would be considered on a case-by-case basis. If a certain proposal is determined to be consistent with the objectives of this RMP, it could be approved without preparing a planning amendment.

The 17 tracts (3,300 acres) to be retained are a portion of tract 68 (SE½NE½,NE½NW½ of





section 18, T. 30 N., R. 98 W), tracts 70, 76, 77, a portion of treat 78 (SWXSEV of section 10, T. 31 N., R. 97 W), and tracts 123, 125, 126, 128, 129, 130, 131, 132, 136, 164, 165, and 166. The rationale for retaining these tracts varies. Some of the tracts are in the proximity of the Sweetwater River bottom and the associated riparian areas and provide a diversity of species habitat for wildlife. Other tracts have high-public values associated with the Oregon Trail. The remainder of the tracts have high-public recreational values because of legal access. In determining public access, it is assumed that state of Wyoming lands provide access to public lands managed by BLM.

The 26 tracts (3,438 acres) that would be considered for sale or exchange are tracts 53, 54, 66, 67, a portion of tract 68 (NEVSEV of section 7, T. 30 N., R. 98 W), tracts 69, 70, 71, 72, 73, 74, 75, a portion of tract 78 (N/SWV of section 11, T. 31 N., R. 97 W), and tracts 79, 80, 81, 82, 84, 85, 122, 124, 125, 127, 133, and 167. These tracts are small, generally do not have legal access, do not have unique or significant resources, and would probably not result in a change of land was if sold or exchanged.

Also, part of the preferred alternative is that Recreation and Public Purpose Act leases and patents would be issued on a case-by-case basis. The rationale for this alternative is that R&PP actions would be analyzed in response to R&PP applications, and decisions as to compatability with the unit's resource values would be considered at that time.

Except for three areas (the Oregon Trail corridor, the Sweetwater Canyon and the Sweetwater Rocks), the preferred alternative would allow construction of major utility systems throughout the Beaver Creek Management Unit. Rights-of-way might be granted within the three high-resource value areas mentioned above if no feasible alternative route or designated corridor were available. Utility systems would be concentrated in existing corridors whenever possible. The rationale for this alternative is that there would be no significant impacts resulting from construction of major utility systems, except in the three high-resource value avoidance areas.

Recreation

The preferred alternative is to maintain the existing Split Rock interpretive site. The Split Rock interpretive site is incorporated in the management plan for the Oregon/Mormon Trail, which provides detailed planning with specific

objectives for use by visitors, resource protection, and interpretive needs consistent with public demand. The rest of the unit is part of an extensive recreation management area where dispersed recreation would be encouraged. Recreation management and maintenance would be minimal, with emphasis on the resolution of user conflicts and provide resource protection.

Off-Road Vehicles (ORVs)

The preferred alternative is to continue the present CPK designations, which limit ORV use to existing roads and vehicle routes. This designation is determined to be appropriate for the majority of the public lends by accomodating access needs, while providing resource protection by limiting OPK use to existing roads and trails.

Cultural/Natural History

The preferred alternative for the cultural/natural history program in the Beaver Creek Management Unit would affect two cultural resources and one important natural history resource. It would ensure that all actions are consistent with the Oregon/Mormon National Historic Trail Management Plan, it would encourage active negotiations to acquire the Burnt Ranch Historic site (an Oregon/Mormon Trail site), and it would encourage National Natural Landmark designation and enrollment of the Beaver Rim proposed National Natural Landmark area.

The Oregon/Mormon Trail Management Plan (described in chapter II) would establish protection, use and management guidelines for public land trail resources througout the state of Wyoming, including the Lander Resource Area. Draft recommendations now formulated for the trail would establish the following in the Beaver Creek Management Unit: a 1/4 mile or visible horizon corridor (whichever is closer) on each side of selected trail segments, where modern intrusions and disturbances would be minimized or prohibited; and a protective withdrawal for the remainder of the Rocky Ridge site, Ice Spring Slough, Gilespie Place, Willies Handcart site, and a continuation of the protective withdrawal at the Solit Rock Historic Landmark, and adoption of these recommendations would provide continued protection of this National Historic Trail and several of its highly important sites. This type of management would ensure compliance with National Trails System Act requirements for the

protection of important trail segments and sites, as well as provide for the preservation of several National Register listed and eligible trail properties. It would also continue longstanding efforts of BLM to protect and encourage public enjoyment of the trail.

Encouragement of negotiations to acquire the privately owned Burnt Ranch site could result in the transfer of a highly important Oregon/Mormon Trail site into public ownership. This National Register eligible site could compliment the Oregon/Mormon Trail resources of the Lander Resource Area by adding a major emigrant campsite, river crossing, crossroads, Pony Express station, and a U.S. mail and stage station site to the public domain. Existing historical resources would be preserved for future study and public enjoyment. Public ownership of the Burnt Ranch site would also enable better access through the general area for visitors wishing to reenact historical travel on the trail, as well as enable longterm management of local Sweetwater River frontage for the public good. Acquisition of Burnt Ranch by BLM would be in accordance with National Trails System Act guidance, which encourages acquisition of important trail resources when feasible. Acquisition would also provide for the long-term protection and preservation of a highly important National Register eligible trail resource.

Pursuing National Natural Landmark (NNL) status for a portion of Beaver Rim would establish protective status to this important natural history resource. Beaver Rim has been identified by the National Park Service as an eligible NNL candiate; NNL status provides for voluntary preservation of the natural values that exist within the NNL. This action would help to preserve the important natural values present (unique stratigraphic sequences with possible important fossil resources) at the Beaver Rim proposed NNL site. Lack of special management at this site might result in loss of identified important natural history resources, so the NNL designation/enrollment action was chosen over the alternatives not containing any actions concerning Beaver Rim.

Fire Management

The Beaver Creek area has been divided into three suppression zones (see map 5-16). Each zone and its corresponding preferred alternative is:

Zone 1

Full suppression with limited use of heavy equipment such as bulldozers was chosen as the preferred alternative for this zone. This means that any wildfire would be fought as soon as it we discovered, using all resources with the exception of heavy equipment such as bulldozers. If the fire were not controlled in the first burning period, a decision would be made, using the escaped fire analysis, as to whether or not heavy equipment should be used to supplement other fire-fighting resources.

Full suppression was chosen, even though there are many areas where wildfires could enhance range and wildlife habitat, because of the large amount of private and state lands and property that could be damaged as a result of wildfires started on BLM administered lands. Prescribed burns would be used for range and wildlife habitat improvement.


Zone 2

Limited suppression was chosen as the preferred alternative for this zone. The primary objective of this type of management is to reduce suppression costs in line with the resource damage the fire would have caused. Wildfires under this alternative would be suppressed when the fire 1) exceeds or has the potential to exceed the size specified in a predetermined plan, 2) threatens private property, 3) threatens other man made structures, or 4) threatens human life.

The Beaver Creek Management Unit has no history of large or damaging fires and only small, scattered amounts of private land are intermingled with public lands. Wildfires in this area would generally be beneficial to the wildlife habitat. Most environmental damage that occurs on fires is from the resources used to fight the fire. Under a limited suppression regime, less resource damage would occur from suppression activities, and suppression activities would be less costiv.

Zone 3

Limited suppression was also chosen as the preferred alternative for this zone. The primary objective of this technique is to reduce suppression in line with the resource damage the fire would have caused. Wildfires under this alternative would be suppressed when the fire 1)



exceeds or has the potential to exceed the size specified in a predetermined plan, 2) threatens private property, 3) threatens other man-made structures, or 4) threatens human life.

Access

The preferred alternative is to maintain existing BLM roads and essements. In addition, BLM would negotiate with landowners for easements as identified in the District Transportation Plan. As of 1985, this plan calls for negotiating easements on the East Beaver Creek, Twin Creek, Government Draw, Signor Ridge, Hudson-Atlantic City, Beaver Rim, Wolf Gap, Beef Gap and Dilabaugh Butte roads.

This alternative provides the most realistic overall transportation plan for those areas where access is needed for resource management on public lands. Roads would be kept to the minimum BLM standards necessary for the anticipated use. No roads would be upgraded in the Sweetwater Rocks area.

Lander Slope Management Unit

The Lander Slope Management Unit contains about 25,000 acres of BLM-administered surface, 46,000 acres of federal mineral estate, and 62,000 acres of state and private land. There are no mining claims on the Lander Slope.

The Lander Slope is part of the northeast flank of the Wind River Mountains and forms the scenic backdrop for the Lander area and much of the Wind River Basin. It has a fragmented land and mineral resource ownership pattern. In recent years, industry has shown some interest in leasing oil, gas, and phosphates on the slope, even though the slope has low oil and gas potential for occurrence and low phosphate value. The area also has high recreational values, and contains one of the major concentrations of high value and crucial wildlife habitats in the resource area. There are two wintering areas used by the bald eagle and elk, and mule deer, moose and bighorn sheep forage on the slope. The Lander Slope also contains commercial quantities of timber, and the state has improved access and proposed timber harvests on parts of the slope.

Energy and Minerals

Oil and Gas

The preferred alternative for management of the Lander Slope would include keeping the area open to oil and gas leasing, with restrictions. All new oil and gas leasses issued within the management unit would include a no-surface occupancy restriction, where necessary, to protect water quality, fisheries, riparian areas, sage grouse leks, steep slopes, threatened and endangered species, significant cultural sites, and sensitive visual resources, for this management unit, this would include the majority of the area. In addition, seasonal restrictions would be applied to the leases to protect crucial wildlife habitat areas.

The preferred alternative would provide for the protection of sensitive visual resources as well as crucial wildlife habitats and fragile areas, while providing for opportunities to explore and develop the oil and gas reserves within the management unit. All of the lands within the management unit have been rated as having low potential for the occurrence of oil and gas.

Locatable Minerals

Under the preferred alternative, the entire management unit would be open to locatable mineral exploration and development. In order to protect important scenic and wildlife values, a plan of operations would be required for all locatable mineral exploration and development operations conducted within the highly visible steep slopes and areas with important wildlife habitat (see discussion on ACEC at the beginning of this chapter).

Because of the limited interest that has been expressed for locatable mineral exploration activities and low development potential in this area, adequate protection of significant surface resources could be achieved through the approval process for the plans of operations that would be required for all locatable mineral exploration and development activities along the Lander Slope.

Phosphates

The preferred alternative for management of the Lander Slope Management Unit would include phosphate prospecting, exploration and leasing.

Phosphate activities on the Lander Slope would be restricted to prevent significant adverse impacts to scenic values and important wildlife habitat. In some cases, these restrictions would impede or prevent the economic recovery of the phosphate resource and, thereby, make mining activities difficult or impossible (see Appendix 2 for examples of these restrictive measures).

Implementation of the preferred alternative would be consistent with past management efforts to protect the sensitive visual resources of the unit as well as crucial wildlife habitals and fragile areas. At the present time, there are no valid phosphate exploration permits or leases within the unit. The phosphate reserves within the unit have low development potential with multiple thin seams and 18 to 24 percent PoCs.

Fish and Wildlife

Under the preferred alternative, development and maintenance of routine fish and wildlife habitat improvement projects would be completed after appropriate review and where consistent with capabilities and priorities. The Lander Slope Management Unit, along with the adjacent Red Canyon Management Unit, would encompass a high-priority area for development of a terrestrial habitat management plan, with elk being the primary species. There would be a cooperative effort with the Wyoming Game and Fish Department to integrate the management of their Red Canyon Habitat Management Unit into the plan.

Prescribed burns and other cultural practices would be initiated to rehabilitate elk, mule deer, moose, bighorn sheep, fisheries, and riparian habitats under this alternative.

This alternative was selected because it would establish a reasonable course of action to maintain and improve a variety of big game, fish and other wildlife habitats and reduce competition on some sites between big game species and betweeh big game and livestock.

The Lander Slope Management Unit supports an exceptional concentration of high-value wild-life habitats, including crucial wintering range for elk, mule deer and moose; crucial yearing range for bighorn sheep; winter habitat for bald eagles; several trout streams; and significant acreages of "high" and "moderate" priority standard habitat sites. Public lands in the Lander Slope Management Unit provide several major blocks of limiting habitat for the big game herds and other high-value wildlife inhabiting the south end of the Wind

River Mountains. Considering that other land uses will continue on these lands and the shrinking habitat values on much of the nonpublic lands along the Lander Slope, it is important to establish an active program of habitat maintenance and improvement in both the Red Canyon and Lander Slope Management units in order to maintain the exceptional fish and wildlife resource values.

Forest Management

The preferred alternative for the Lander Slope Management Unit would entail offering one or more sales for a total of approximately 10 MMBF, to be harvested over a period of not more than 5 years. After this initial period, activity would cease for about 10 years, and the roads constructed for logging would be closed. After this period, similar sales would be offered again in the area.

This sequence of harvesting timber would allow the establishment of uneven-aged stands, which would enhance both the timber condition and wildlife habitat. As on Green Mountain, the wildlife habitat would be enhanced by creating more forage on a continual basis. The timber condition would be improved by replacing the dead and dying stands with vigorous regeneration and by separating the harvested stands to make the future stands less susceptible to mountain pine beetle epidemics.

Harvesting of conifer stands would utilize irregularly shaped clearcuts up to 25 acres in size. Only partial cutting would be allowed within 100 feet of perennial streams. No harvesting with conventional logging equipment (buildozers or rubber-tired skidders) will be allowed on slopes over 45 percent.

An attempt would be made to maintain a ratio of approximately 40 percent cover to 60 percent openings in the contiguous timbered areas for optimum elk habitat.

Harvested sites would be prepared for regeneration by piling and burning the unuseable debris left after logging.

Natural regeneration would be expected because it has proven successful in the past in lodgepole pine forests, but if it were unsuccessful in certain areas, artifical regeneration (planting or direct seeding) would be employed.

Precommercial and commerical thinnings would be utilized as required to manage new timber stands.

Landownership Adjustments and Utility Systems

The preferred alternative is to retain 13 isolated tracts and to consider sale or exchange of 14 isolated tracts. The 13 tracts (3,040 acres) that would be retained in public ownership (see map 5-17) would include tracts 39, 41, 42, 43, 50, 51, 52, 57, 58, 60, part of 61 (SWIXINW) of sec. 30, 728N., R-190W, and EVINEY of sec. 25, T32N., R-100W), 85, and 161. The rationale for retaining these tracts is that they have important wildlife values and legal public access. In a few instances there would be no legal access, but there would be potential for a land-use change to rural homesites if the lands were disposed of, therefore adversely impacting important wildlife habitat.

The 14 tracts (1,441 acres) that would be disposed of are tracts 40, 44, 45, 46, 47, 48, 55, 56, 59, part of 51 (NEXNUW/6 of sec. 30, T.32N., R.95W.), 62, 63, and 64. The rationale for disposing of these lands is that there would be no legal access to the lands for management purposes, there are no significant or unique public resources, and there would be probably be little potential for an adverse land use change if they were sold or exchanged.

Proposals for disposal or exchange received in the future would be considered on a case-by-case basis. If a certain proposal is determined to be consistent with the objectives of this RMP, it could be approved without preparing a planning amendment.

Recreation and Public Purpose Act patents would be issued on a case-by-case basis in response to applications and an analysis of the compatability of the proposal with the resource values in the area.

The preferred alternative is to avoid the Lander Slope Management Unit when locating major utility systems. Major utility systems would be allowed; no feasible alternative route or designated right-of-way corridor were available. The lowlands near Highway 28 and 789 would be considered for utility systems before allowing utility systems on the slopes of the mountain.

Recreation

The preferred alternative is to manage the Lander Slope Management Unit for extensive recreational opportunities, with no special

management actions. A 14-day camp limit and quotas on commercial hunting camps would be set

No major recreational developments are planned in this unit. The Lander Slope Management Unit would be managed as an extensive recreation management area where dispersed recreation rather than intensive recreational use would be encouraged and where visitors would have freedom of choice with minimal regulatory constraint. Recreation management would emphasize resolving user conflicts and providing resource protection. Establishing quotas for hunting camps would reduce conflicts between commercial recreational use permits and be in conformity with permit quotas on U.S. Forest Service lands. A 14-day camping limit would eliminate "domicile" or "homestead" camping.

Off-Road Vehicles


The preferred alternative would continue the present ORV designations that limit ORV use to designated roads and vehicle routes.

The existing ORV plan is consistent with adjoining national forest lands. Long- and short-term resource damage, user access requirements, and public safety suggest that limitation of ORV use would be in the best public interest. Roads and vehicle routes would be closed seasonally in order to protect the roadbod, watershed values, visual resources, and avoid disturbing wildlife on their winter rance.

Fire Management

Full suppression with limited use of heavy equipment was chosen as the preferred alternative for the Lander Slope Management Unit. This would entail an aggressive initial attack using all available resources, with the exception of heavy ground equipment such as buildozers. The objective would be to suppress widifiers as quickly as possible to reduce potential damage. As with other areas, the uncontrolled use of heavy equipment has the potential of creating more environmental damage than the fire itself would cause. This is a major concern in this highly scenic area on the front of the Wind River range.

The Lander Slope has large amounts of intermingled private and state lands, receives



heavy recreational use and has a history of mancaused fires. It also has extensive areas of winter range habitat for big game herds. For these reasons, uncontrolled fires could have the potential of creating severe damage to various resources, and full suppression would be the most logical fire management alternative.

Access

The preferred alternative is to negotiate with landowners to obtain easements as identified in the District Transportation Plan. As of 1985, this plan calls for negotiating easements for public access on the Shoshone Lake Road to Mormon Basin.

The Shoshone Lake Road is the key access to over 5,000 acres of blocked public land adjoining the national forest. Public access across state and private lands is needed to reach the public lands in Mormon Basin and to provide vehicle access to Mormon Basin for hunting and for reaching the national forest. Legal access is also needed for forest and wildlife management.

Red Canyon Management Unit

The Red Canyon Management Unit contains about 15,000 acres of BLM-administered surface, 17,000 acres of federal mineral estate, and 8,000 acres of state and private lands (see map 5-18). There are 128 mining claims within this management unit. These claims are primarily for bentonite and, for the most part, are not within the National Natural Landmark or the crucial elik winter range.

This management unit contains a national natural landmark and a wildlife habitat management unit for wintering elk that is managed by the Wyoming Game and Fish Department. Recently, industry has shown some interest in leasing oil, gas and phosphate, but, like the Lander Slope unit, this unit has low development potential for these resources.

Energy and Minerals

Oil and Gas

The preferred alternative for management of the Red Canyon Management Unit would include keeping the area open to oil and gas leasing, with restrictions. All new oil and gas leases issued

within the management unit would include a no surface occupancy restriction, where necessary, to protect water quality, fisheries, riparian areas, sage grouse leks, steep slopes, threatened and endangered species, significant cultural sites, and the Red Canyon National Natural Landmark. In addition, seasonal restrictions would be applied to leases to protect crucial wildlife habitat areas.

The preferred alternative provides for the protection of sensitive visual resources as well as crucial wildlife habitats, fragile areas and the Red Canyon National Natural Landmark. It also provides opportunities to explore and develop the oil and gas reserves within the management unit. All of the lands within the management unit have been rated as having low potential for the occurrence of oil and gas. The preferred alternative is consistent with the management objectives for the Red Canyon National Natural Landmark, which is to preserve the natural and seenic values of the area.


Locatable Minerals

Under the preferred alternative, the entire management unit would be open to locatable mineral exploration and development. In order to protect important scenic and wildlife values, a plan of operations would be required for all locatable mineral exploration and development operations conducted within the highly visible steps elsopen and areas with important wildlife habitat (see discussion on ACECs at the beginning of this chapter).

Because of the limited interest that has been expressed for locatable mineral exploration activities and the low-development potential in this area, adequate protection of significant surface resources could be achieved through the approval process for the plans of operations that would be required for all locatable mineral exploration and development activities along the Landraf Slope and within the Red Canyon National Natural Landmark

Phosphates

The preferred alternative for the National Natural Landmark and the crucial elk winter range within the Red Canyon Management Unit would include closing these two areas to phosphate exploration and leasing, which would require a withdrawal. The remainder of the unit would be open to prospecting, exploration and development, and leasing with restrictions, as appropriate to protect important surface values (see Appendix 2).





Implementation of the preferred alternative would be consistent with past management efforts to preserve the natural and scenic characteristics of the Red Canyon National Natural Landmark as well as orucal big game habitats, fragile areas and sensitive visual resources. There are no phosphate exploration permits or leases within the unit. The phosphate reserves within the unit have low development potential with multiple thin seams and 18 to 24 percent

Fish and Wildlife

Under the preferred alternative, development and maintenance of routine fish and wildlife habitat improvement projects would be completed after appropriate review and where consistent with capabilities and priorities. The Red Canvon Management Unit, along with the adjacent Lander Slope Management Unit, would encompass a high-priority area for development of a terrestrial habitat management plan, with elk being the primary species. This would be a cooperative habitat management plan with the Wyoming Game and Fish Department integrating the management of their Red Canyon habitat management unit into the plan. There would continue to be an allocation of 500 AUMs of forage for elk from public lands in the management unit, as established in the 1953. cooperative agreement between the Wyoming Game and Fish Department and the BLM, Limited prescribed burns and other cultural practices would be used to rehabilitate elk, mule deer, moose, bighorn sheep, fisheries, and riparian habitats under this alternative. In-stream structures and fencing would be used in the Barret Creek drainage to improve fisheries and riparian habitat.

This alternative was selected because it provides for continuing support of the longstanding cooperative agreement with the Wyoming Game and Fish Department. It outlines a reasonable course of action to improve a variety of big game, fish and other wildlife habitats and to reduce competition on some sites between big game species and between big game and livestock.

The Red Canyon unit supports an exceptional concentration of high-value wildlife habitat, including crucial wintering range for elk, mule deer, and moose; crucial yearlong range for bighorn sheep; winter habitat for bald eagles; several trout streams; and significant acreages of high and moderate priority standard habitat sites. Public lands in the Red Canyon unit provide a major block of limiting habitat for the big game major block of limiting habitat for the big game

herds and other high-value wildlife inhabiting the south end of the Wind River Mountains. Considering that other land uses will continue on these lands and the shrinkling habitat values on much of the nonpublic lands along the adjacent Lander Slope, it is important to establish an active program of habitat maintenance and improvement in both the Red Canyon and Lander Slope management units in order to maintain the exceptional fish and wildlife resource values found there.

Forest Management

The preferred alternative for the Red Canyon Management Unit would be to consider timber sales on an individual sale basis since the timber resources are very limited. The major objective in this area would be to improve wildlife habitat by utilizing prescribed burns and possibly some harvesting in the timber stands, mainly the aspen. Harvesting in the aspen stands would be limited to partial cuts or clearouts up to 5 acres in size. This would remove the deteriorating older trees and produce regeneration. These stands would probably regenerate naturally.

This area contains many stands of aspen and several small stands of coniferous timber scattered over a large area. The area is very rugged, with little existing access. The small amount of existing access is over very rough roads to the isolated patches of timber. The past demand for timber in this area has been very minimal, mainly from the ranchers who have allotments in the area.

Harvesting in conifer stands would be limited to partial cutting to remove the dead and dying trees and facilitate regeneration. Natural regeneration would be expected, but if unsuccessful, some artifical methods would be employed.

Landownership Adjustments and Utility Systems

No public lands were considered in the unit for landownership adjustments. Proposals for disposal or exchange received in the future would be considered on a case-by-case basis. If a certain proposal is determined to be consistent with the objectives of this RMP, it could be approved without preparing a planning amendment. However, Recreation and Public Purpose Act leases and patents would be considered as applications are received.

The Red Canyon Management Unit would be avoided when locating major utility systems

because of potential adverse affects to the high scenic values, wildlife habitat and watershed values. Rights-of-way for major utility systems may be granted only when no feasible alternative route or designated corridor is available.

Recreation

The preferred alternative is to develop an interpretive marker for the Red Canyon National Natural Landmark (NNL), establish a 14-day camping limit, limit commercial hunting camps, and close Red Canyon elk winter sont activities.

A 14-day camping limit would eliminate "domicile" or "homestead" camping. An interpretive panel at the Red Canyon Overlook on U.S. Highway 287 would show the significance of the National Natural Landmark and describe the geology and wildlife values. A plaque for NNL enrollment would be furnished by the National Park Service. It could be a cooperative venture with the Wyoming Game and Fish, Wyoming Recreation Commission, Wyoming Highway Department. and BLM.

Off-Road Vehicles (ORVs)

The preferred alternative would limit ORV use to designated roads and vehicle routes and impose a seasonal closure from December 1 to June 15, as provided for in the existing ORV designations for the area.

The existing designations are consistent with adjoining national forest lands. Long- and short-term resource damage, user access requirements, and public safety suggest that limitation of ORV use would be in the best public interest. Roads and vehicle routes would be closed seasonally in order to protect the roadbed, watershed values, visual resources, and avoid disturbing wildlife on their winter range.

Cultural/Natural History

The preferred alternative for the cultural/natural history program in the Red Canyon Management Unit would affect one natural history resource. It would provide for preservation of the NNL's natural character and qualities.

Protection of the Red Canyon NNL would help prevent disruption and loss of natural values of this important geological landmark. This canyon is the only designated National Natural Landmark in the Lander Resource Area, and continued protection would ensure future appreciation of this classic natural history resource.

Fire Management

Full suppression with limited or restricted use of heavy equipment for fine-fighting was selected as the preferred alternative for the Red Canyon Management Unit. This would mean an aggressive initial attack of wildfires using all available resources, with the exception of heavy equipment such as bulldozers. If the fire were not contained during the initial attack phase, a decision could be made, utilizing the escaped fire analysis, whether or not heavy equipment should be used to supplement the other fire-fighting resources.

This area is a crucial wintering area for big game, especially elk, and it has intermingled private and state lands. It also has heavy fuel in timber stands, is adjacent to U.S. Forest Service timbered lands, and receives relatively heavy recreational use in the summer and fall.


Use of full suppression techniques would limit potential damage to big game winter range on public lands, limit potential damage on private lands in the area, reduce potential danger to recreationists, and reduce potential adverse impacts to the visual qualities in the area.

Access

The preferred alternative is to maintain the existing transportation system. Unnecessary roads have already been closed and rehabilitated. Currently, recreational land-use agreements provide adequate public access to BLM lands. Thus, no new easements have been identified at this time.

South Pass Management Unit

The South Pass Management Unit contains about 14,000 acres of BLM-administered surface, 15,000 acres of federal mineral estate, and 5,000 acres of state and private lands (see map 5-19).





There are 955 mining claims in this unit. These claims are primarily for gold and are spread evenly throughout the management unit.

South Pass has been the primary gold-mining region in the state of Wyoming. Settlement began in the late 1860s and has continued to the present. This unit also has significant recreational and wildlife values, including important moso habitat. The unit has low to no potential for the occurrence of oil and gas, but other mineral resources do occur. Mining claims exist on most of the area.

Energy and Minerals

Oil and Gas

The preferred alternative for management of the South Pass Management Unit would include keeping the area open to oil and gas leasing, with restrictions. New oil and gas leases issued within the management unit would include a no surface occupancy restriction, where necessary, to protect water quality, fisheries, riparian areas, sage grouse leks, steep slopes, threatened and endangered species, significant cultural sites, critical moose habitat, and all federal mineral estate within the proposed South Pass National Register Mining District and the Atlantic City and Big Atlantic Gulch camparounds (see map 5-20). In addition, seasonal restrictions would be applied to leases to protect crucial wildlife habitat areas. Upon completion of the ongoing reconnaissance inventory of historical resources within the proposed South Pass National Register Mining District, the boundary of the district would be redefined to exclude all areas that are devoid of significant historical resources.

The preferred alternative provides for the protection of historical resources within the proposed South Pass National Register Mining District, as well as to crucial wildlife habitats and fragile areas, while providing opportunities to explore for and develop the oil and gas resources within the management unit.

Locatable Minerals

Under the preferred alternative, the entire management unit, except for 1,727 acres presently segregated from appropriation under the mining laws, would be open for locatable mineral exploration and development. A plan of operations would be required for all locatable mineral exploration and development operations conducted within the South Pass Historic Mining

District, except for those activities qualifying as casual use (see map 5-21).


Because of the nature of the present and anticipated future locatable mineral activities (small scale gold mining and dredging) in the management unit, adequate protection of significant surface resources could be achieved through the approval process of the plans of operation that would be required for all locatable minerals activities (except casual use) within the South Pass Mining District.

Fish and Wildlife

Under the preferred alternative, development and maintenance of routine fish and wildlife habitat improvement projects would be completed after appropriate review and where consistent with capabilities and priorities. The South Pass Management Unit would be the top priority area for development of an aquatic habitat management plan aimed at fisheries, beaver and riparian habitat improvement. Special management action. under the plan would include aspen management. beaver management, in-stream structure development, and fencing. Additional emphasis would be placed on this unit to improve conifer, aspen. willow-riparian, and other shrub stands, which make up an important part of the winter range for the Lander moose herd and provide important habitat for many other species. Prescribed burns and other cultural practices designed to promote aspen and willow regeneration and improve conifer stands would be implemented.


This alternative was selected because it provides the necessary management emphasis to begin correcting the problems of damaged and deteriorated aquatic habitats, winter moose range, and riparian habitats, plus it begins to develop the potential for enhancement of these habitats and associated recreational opportunities. The South Pass unit is the core area of the most extensive stream fishery resource on public land in the resource area. It also supports one of the most important concentrations of winter moose habitat.

There is high demand for the fishing opportunities in the area as a result of the local and regional recreational use attracted to the South Pass historical area, the varied wildline resources, the area's pleasing aesthetic qualities, and the camping facilities. Gold mining activities, which have been occurring for over 100 years, continue to damage the fisheries and riparian habitats in the unit. Long-term excessive grazing



Open, No Surface Occupancy

Open with Standard Requirements



Existing Withdrawals

Open, Plans of Operations Required Except Casual Use

Open with Standard Requirements

of stream bottoms has also caused serious dange to aquatic and riparian habitats. Protection and enhancement of these habitats occuring on public lands would help offset these losses.

Forest Management

The preferred alternative for the South Pass Management Unit would entail selling small volumes of timber on a demand basis to local commerical timbercutters. There are only about 150 acres of confler stands remaining that contain significant amounts of harvestable timber. Harvesting in these stands would be limited to partial cuts to remove the dead and dying timber and to regenerate the stands. This will leave residual stands to help maintain wildlife cover and watershed protection. Aspen stands would be managed to create healthy wildlife habitat. This could take the form of harvesting in clearcuts or prescribed burning.

Natural regeneration would be expected on for the harvested areas. If this were not successful in certain areas, artificial methods (planting or direct seeding) would be employed.

Landownership Adjustments and Utility Systems

There were no tracts considered for sale or exchange in the South Pass Management Unit. Proposals for disposal or exchange received in the future would be considered on a case-by-case basis. If a certain proposal is determined to be consistent with the objectives of this RMP, it could be approved without preparing a planning amendment. However, Recreation and Public Purpose Act leases and patents would be considered as applications are received.

The preferred alternative is to avoid the area when locating major utility systems. Rights-of-way for major utility systems might be granted if no feasible alternative route or designated right-of-way corridor were available. The rationale is that historical and cultural values would be adversely impacted by major utility systems. The area is also very scenic, with fairly intensive recreational use, and it is important to maintain these values.

Recreation

The preferred alternative is to maintain existing campgrounds and facilities. No new campgrounds would be built.

The South Pass Historic Mining Area is a special recreation management area. Management would be oriented toward maintaining recreational opportunities in terms of rustic, open-space settings. Areas of intensive management would include existing campgrounds, the Miners Delight Townsite, and Peabody Ridge Overlook. Development would be limited to facilities that would protect visitors and resources. There is strong public sentiment for maintaining this area with minimal developments. A management plan would provide detailed planning for special recreation management areas.

Off-Road Vehicles

The preferred alternative is to continue the present ORV designations that limit ORV use to existing roads and vehicle routes. This designation is determined to be appropriate for the majority of the public lands by accommodating access needs, while providing resource protection. It limits ORV use to existing roads, except for casual use such as picking up a game animal during hunting season.

Cultural/Natural History

The preferred alternative for the cultural/natural history program in the South Pass Management Unit would affect several historical mining resources. It would provide a management plan to guide activities within the proposed South Pass National Register Mining District. The plan would include the following three management actions: accelerated stabilization, preservation, and protection of all significant historical sites within the proposed South Pass National Register Mining District; historical site patrol to deter vandalism; and conformance with local historical zoning laws on public lands surrounding South Pass City. The preferred alternative would also provide limited test excavations at the Miners Delight historical townsite to facilitate interpretation of the site.

A management plan for the proposed South Pass National Register Mining District would provide a well-planned management program for this fragile and important historical area. Accelerated stabilization, preservation, and protection of all significant historical sites would prevent deterioration of the various 19th and early 20th century historical resources located within the South Pass area. Many of the historical resources of the area have already suffered from natural and human caused deterioration such as weathering, damage from livestock, and damage from vandalism; therefore, short-term action is necessary to prevent severe damage to historical sites. For this reason, accelerated protection measures were chosen over more gradual measures.

Patrolling and monitoring of sites in the proposed South Pass National Register Mining District would deter destruction of historical sites by vandals. Over the past 20 years, artifact hunters and vandals have caused a high loss of historical integrity in the sites of South Pass and have destroyed entire standing historical structures in some cases. BLM has invested substantial amounts of money to provide for public use and enjoyment of the South Pass area; therefore, control of vandalism is necessary to preserve one of the main attractions of South Pass, the historical resources.

Conformance with a local historical zoning ordinance around South Pass City by BLM would provide for maintenance of the historical setting surrounding the town. BLM is a participant in the preservation of the historical values of the local area (BLM leases lands that possess historical structures to the Wyoming Recreation Commission for historical appreciation purposes) and recognizes the local residents' wishes to maintain the historical character of the area. In addition, the public lands in the section in which South Pass City lies are within the South Pass City National Recisiers site.

Limited test excavations within the Miners Delight townsite would help our understanding of the various occupations that occurred at the site. Accounts of the townsite's history are limited and little is known of the site before its 1910 to 1914 occupation phase. This limited test excavation management action was chosen because limited excavations would facilitate interpretation of the site for the public benefit.

Fire Management

Full suppression was chosen as the preferred alternative for the South Pass Management Unit. This would entail utilizing all available resources to suppress wildfires in the area.

There are potential negative aspects of unrestricted use of equipment, such as damage to soils, vegetation and stream courses by heavy equipment and the potential visual and environmental degredation from fire retardant released from planes. However, this is a very high-use recreation area containing two active communities (South Pass City and Atlantic City), a state park in South Pass City and many historical mining structures. It also has many other resource values including fisheries, wildlife, recreation, soils and forestry. In addition, there are intermingled private lands with property such as homes and mine facilities that need protection from wildfires starting on public lands.

With the many resource values and the large amounts of private lands that could be damaged by uncontrolled fires, BLM decided to continue a policy of full suppression.

Access

The preferred alternative is to maintain existing BLM roads and easements. The existing transportation system provides adequate recreational access for the South Pass Area.

Gas Hills Management Unit

The Gas Hills Management Unit contains about 872,000 acres of BLM-administered surface, 1,060,000 acres of federal mineral estate, and 378,000 acres of state and private lands.

Gas Hills is an important management unit for oil and gas leasing and development. Until the recent slump in uranium markets, uranium mining and milling were significant activities in the area. Livestock grazing and rangeland management are also important issues in this unit, and there are several important winter ranges for elk, deer and antelope. Part of the Oregon/Mormon Trail runs through this unit, and another highly significant cultural site, Castle Gardens, is in the northern portion of the unit.

Energy and Minerals

Oil and Gas

The preferred alternative for management of the Gas Hills Management Unit would include keeping the entire unit open for oil and gas leasing, except for existing segregations and withdrawals, which encompass 720 acres (see map 5-22). New oil and gas leases issued in areas rated as having moderate. low or no potential for the occurrence of oil and gas reserves would include a no surface occupancy restriction to protect water quality, fisheries, riparian areas, sage grouse leks, steep slopes, threatened and endangered species. significant cultural sites (including 80 acres at the Castle Gardens rock art and picnic site), 1/4 mile either side of designated portions of the Oregon/ Mormon Trail or the visible horizon, whichever is closer, Martin's Cove National Register Site, and the interpretive site at Devil's Gate. In addition seasonal restrictions would be applied to leases to protect crucial wildlife habitat areas. In areas with moderate, low or no potential for occurrence of oil or gas, restrictions would be applied automatically prior to lease issuance. These restrictions would be waived later if appropriate. In areas with high potential for the occurrence of oil or gas including KGSs, restrictions would not be automatically applied prior to lease issuance. Instead, new oil and gas leases in these areas would be conditioned with no-surface occupancy and seasonal restrictions on a caseby-case basis and only when necessary to avoid a significant adverse impact to another resource. This alternative would further provide for the enhancement of oil and gas development in KGSs and high-potential areas through the waiver of lease restrictions following a commitment from the lessee that adverse impacts to other resources could be acceptably mitigated

Implementation of the preferred alternative would allow for maximum management flexibility over the full range of resources. In areas of moderate, low and no potential for occurrence of oil and gas, this alternative would allow enhanced management of the surface resources, while providing opportunities for exploration and development of the oil and gas resources. Conversely, in areas of high potential for the occurrence of oil and gas or in areas of established production such as KGSs, this alternative allows enhanced management of exploration and development activities by minimizing the restrictions imposed on these activities.

Locatable Minerals

The Gas Hills Management Unit would be open to locatable mineral exploration and development, except for 80 acres presently segretated from appropriation under the mining laws, 720 acres presently withdrawn from appropriation under the mining laws and an additional 600 acres around the Martin's Cove National Register Site, which is proposed to be withdrawn from appropriation under the mining laws (see map 5-23). In addition, a plan of operations would be required for all locatable mineral exploration and development activities within it will elither side of the Oregon/Mormon Trail or the visible horizon, whichever is closer


The preferred alternative places few restrictions on locatable mineral exploration and development and then only in areas where these activities could cause significant adverse impacts on other significant resource values. This alternative maximizes opportunities for the exploration for and development of locatable mineral resources.


Fish and Wildlife

The preferred alternative provides for development of routine fish and wildlife habitat improvement projects and maintenance of existing projects after appropriate review and where consistent with program capabilities and priorities. BLM will cooperate with the Wyoning Gamand Fish Department, interested sportsmen, conservation groups, and adjacent landowners in efforts to develop a workable bighorn sheep reintroduction program for the Sweetwater Rocks area.

This alternative was selected based on the following:

—The Wyoming Game and Fish Department has asked BLM to consider approval of a bighom sheep reestablishment program in this ancestral bighom range. A recent habitaty forage inventory covering over 40,000 acres of the reintroduction area has been conducted. The results of this inventory indicated that there is an ample amount of suitable habitat available. The total potential habitat area is about 85 percent BLM land and 15 percent state and private rangeland. About 67 percent of the total habitat area is unused and unsuitable for livestock grazing. This 67 percent prepresents the best potential bighorn





Preferred Alternative/Plan

habitat. It is largely unoccupied, with the exception of a relatively low density mule deer population. Assuming 50 percent of the forage production for allowable use an reserving adequate forage for the mule deer herd, there is ample forage in the area unused by livestock to support several times the number of bighorns proposed as a possible long-term population goal (up to 400 sheep, base population). If a successful reintroduction program were accomplished, the following benefits would be realized.

- A previously extirpated species would be restored to ancestral habitat.
- Unoccupied public land habitat would be restored to big game production.
- —The population of one of the state's and nation's most valuable, prized, and scarce big game animals would be expanded.
- Opportunities for aesthetics and sport hunting would be increased.

The most significant concerns yet to be worked out are those expressed by adjoining landowners. Their concerns include sheep use on adjacent private lands and the added time and expense of managing people in the area (e.g. trespass and requests for permission to cross private lands).

Landownership Adjustments and Utility Systems

A total of 60 isolated tracts of public land were reviewed to determine whether they should be sold, exchanged or retained in public ownership. The preferred alternative is to retain 20 isolated tracts and consider 40 tracts for sale or exchange (see map 5-24).

Proposals for disposal or exchange received in the future would be considered on a case-by-case basis. If a certain proposal is determined to be consistent with the objectives of this RMP, it could be approved without preparing a planning amendment.

The 20 tracts, encompassing approximately 2,302 acres, which would be retained are tracts 94, 95, 103, 104, 107, 111, 113, 114, 115, 116, 117, 120, 142, 148, 151, 152, 153, 154, 155, and 157. The rationale for retaining these tracts is that they have high value for public recreation because visiting legal access or they have historical value associated with the Oregon Trail. Tract 120 has wildlife water development.

The 40 tracts, totaling approximately 3,472 acres, which could be considered for sale or exchange, are tracts 86, 87, 88, 89, 90, 91, 92, 93, 96, 97, 98, 99, 100, 101, 102, 105, 106, 108, 109, 110, 112, 118, 119, 121, 137, 138, 139, 140, 141, 143, 144, 145, 146, 147, 149, 150, 156, 158, 159, and 167. The rationale for considering these tracts for sale or exchange is that the majority are small and very isolated without legal access. The lands do not have unique or significant resource values and the existing land use probably would continue as livestock grazing and wildlife habitat. Tracts 158 and 159 have public access but do not have significant resource values. The preferred method of disposal for these tracts would be for exchange purposes to enhance management of cultural, recreation, wildlife, or other resources on public


Recreation and Public Purpose Act leases and pateries would be issued on a case-by-case basis. The rationale for this alternative is that R&PP actions would be analyzed in response applications, and decisions as to compatability with the unit's resource values would be considered at that time.

The preferred alternative also includes allowing major utilities in the area, except for along the Oregon Trail corridor and Sweetwater Rocks. Rights-of-way for major utility systems might be granted if no feasible alternative route or designated right-of-way corridor were available. Utility systems would be concentrated in existing corridors whenever possible. The rationale for this alternative is that there would be no significant impact resulting from major utility systems, especially when located in existing corridors and outside the two high resource value, avoidance areas identified above.

Recreation

The preferred alternative would maintain existing BLM developments at the Devil's Gate interpretive site and Castle Gardens picnic site.

The Devil's Gate interpretive site is incorporated in the management plan for the Oregon/Mormon Trail. The plan provides detailed planning with specific objectives for use by visitors, resource protection, and interpretive needs consistent with public demand. Castle Gardens is an extensive recreation management area and, as with the rest of the Gas Hills unit, dispersed recreation would be encouraged. Other than additional interpretation and resource protection at Castle Gardens,



recreation management and maintenance would be minimal, with emphasis on resolving user conflicts and providing resource protection.

Off-Road Vehicles (ORVs)

The preferred alternative would limit ORV use to existing roads and vehicle routes, except for the Castle Gardens withdrawal area, which would be closed to ORV use

An ORV designation of "limited to existing roads and vehicle routes" is determined to be appropriate for the majority of the public lands by accomodating access needs while providing resource protection. An ORV closure on the 80-acre protective withdrawal area at Castle Gardens would protect fragile soils, rock outcrops and Class A scenery. The BLM road to the picnic site would remain open in the closed ORV area.

Cultural/Natural History

The preferred alternative for the cultural/natural history program in the Gas Hills Management Unit would affect two significant cultural resources. It would ensure that all actions are consistent with the Oregon-Mormon National Historic Trail Management Plan (in preparation) and would provide for a management plan that would include provisions for walkways and further fencing at the Castle Gardens rock at site.

The Oregon-Mormon Trail Management Plan (described in Chapter II) would establish protection, use, and management guidelines for public land trail resources throughout Wyoming, including the Lander Resource Area. Draft recommendations now formulated for the trail would establish the following in the Gas Hills Management Unit: a 1/4 mile or visible horizon corridor (whichever is closer) on each side of selected trail segments where modern intrusions and disturbances would be minimized or prohibited, a protective withdrawal for the Martin's Cove National Register Site, and a continuation of the protective withdrawal at the Devil's Gate Historic Landmark and fragile lands along the Oregon/Mormon Trail. Adoption of these recommendations in the RMP would provide continued protection of this National Historic Trail and two of its highly important sites. This type of management would ensure compliance with National Trails System Act requirements for the protection of important trail segments and sites, as well as provide for the preservation of several National Register listed and eligible trail properties. It would also continue long-standing past efforts of BLM to preserve and encourage public enjoyment of the trail.

Development of a management plan would provide for a well planned framework to guide activities within the Castle Gardens rock art site. The plan would include installation of walkways and extra protective fencing at Castle Gardens. which would help halt deterioration of a regionally significant prehistoric rock art site. This National Register enrolled site, which the BLM has developed as an interpretive site, is suffering impacts from erosion caused by human traffic on the site and from defacing of the rock art by vandals. Positive action to prevent these impacts would help protect the rock art site and its surroundings. No action could result in adverse effects to the site and diminish the value of BLM's prior investments at the site.

Fire Management

The Gas Hills Managment Unit has been divided into three suppression zones (see map 5-25). Each zone and its corresponding preferred alternative are as follows:


Zone 1

Full suppression with limited use of heavy equipment is the preferred alternative for this zone. This would mean an aggressive initial attack with all available resources, with the exception of heavy equipment such as buildozers. If the fire were not controlled during initial attack, a decision would be made whether or not to use heavy equipment, based on the escaped fire analysis.

There are many areas within this zone where wildfires could be safely managed without full suppression. However, there are large areas of intermingled private lands where it would be difficult, under certain circumstances, to limit wildfires to public lands. There is also big game winter range that could be damaged by uncontrolled wildfires.

Zone 2

Limited suppression was chosen as the preferred alternative for this zone. The primary objective of this type of management is to reduce suppression costs in contrast to damages the fire would have caused. A fire in this area would be observed and suppression would occur when the fire: 1) exceeds or has the potential to exceed



the size specified in a predetermined plan, 2) threatens private property, 3) threatens other manmade structures, or 4) threatens human life.

This area has a history of fires on an average of one every 5 years. There is a very small amount of intermingled private lands. The resource damage caused by wildfires is less than the damage that would be created by fire-fighting equipment and people. Also, the use of limited suppression is less costly than full suppression.

Zone 3

Full suppression with limited use of heavy equipment was chosen as the preferred alternative for this zone. This would mean an aggressive initial attack on all wildfires with all available resources, with the exception of heavy equipment such as buildozers. If the fire were not controlled after the initial attack, a decision based on the escaped fire analysis would be made as to whether or not to allow the use of heavy equipment.

Full suppression was chosen, even though there are many areas where wildfires could enhance range and wildlife habitat, because of the large amount of private and state lands that could be damaged as a result of wildfire started on BLM-administered lands. Prescribed burns would be used for range and wildlife habitat improvement.

Access

The preferred alternative to negotiate with landowners for administrative access as identified in the District Transportation Plan. As of 1985, this plan calls for negotiating easements on the Copper Mountain Road.

The county road system provides adequate public access for the Gas Hills Management Unit. BLM would continue to maintain the Castle Gardens access road. Easements for administrative access on Copper Mountain are needed to maintain BLM's radio repeater site on state land.

East Fork Management Unit

The East Fork Management Unit contains about 950 acres of BLM-administered surface, 3,400 acres of BLM-administered lands that are dedicated as Wildlife Coordination lands, 14,000 acres of federal mineral estate, and 12,000 acres of state lands. There are 8 mining claims in this

unit. These claims are primarily for precious metals and lie along the fringe of the big game winter range.

The East Fork big game winter range is one of the most outstanding managed elk winter ranges in the West. As many as 3,500 elk winter on the 17,000 acres in this unit (approximately 1,000 acres are administered by BLM). East Fork was established as a winter range for elk in 1947, because the elk were threatening the livelihood of ranchers in the area. In 1972, BLM entered into a cooperative management agreement with the state of Wyoming that committed BLM to: 1) not issue livestock grazing leases in the unit, and 2) to manage the area as an elk winter range requiring other public uses to be compatible with that purpose.

The unit has moderate development potential for oil and gas and low potential for other mineral resources. As of December 1981, BLM had issued oil and gas leases on about 4,000 acres, and the state of Wyoming had issued oil and gas leases on another 600 acres of state lands within the unit.

Energy and Minerals

Oil and Gas

The preferred alternative for management of the East Fork Management Unit is to issue oil and gas leases with no surface occupancy restrictions (see map 5-26).

The preferred alternative would be consistent with cooperative management efforts of the Wyoming Game and Fish Department, U.S. Fish and Wildlife Service and the Bureau of Land Management to manage the area as an elk winter range. The federal mineral estate within the unit has been rated as having low to moderate potential for the occurrence of oil and gas.

Locatable Minerals

The preferred alternative for management of the East Fork Management Unit would include closing approximately 13,855 acres of federal mineral estate to locatable mineral exploration and development (see map 5-27). By Public Land Order 888 (March 30, 1953) and Public Land Order 4644 (April 18, 1969), 3423 acres were withdrawn from appropriations under the mining laws and made available for use as a crucial winter range for elk. These lands are controlled by the Wyoming Game and Fish Department through a cooperative



Shoshone National Forest R 105W 38 37 R 105W 4 N N R 105





Shoshone National Forest R 106W 36 31 R 105W 43 1N R 106W 36 31 R 105W 42 R 105W 43 R 105W 44 R 105W 45 R 105W 45

Proposed Withdrawals

Existing Withdrawals

Open with Standard Requirements

Preferred Alternative/Plan

agreement with the U.S. Fish and Wildlife Service under the provisions of the Coordination Act (60 Stat. 1080, U.S.C. 661-686 c). Implementation of this alternative would require the withdrawal of approximately 10,423 acres of federal mineral estate from appropriations under the mining laws.

The preferred alternative would be consistent with cooperative management efforts of the Wyoming Game and Fish Department, U.S. Fish and Wildlife Service and the Bureau of Land Management to manage the area as an elk winter range.

Fish and Wildlife

The preferred alternative for the East Fork Management Unit is to continue cooperative habitat improvement projects developed with the Wyoming Game and Fish Department. These would include a variety of actions such as prescribed burning or other cultural practices, seeding, pitting, herbicide treatment, water development, etc. Any projects initiated would be designed to improve habitat for wintering elk, the priority species on the unit, or to benefit other species if the project would not cause significant negative effects on the elk population. Projects that would benefit elk, but that would also have significant negative effects on other important species, probably would not be undertaken.

This alternative was selected because any habitat improvement action taken under it would be consistent with the Wyoming Game and Fish Department's management objectives for the East Fork Big Game Winter Range and, therefore, with Wyoming Game and Fish Department/Bureau of Land Management cooperative agreements and the Public Land Orders effecting the unit.

Landownership Adjustments and Utility Systems

The preferred alternative includes retaining tracts 24, 25, 26 and 27, totaling approximately 881 acres, in public ownership. The tracts would be considered for disposal (exchange or sale) only to public agencies or private organizations which would use the lands in a manner consistent with the management objectives of the East Fork elk winter range (see map 5-28). Proposals for disposal or exchange received in the future would

be considered on a case-by-case basis. If a certain proposal is determined to be consistent with the objectives of this RMP, it could be approved without preparing a planning amendment. The rationale for the preferred alternative is that the lands are an integral part of the East Fork Big Game Winter Range and the disposal of these lands for other than the two agencies would be detrimental to the management of this regionally important elik winter range. The lands are also high-value recreational lands and should, therefore, remain in public ownership.

The preferred alternative also includes issuing Recreation and Public Purpose Act patents on a case-by-case basis. The preferred alternative additionally provides for avoiding the area when locating major utility systems. Rights-of-way for major utility systems might be granted if no feasible alternative route or designated right-of-way corridor were available.

Recreation Management

The East Fork Management Unit requires minimal management for recreation. Emphasis would be on resolving user conflicts and providing resource protection.

Off-Road Vehicles (ORVs)

The preferred alternative is to limit vehicular traffic to existing roads and vehicle routes. This designation provides adequate resource protection, while accommodating access needs.


Fire Management

Full suppression was chosen as the preferred alternative for the East Fork Management Unit. This would entail an aggressive initial attack with all available resources, with the objective of suppressing wildfires as quickly as possible.

This area is an established winter range for elk and other big game species. The destruction of a large portion of this winter range by uncontrolled fires would force the animals onto adjacent private lands, thus causing serious conflicts between the elk herd and livestock grazing.

The area is also under the cooperative agreement for initial suppression with the U.S. Forest Service.







Access

The preferred alternative is to maintain the existing transportation system. Adequate public access is available to public lands in the East Fork Management Unit.

Dubois Badlands Management Unit

The Dubois Badlands Management Unit contains about 5,000 acres of BLM-administered surface, 11,000 acres of federal mineral estate, and 6,600 acres of state and private lands. There are no mining claims within the Dubois Badlands Management Unit.

This management unit contains 4,500 acres of highly eroded badland topography banded by red, gray and white clay soils. The unit provides important habitat for bightorn sheep, elk, deer, and antelope. This area has moderate potential for occurrence of oil and gas. It is unknown if there is any potential for other minerals.

The Dubois Badlands unit was a wilderness study area until December 30, 1982, when the Secretary of Interior dropped all wilderness study areas under 5,000 acres in size from further consideration for wilderness. During the writing of the RMP, this decision was reversed. (For more details on how this issue will be addressed, see Chapter II, Management Actions Common to All Alternatives.)

Energy and Minerals

Oil and Gas

The preferred alternative for management of the Dubois Badiands would include keeping the entire unit open to oil and gas leasing, with restrictions to protect significant surface resource values. This would include applying a no surface occupancy restriction to all new oil and gas leases issued on 4,500 acres, which has moderate potential for the occurrence of oil and gas. These 4,500 acres were previously included in the Dubois Badiands WSA. No-surface-occupancy restrictions would be applied to new leases throughout the remainder of the management unit to protect water quality, fisheries, riparian areas, sage grouse lefts, steep slopes, threatened and endangered species, and significant cultural resources. In addition,

exploration activities would be seasonally restricted in crucial wildlife habitat areas (see Appendix 2 for these restrictive measures).

The preferred alternative provides for the protection of the natural and visual characteristics of the Dubois Badlands area as well as crucial wildlife habitats and fragile areas, while providing opportunities to explore for and develop the oil and gas reserves within the management unit (see map 5-92).

Locatable Minerals

Under the preferred alternative, the entire management unit would be open for exploration and development of locatable minerals. In addition, a plan of operations would be required for all locatable mineral exploration and development operations conducted within that portion of the unit previously included within the Dubois Badlands WSA (see map 5-30 and the discussion on ACECs at the beginning of this chapter).


Because of the limited interest that has been expressed for locatable mineral exploration activities and the low development potential in this area, adequate protection of significant surface resources could be achieved through the approval process for the plans of operations that would be required for all locatable mineral exploration and development activities.

Fish and Wildlife

Under the preferred alternative, routine fish and wildlife habitat improvement projects and maintenance of existing projects would be completed after appropriate review and would be consistent with program capabilities and priorities.


Landownership Adjustments and Utility Systems


The preferred alternative is to dispose of three small isolated parcels (33, 34 and 35) of public land, which total approximately 339 acres (see map 5-31). Exchange is the preferred method of disposal. Proposals for disposal or exchange received in the future would be considered on a case-by-case basis. If a certain proposal is determined to be consistent with the objectives of this RMP, it could be approved without preparing a planning amendment.



Open, No Surface Occupancy

Open with Standard Requirements





Shoshone National Forest



Federal Land
State Land

Private Land

Potential Sale or Exchange

These parcels have crucial and important wildlife values for elk deer, and bighorn sheep, and the public views these lands in this unit as being valuable for wildlife. However, these tracts are small and quite isolated from the remaining public lands in this unit and there is no legal access for management purposes. It is not likely that the existing land use, livestock grazing and wildlife habitat, would change if the land were exchanged. This assumption is based on the lack of access and the fact that the surrounding landowners (livestock operators) would have the first opportunity to purchase the parcels, if sold.

The preferred alternative is to issue Recreation and Public Purpose Act patents on a case-by-case basis. The rationale for this alternative is that R&PP actions would be analyzed in response to applications, and decisions as to compatibility with the unit's resource values would be considered at that time

The preferred alternative includes avoiding the Dubois Badlands when routing major utility systems. Rights-of-way might be granted if no feasible alternative route or designated right-of-way corridor were available. Rationale for this alternative is that the scenic, watershed and wildlife habitat values of the Dubois Badlands would be protected.

Recreation

The Dubois Badlands is an extensive recreation management area that would be managed in its natural state. Recreation management would emphasize resolving competing uses and providing resource protection.

Off-Road Vehicles (ORVs)

The preferred alternative is to close the entire unit to ORV use. A closure would protect outstanding scenery and natural values. There is strong public support for eliminating ORV damage to the fragile soils, visual resources and significant wildlife habitat.

Fire Management

The preferred alternative for the Dubois Badlands Management Unit is limited suppression. This alternative was selected because the occurrence of wildfire is low and because firefighting activities would disturb the very fragile soils in the area. Limited suppression would also help protect the grea's natural values.

Access

The preferred alternative would provide for maintenance of the existing transportation system. Present public access is adequate.

Whiskey Mountain Management Unit

The Whiskey Mountain Mountain Unit contains about 4,000 acres of BLM-administered surface, 8,000 acres of federal mineral estate, and 6,000 acres of state and private lands. There are no mining claims on Whiskey Mountain.


Whiskey Mountain is a bighorn sheep crucial winter range managed jointly by the U.S. Forest Service, state of Wyoming, and BLM. The unit has low potential for occurrence of oil and gas and other minerals, and no leases have been issued. A portion of the Whiskey Mountain Unit Qoares) was also a wilderness study area until December 30, 1982. During the writing of the RMP, the decision to drop this area from further consideration for wilderness was reversed. (For more details on how this wilderness issue will be addressed, see Chapter II, Management Actions Common to All Alternatives.

Energy and Minerals

Oil and Gas

The preferred alternative for management of the Whiskey Mountain Management Unit would include issuing oil and gas leases with no surface occupancy restrictions (see map 5-32). Of the 6,630 acres of federal mineral estate within the management unit, 2,599 acres are currently segregated from appropriations under the mineral leasing laws.

The preferred alternative would be consistent with cooperative management efforts of the Wyoming Game and Fish Department, U.S. Forest Service and Bureau of Land Management to manage the Whiskey Mountain Bighorn Sheep Winter Range for the purpose of perpetualing the bighorn sheep herd for sport hunting, aesthetics, transplant stock, and educational and scientific values. The overall management strategy, as cforth by this cooperative agreement, implemented in July 1989, is to protect and enhance the value of the range for bighorn sheep and for other values





"compatible therewith" in the best interests of the public.

All of the land within the Whiskey Mountain Management Unit has been rated low for the potential occurrence of oil and das

Locatable Minerals

The preferred alternative for management of the Whiskey Mountain Management Unit would include closing the Whiskey Mountain Bighorn Sheep Winter Range to locatable mineral exploration and development (see map 5-33).

Of the 6,630 acres of federal mineral estate within the management unit, 2,599 acres are currently segregated from appropriations under the mining laws. Implementation of this alternative would require the withdrawal of all 6,630 acres of federal mineral estate from appropriation under the mining laws (except for oil and gas).

The preferred alternative for locatable minerals would be consistent with cooperative management efforts of the Wyoming Game and Fish Department, U.S. Forest Service, and Bureau of Land Management.

Fish and Wildlife

All of the habitat and animal management techniques and improvement projects referred to in this alternative would be initiated for the direct or indirect benefit of the Whiskey Mountain bighorn sheep and their habitat (see Alternative A, Fish and Wildlife, Whiskey Mountain, Appendix I).

Habitat improvement such as vegetative manipulation or prescribed burning could be used to improve habitat for elk, mule deer or other species, if the purpose were to reduce the competition of these animals with bighorns or if the project would benefit mule deer, elk, etc., without causing significant negative effects on bighorn sheep.

This alternative was selected because it is consistent with the 1989 Interagency Cooperative Agreement, the Whiskey Mountain Bighorn Sheep Comprehensive Management Plan, and the long-standing and established purpose of the Whiskey Mountain Bighorn Sheep Winter Range, all of which emphasize the priority of bighorns and their habitat. Successful implementation of these projects and programs would have significant

beneficial effects on bighorn sheep and their habitat.

Landownership Adjustments and Utility Systems

The preferred alternative would allow landownership adjustments only when the Bighorn Sheep Interagency Technical Committee has analyzed and recommended such adjustments. The Bighorn Sheep Interagency Technical Committee would take an active role in pursuing and reviewing landownership adjustment options. The rationale for this alternative is that if the 2 parcels identified for possible disposal(Nos. 38 and 163 totalling 890 acres) were to be disposed of, the end result must be a net benefit to management of the bighorn sheep habitat (see man 5-34).


Proposals for disposal or exchange received in the future would be considered on a case-by-case basis. If a certain proposal is determined to be consistent with the objectives of this RMP, it could be approved without preparing a planning amendment.

The preferred alternative also states that Recreation and Public Purpose Act patents will be issued on a case-by-case basis. The rationale for this alternative is that R&PP actions would be analyzed in response to applications, and decisions as to compatability with the units resource values would be considered at that time.

The preferred alternative additionally provides for avoiding the management unit when locating major utility systems. Rights-of-way might be granted if no feasible alternative route or designated right-of-way corridor were available. The rationale is that installation and maintenance activities could adversely impact both bighom sheep and their habitat. The management unit is located quite high on the slopes of the Wind River Mountains in an area not conducive to constructing major utility systems.


Recreation Management

The preferred alternative is to cooperate with the Wyoming Game and Fish Department on nonconsumptive wildlife visitor use management, set a 14-day camping limit and exclude commercial hunting camps, which would not be compatable with management of the bighorn sheep herd.





Open with Standard Requirements





Off-Road Vehicles (ORVs)

The preferred alternative would limit vehicle use to designated roads and vehicle routes and impose seasonal closures in some areas. A few roads would be rehabilitated, while others would remain open for viewing the bishorn's sheep.

Long- and short-term resource damage, user access requirements and public safety suggest that limitation of ORV use would be in the best public interest. Roads and vehicle routes should be closed seasonally in order to protect the roadbed, watershed values, visual resources, and wildlife habitat (approximate dates would be from December 1 to June 15). Unnecessary roads would be eliminated to put areas back into production for wildlife habitat.

Fire Management

The preferred alternative for the Whiskey Mountain Management Unit is full suppression. This would entail aggressive initial attack, utilizing all available resources, with no restrictions on equipment use. The objective would be to control and suppress wildfires as quickly as possible.

This area contains large acreages of crucial winter range for big game herds that could be severely damaged by uncontrolled fires. The area also contains heavy fuels, which could create very intense fires that could severely damage habitat on BLM lands and on adjacent state, private and ILS Forest Service lands.

This area is also under a cooperative protective agreement for initial attack with the U.S. Forest Service. An equipment restriction on initial attack could complicate fire management on the area by limiting the types of equipment and fire-fighting methods.

Access

The preferred alternative is to maintain the present transportation system. Legal public access is available to public lands in the Whiskey Mountain Management Unit.

Dubois Area Management Unit

The Dubois Area Management Unit contains about 27,000 acres of BLM-administered surface,

84,000 acres of federal mineral estate, and 103,000 acres of state and private lands.


The Dubois Area Management Unit consists of scattered public lands with potential for occurrence of oil and gas, ranging from mostly low to some moderate and some high. This scenic unit also has important habitats for elk, deer, moose, and antelope.

Energy and Minerals

Oil and Gas

The preferred alternative for management of the Dubois Area Management Unit would include keeping the entire unit open for oil and gas leasing. New oil and gas leases issued in areas rated as having moderate, low or no potential for the occurrence of oil and gas reserves would include a no-surfaceoccupancy restriction to protect water quality, fisheries, riparian areas, sage grouse leks, steep slopes, threatened and endangered species. Warm Springs Canyon, the area around Torrey Lake, and significant cultural sites. In addition, seasonal restrictions would be applied to the leases to protect crucial wildlife habitat areas. In areas with moderate, low or no potential for occurrence of oil or gas, restrictions would be applied automatically before lease issuance. These restrictions could be waived later if appropriate. In areas with high potential for the occurrence of oil or gas, including KGSs, restrictions would not be automatically applied before lease issuance. Instead, new oil and gas leases issued in these areas would be conditioned with no-surface occupancy and seasonal restrictions on a case-by-case basis and only when necessary to avoid a significant adverse impact on another resource. This alternative would further provide for the enhancement of oil and gas development in KGSs and high-potential areas through the waiver of lease restrictions. upon demonstration by the lessee that adverse impacts to other resources could be minimized (see map 5-35).

Implementation of the preferred alternative would allow for maximum management flexibility over the full range of resources. In areas of moderate, low and no potential for occurrence of oil and gas, this alternative would allow for enhanced management of the surface resources, while providing opportunities for exploration and development of the oil and gas reserves. Conversely, in areas of high potential for the occurrence of oil and gas or in areas of established production such as KGSs, this alternative would



allow for enhanced management of exploration and development activities by minimizing the restrictions imposed on these activities.

Locatable Minerals

The entire unit, with the exception of 190 acres in the Warm Springs Canyon, would be open to locatable mineral exploration and development. All exploration and development activities would he regulated in accordance with the regulations set forth in Title 43 CFR Part 3809. Implementation of this alternative would require the withdrawal of 190 acres of federal mineral estate from appropriation under the mining laws (see map 5-36) Recause of the limited interest that has been expressed for locatable mineral exploration activities and the relatively low development potential of the area, adequate protection for other resources could be achieved through administration of all exploration and development activities under the regulations contained in the Title 43 CFR Part 3809, with the exception of 190 acres in Warm Springs Canyon. Withdrawal of the 190 acres would be consistent with the management objective of protection of the scenic, natural and historical characteristics of the canyon.

Fish and Wildlife

Under the preferred alternative, routine fish and wildlife habitat improvement projects and maintenance of existing projects would be completed after appropriate review and would be consistent with program capabilities and priorities.

Forest Management

The preferred alternative would be to offer small sales if a demand existed. The objective would be to improve the condition of the timber on small areas by regenerating harvested areas. This would be mainly to benefit wildlife habitat in these areas.

Timber resources in the Dubois Area Management Unit are quite limited; therefore, opportunity for timber harvest is also quite limited. There are only 2,000 acres of timber stands scattered over this area, with the majority in the Sand Butte and Hat Butte areas.

Physical access to the timber stands is difficult because of the rough terrain, but could be accomplished from at least two different

directions. Legal access through private lands is lacking; however, this should not be a problem if negotiated sales were utilized.

Landownership Adjustments and Utility Systems

The preferred alternative is to retain 13 tracts and consider 17 tracts for sale or exchange (see map 5-37). Proposals for disposal or exchange received in the future would be considered on a case-by-case basis. If a certain proposal is determined to be consistent with the objectives of this RMP, it could be approved without preparing a planning amendment.


The 14 tracts, totaling approximately 2,960 acres (tracts 2, 3, 6, 9, 10, 12, 13, 15, 18, 19, 29, 31, 36, and 162) would be retained because of important wildlife habitat and high public recreational values. The other 17 tracts, totaling approximately 2,285 acres (tracts 1, 4, 5, 7, 8, 11, 4, 18, 17, 20, 21, 22, 23, 28, 30, 32 and 37), would be sold or exchanged. The rationale for disposal of these tracts is that even though they have high wildlife values, there is no legal or physical access to these lands. It is predicted that the wildlife habitat value of these parcels would not be affected if they were disposed of, because a change in land use would probably not occur.


Recreation and Public Purpose Act patents would be issued on a case-by-case basis to meet the needs of organizations and local and state governments.

The preferred alternative would also allow major utility systems. The systems would be concentrated in existing corridors whenever possible. The rationale is that the potential routes that are suitable for locating major utility systems are located along U.S. Highway 287, county roads, and major drainages. These areas are comprised of predominantly private land, with scattered small parcels of public land that would not be significantly impacted by a major utility system.

Recreation Management

This unit would best be managed consistently with other extensive recreation management are objectives where dispersed recreation would be encouraged and where visitors would have freedom of recreational choice with minimal regulation.





Off-Road Vehicles (ORVs)

The preferred alternative would limit ORV use to existing roads and vehicle routes.

ORV use is limited to existing roads and vehicle routes on most public lands. There is still ample opportunity to leave existing roads to perform necessary tasks, including picking up big game kills, repairing range improvements, managing livestock, and performing mineral activities with minimal surface disturbance.

Cultural/Natural History

The preferred alternative for the cultural/natural history resources program in the Dubois Area Management Unit would affect one combined cultural/natural history resource. It would provide for the completion of a management plan for the Warm Springs Canyon flume, following a study of stabilization needs of the flume.

A study detailing the stabilization needs of the flume and an overall management plan for Warm Springs Canvon would begin the process of protecting the important cultural and natural history resources of the canyon from deterioration. This flume, which is eligible for the National Register, is presently suffering from natural weathering and minor vandalism, but still remains in fair shape overall. Continued neglect of the flume would eventually result in the destruction of this important resource, although it does not appear to be in immediate danger. The natural bridge and gevser are less vulnerable, but still are in some danger of damage from vandalism. For these reasons, a management plan designed to manage the canyon and assess stabilization and protection needs for the flume was chosen.

Fire Management

The preferred alternative for this area is full suppression with no equipment restrictions. This entails an aggressive initial attack with all available resources, with the objective of suppressing wildfires as quickly as possible.

The BLM-administered lands in this area are very scattered, with more private and state lands than BLM lands. Full suppression would reduce or eliminate damage to other lands from wildfires starting on BLM lands.

Access

The preferred alternative provides for negotiations with landowners for easements as identified in the District Transportation Plan. As of 1985, this plan calls for negotiating easements for public access on the Tanpan Creek Road.

The Tappan Creek Road is not available for public access. The public lands in the management unit are largely land-locked. Easements on this road would provide public access to several hundred acres of public land and would tie into the national forest land. Legal access would provide important access for hunting and sightseeinc.

Sweetwater Canyon Management Unit (Wilderness Study Area)

The preferred alternative for the Sweetwater Canyon Wilderness Study Area is partial wilderness. The wilderness study area originally contained 9,056 acres, but under the preferred alternative, the wilderness acreage would include 5.760 acres. Specific management actions are described in the Wilderness Supplement. There are several reasons for selecting the preferred alternative. One is that the area meets the criteria for wilderness and is manageable for wilderness because the physical aspect of the canyon naturally restricts vehicles and limits travel to hiking or horseback. Managing the area for wilderness would not result in a tradeoff of other high-value resources. Partial wilderness resulted in the study area being reduced to the river canyon proper, which aids manageability. The present road use to the top edge of the canvon would not be restricted, and the river canyon setting would remain protected.

Sweetwater Rocks Management Unit (Wilderness Study Area)

The preferred alternative for the Sweetwater Rocks Wilderness Study Area is continuation of present multiple-use management. Specific management actions are described in the Wilderness Supplement. The Sweetwater Rocks Management Unit, 32,175 acres, contains four wilderness study areas. The rationale for the preferred alternative relates to the landownership

Preferred Alternative/Plan

pattern, because managing this area as wilderness could not be done without negatively impacting the management of the six adjoining ranches. Existing access routes cross the surrounding private lands, which could lead to trespass on those lands and require additional time and effort to manage people (e.g., request for permission to use or cross private lands, controlling trespass, etc.)

There should be no significant impacts from not designating the area as wilderness.

The area could be managed in its existing unintruded setting by not allowing the location of major utility systems, not developing recreational sites, and not improving or upgrading roads. There is no forseeable mineral development potential, and recreational opportunities would remain, even in nonwilderness status.

Copper Mountain Management Unit (Wildreness Study Area)

The preferred alternative for the Copper Mountain Wilderness Study Area is continuation of the present multiple-use management. Specific management actions are described in the Wilderness Supplement. The rationale for the preferred alternative is that the area has high and moderate potential for oil and gas resources that could not be developed if the area were managed as wilderness. In addition, the noise emanating from truck traffic in the adjacent Wind River Canyon severely reduces the opportunities for solitude.





TABLE OF CONTENTS

CHAPTER VI CONSULTATION AND COORDINATION

INTRODUCTION 3	6
PUBLIC PARTICIPATION	65
CONSISTENCY 3	165
AGENCIES AND ORGANIZATIONS CONSULTED 3	
Federal Agencies 3	166
State Agencies 3	
State Legislators 3	366
Counties and Cities 3	
Congressional Offices	
DISTRIBUTION	
LIST OF PREPARERS	360



CHAPTER VI

CONSULTATION AND COORDINATION

INTRODUCTION

The Lander RMP/EIS was prepared by an interdisciplinary team of specialists from the Lander Resource Area and the Rawlins District office and the Wyoming State office of BLM. Indepth reviews for accuracy and consistency were provided by both the district office and state office staffs.

Consultation, coordination and public involvement have occurred throughout the process through scoping meetings, open house and informal meetings, individual contacts, a newsletter, radio and newspaper releases, and Federal Register notices.

Writing of the document began in the fall of 1984. Much of the analysis, research, inventory, public involvement, and interagency coordination was done before that time.

PUBLIC PARTICIPATION

A public participation plan was prepared to ensure that the public would have numerous opportunities to be actively involved in the planning and environmental processes. Both formal and informal input have been encouraged and utilized.

A Federal Register notice of intent to prepare a plan was published in January 1984. A news release on October 24, 1984, announced four open house meetings to be held in November. At the same time, a newsletter, requesting public input that outlined planning issues and criteria, was mailed to agencies, organizations and individuals on our mailing list.

The responses received were from many sectors of the public and covered all the issues and proposed management actions. Generally, there was a great deal of interest in the wilderness study areas, by both development and preservation-oriented entitles and individuals. Many responses dealt with oil and gas and other mineral issues and concerns not only in the wilderness study areas, but in the other management units as well. There was considerable interest, by ranchers primarily, in the grazing proposals. There were

many comments dealing with wildlife preservation and enhancement, especially regarding habitat in the resource management units near Dubois. There was much interest in recreation-related proposals and in cultural/historical preservation the latter especially so in the South Pass Management Unit. There was significant interest in possible landownership adjustments, timber and firewood sales, and access issues. These concerns were from a other federal agencies, state and local government agencies, interest groups (primarily conservation groups), business and industry (primarily mineral industries), and many individuals with varying interests such as grazing leases, mining claims, recreational pursuits. guiding and outfitting, firewood cutting, nearby private landownership, historical preservation, etc.

The Rawlins District Advisory Council and the Grazing Board have been kept apprised of the progress of the RMP and their comments have been solicited throughout this process.

Each operator of an I, M, or C category grazing allotment has been contacted, either in person or in writing to discuss the categorization of that allotment.

Formal and informal meetings have been held with many members of the ranching and minerals communities and with other interest groups and agencies.

CONSISTENCY

Coordination with other agencies and consistency with other plans was accomplished through continuous communications and cooperative efforts between BLM and involved federal, state, and local agencies and organizations. The Wyoming Governor's Clearinghouse will be supplied with numerous copies of this draft document for review to ensure consistency with the state's ongoing plans. County land use plans have been reviewed by the RMP team to ensure consistency.

Authorities for the Bureau of Indian Affairs from the Wind River Reservation have been coordinated with, as has the Bureau of Reclamation for the adjoining Boysen Reservoir project, and the U.S. Forest Service for the adjoining Shoshone National Forest.

Local groups have been consulted to ensure that all parties are aware of the plans and objectives. A copy of the newsletter was distributed to all persons on the Lander RMP mailing list. This list is available at the Lander Resource Area office.

Copies of the document are available for review in the BLM offices at Lander, Rawlins, Worland, Casper, and Rock Springs, and in the county libraries in Fremont, Natrona, Sweetwater, and Carbon counties

AGENCIES AND ORGANIZATIONS CONSULTED

The planning team consulted with; mailed notices or drafts to; and/or received comments from the following organizations during development of the plan:

Federal Agencies:

U.S. Department of the Interior
Bureau of Reclamation
Bureau of Indian Affairs
Bureau of Land Management (other offices)
National Parks Service
Office of Surface Mining
Fish and Wildliffs Service
U.S. Department of Agriculture

Forest Service Soil Conservation Service Environmental Protection Agency Tennessee Valley Authority

U.S. Department of Energy U.S. Department of Defense

U.S. Department of Housing and Urban Development U.S. Department of Commerce

U.S. Department of Confinerce

State Agencies:

Wyoming Office of the Govenor State Planning Coordinators Office Game and Fish Department Recreation Commission Highway Department Public Lands Commission Public Lands Gommission Public Lands Gommission Public Lands and Farm Loan District United State State Commission Cantral Wyoming College Archives Museums and Historical Dept. Department of Environmental Quality Geological Survey

State Legislators:

Senators and Representatives of Fremont, Carbon, Sweetwater, Hot Springs, Sweetwater, Laramie and Albany Counties

Counties and Cities:

Natrona County Commissioners
Carbon County Commissioners
Sweetwater County Commissioners
Hot Springs County Commissioners
City of Lander
City of Riverton
Town of Shoshone
Town of South Plass
Fremont County Planning Commission
Natrona County Weed District

Board of Fremont County Commissioners

Fremont County Week District Fremont County Extension Agent Fremont County Solid Waste Disposal District

Congressional Offices:

Office of Congressman Cheney Office of Senator Simpson Office of Senator Wallop

DISTRIBUTION

In addition, notices, requests for comments, and copies of this document have been sent to businesses, organizations, interest groups, and individuals. The mailing list is available at the Rawlins BLM District office or the Lander Resource Area office for review.

LIST OF PREPARERS

Team Leader and Technical Coordinator

Gene Kolkman

Qualifications: Regional Planner and Economist, Bureau of Land Management, 5 years; B.A., Economics, University of Colorado.

Responsibility: Project Management and Technical Coordination.

Wilderness EIS Team Leader

Bob Tigner

Qualifications: Natural Resource Specialist, Bureau of Land Management, 4 years; Wildlife Biologist (Research), U.S. Fish and Wildlife Service, 21 years; Ph.D., Biology, University of Colorado; M.S., B.S., Wildlife Management, Colorado State University

Responsibility: Project Management and Technical Coordination.

Archeologist

Craig Bromley

Qualifications: Archeologist, Bureau of Land Management, 5 years; Cultural Resource Specialist, National Park Service, ½ year, B.A., Anthropology, University of Nevada, Las Vegas.

Responsibility: Cultural and Natural History Resources

Economist

Tom Crawford

Qualifications: Economist, Bureau of Land Management, 4 years; Research Specialist, New Mexico State University, 6 months; M.S., B.S., Agricultural Economics, New Mexico State University.

Responsibility: Economics

Fisheries Biologist

Fred Stabler

Qualifications: Fisheries Biologist, Bureau of Land Management, 5 years; Fisheries Biologist, U.S. Fish and Wildlife Service, 1 year; M.S., Fishery Resources, University of Idaho; B.S., Wildlife Biology, Washington State University.

Responsibility: Fisheries

Forester

Ken Johnson

Qualifications: Forester, Bureau of Land Management, 11 years; Forester, Bureau of Indian Affairs, 5 years; Forester, private industry, 4 years; B.S., Forestry, University of New Hampshire.

Responsibility: Forestry

Geologist

Fred Georgeson

Qualifications: Geologist, Bureau of Land Management, 11 years; B.S., Geology, University of Wyoming.

Responsibility: Minerals.

Outdoor Recreation Planner

Craig Sorenson

Qualifications: Outdoor Recreation Planner, Bureau of Land Management, 10 years; Park Ranger, Utah State Parks, 1 year; B.S., Forest Recreation, Utah State University.

Responsibility: Recreation-Visual Resources/Wilderness.

Wildlife Biologist

Jack Welch

Qualifications: Wildlife Biologist, Bureau of Land Management, 18 years; M.S., B.S., Wildlife and Range Ecology, University of Wyoming.

Responsibility: Wildlife.

Range Conservationists

John Likins

Qualifications: Range Conservationist, Bureau of Land Management, 9 years; B.S., Forest and Range Management, Utah State University.

Responsibility: Vegetation.

Roy Packer

Qualifications: Range Conservationist, Bureau of Land Management, 8 years; Range Technician, U.S. Forest Service, 2 years; B.S., Forest and Watershed Management, Utah State University.

Responsibility: Livestock Grazing and Wild Horses.

John Winnepenninkx

Qualifications: Range Conservationist, Bureau of Land Management, 5 years; Range Conservationist, Bureau of Indian Affairs, 1½ years; B.S., Range Management, University of Florida.

Responsibility: Wild Horses and Livestock Grazing.

Consultation and Coordination

Realty Specialist

Bill Bartlett

Qualifications: Realty Specialist, Bureau of Land Management, 12 years; B.B.A., Management and Organization, Idaho State University.

Responsibility: Realty.

Soil Scientist

Greg Bautz

Qualifications: Soil Scientist, Bureau of Land Management, 5 years, Range Technician, Bureau of Land Management, 1 year, B.S. Resource Management, University of Wisconsin-Stevens Point

Responsibility: Soil, Water and Air.

Lead Clerk and Editorial Assistant

Debra MacPherson

Qualifications: Wang Operator, 1 year; Secretary (Steno) 10 years, 2 years legal secretary.

Responsibility: Lead Word Processor and assistant to the writer/editor.

Word Processors

Dee Little

Qualifications: Wang Operator, Bureau of Land Management, 6 months; Secretary (Steno) 3 years; refresher course in grammar, spelling, and other related secretarial duties.

Responsibility: Word Processing.

Phyllis Michaud

Qualifications: Wang Operator, Bureau of Land Management, 1½ years; Clerk/Typist, 10 years; legal secretary, 2 years. Secretarial Science, Casper College.

Responsibility: Word Processing.

Writer/Editor

Beverly Kolkman

Qualifications: Writer/Editor and AMtext Operator, Bureau of Land Management, 5 years; Reports Officer and Intelligence Analyst, U.S. government (Middle East and Washington, D.C.), 7 years; B.A. History and Anthropology, University of Colorado.

Responsibility: Editing.

Technical Review

Jack Kelly, Area Manager, Lander Resource Area

Jerry Valentine, Chief, Lands and Renewable Resources, Lander Resource Area Ed Womack, Chief, Minerals, Lander Resource Area

Photography

Bureau of Land Management

Cartography

Terri Mitchell, Cartographic Technician, Wyoming State Office.

Jon Winemiller, Supervisory Engineering Draftsman, Wyoming State Office.


Printing

Jerry Carter, Printing Specialist, Wyoming State Office.

Tina Warren, Printing Technician, Wyoming State Office.

TABLE OF CONTENTS

APPENDIX I	37
APPENDIX II	43
APPENDIX III	43
GLOSSARY	44
REFERENCES	44



APPENDIX 1

ALTERNATIVES BY MANAGEMENT UNIT

This appendix presents the alternatives by management unit that, when combined with Management Actions Common to All Alternatives (Chapter II), the proposed action for livestock grazing (see Grazing Supplement), and the proposed actions for Wilderness (see Wilderness Supplement), were analyzed in this RMP/EIS.



CHEEN HOLINDAIN HANGEMONT UNIT

Alternative A

I. Energy & Minerals

Alternative B

Alternative C

Preferred Alternative

The unit would be open for insising, exploration and development. The following normaniate occupancy and sessenal restrictions would apply.

Same as Alternative A.

Modified Alternative C. The entire unit would be open for leasing, exploration and development under the following gridelines.

No-Surface Docupancy

Nonsurface occupancy would be used where needed to protect!

Some as Alternative A.

Sees as Alberrative A.

The entire unit would be open for leasing, exploration and development under the following guidelines. Known Geologic Structures (KGSs) and areas with high potential for perurrence for oil and gas

Known Geologic Structures (Whe) and areas with high potential for occurrence for oll and gas

1) water quality, fisheries, and

riparian areas; sage grouse breading areas (lake); soils on steep slopes; 2)

a. No sausonal restrictions except for those restrictions designed to protect threatened and endangered species.

All restrictions (sessonal sometriace occupency, etc.) would be be considered on a case-by-case basis.

threatened and endangered

b. The use of normatisce occupancy restrictions would be

Any restrictions imposed on exploration and production activities would be based on the need to sweld a significant adverse impact or another resource.

species; the campground and picnic sites on Green Hountain; the alk crucial winter range on the north slope of Green

ismited to those instances where it is necessary to protect mecessary to protect nationally significant cultural and natural history resources or threatened and endangered plant and animal species.

All restrictions are subject to waiver by the authorized officer; with the exception of those needed to protect threatened and endergered plant and animal species of nationally significant cultural and natural history

Seasonal Restrictions For Exploration Activities where needed to protect crucial

53

5)

c. Production activities would be subject to specific

 Upon demonstration by the lessee or operator, wie as acceptable development plan, that advacue impacts to other

mule deer winter range, crucial antelope winter targe, sage grouse nesting areas, reptor nesting sites, and alk winter renes. mule deer and antelope critical winter range

subject to specific placement and design of pade, reads, and facilities to minimize acrossed eitherthal. Priority would be given to excitating the economic recovery of the oil and gue resource.

resources due to their development operations could be acceptably mitigated. At the initiative of the outhorized officer when it has been determined that certain restrictions are no longer

December April elk winter range December-April 3) elk calving creas May-June rage grouse nesting March-Are

d. Development plans would be required for operacions within sensitive arrest. These plans would have the potential to reduce eggregate read and pipeline construction costs as well as ministrate adverse impacts on surface values.

Area with low, moderate, and no potential for occurrence of oil and gas.

march-July
march-July

No-Surface Occupency No surface occupancy would be used where needed to protects

Alternative A

Alternative 3

Alternative C

Attentive C

Definition and the second control of the second contr

Areas with moderate potential for occurrence of oil and gas.

All restrictions (seasonal, nomeuriscs occupancy, etc), would be considered on a case-by-case basis.

Any restrictions imposed on exploration and production activities would be based on the need to svoid a significant adverse impact on another resource,

Areas with low potential for occurrence of oil and gas.

Northerface Occupancy

No Surface Occupancy restrictions would be used where meeded to protect: 1) water quality, fisheries, and riperies

- fisheries, and riperia areas; 2) sage grouse breeding areas (leks); 3) soils on steep alopes; 4) threatened and endargured species; 5) significant cultural resource attes where data recovery methods current mitigate adverse

Preferred Alternative

Seasonal rescrictions would be used where meeded to protect crucial wildlife habitat areas. The areas and the general periods of time that are crucial during most years

1) big game crucial winter

sre:

- 1) big game crucial w ranges
 December-April
 2) eik winter range
 December-April
 3) eik calving areas
 "Confine"
- Hay-June

 4) sage grouse nesting areas
 Harch-June 5) raptor costing areas March-July

Alternative A	Alternative B	Alternative C	Preferred Alternativ
		Seasonal Restrictions For Emploration Activities	
		Seasonal restrictions would be used where sended to protect erocal wildlife babtist eross. The areas and the general periods of time that are erocals during most wears	
		are: 1) big gene crucial winter	
		December-April 2) elk winter runer	
		December-April 3) alk calving areas	
		Hay-June 4) sage grouse neeting areas Marcir-June	
		5) reptor centing areas Marcir-July	
arwat Restrictions	Horwart Restrictions	Hervest Restrictions	Harvest Restrictions
Il sawtisher would be hervested brough irregular clearcuse under 5 cores reach. So clearcutting tithin 200 feet of persential tream would be allowed, but ertial cutting would be allowed dithin the 100-foot buffer zone.	Seme as Alternative A.	Sume as Alternative A.	Alternative A.
to hervest with conventional spatpoent (tracks and number times) sould be allowed on alopus greater than 45%.	Same as Alternative A.	Same as Alternative A.	Alternative A.
servesting on the mountain would appear to maintain a ratio of	Same as Alternative A.	Same as Alternative A.	Alternative A.
approximately 40% cover to 60% openings in the contiguous forestry areas for optimum elk habitat. When regeneration in areas harvested in the first rotation is large enough to provide bdg game		Cartings within sepen stands would be limited to removing mainly the oversature, decident overstony trees of 7 inches in dismeter, or larger.	Alternative C.
cover, adjacent stands could be nervested.		If any clearcuts were employed in aspen stands, they would be limited to 5 cores or less. If hurning were employed in supen stands, berms would be limited to approximately 10 error.	Alternative C.

Alternative A	Alternative B	Alternative C	Preferred Alternative

S. Ununtum and Other Locatable Minerals

The Green Mountain Management Unit would be open for exploration and development of unentum and other locatable mineralls, except for the BM compround and EM and county pionic sites (120 acres).

Sam as Alternative A.

In addition, a plan of operations would be required for exploration and develop-ment activity within 350 feet of the Sparkank cabin.

Hadified Alternative B. The Green Hamitain Management Unit would be open for exploration and development of utention and other locatable minerals, except for the EM campground and EM county picnic sites (120 scres). Seme as Alternative A.

In addition, a plan of operations would be required for emploration and development and the second state of the Spatisak costs or within the area designated as caustal alk winter range on the sorth slope of Green Nauntain.

II. Fish and Wildlife

Existing wildlife/fisheries hebitat improvements would be emintained, Soutise improvement projects (to embence and maintain wildlife/fisheries resources) would be completed after interdisciplinary review.

III. Forest Management

Harvest Levels 750-1000 MMF of sawtimber would be hervested each year, together with another 1500-1700 MMF of firewood and post and poles.

Same as Alternative A.

listrest Levels

An accelerated between would

be understain to salvage beele killed timber, reduce the fire based created by the recent beecle attacks and to

the first machine consists of the regenerates haveyed areas as utilize the production promoted for the land, furnest would generally end for the real polymer, or waitlibe anjectly of the dead table has been recoved. In the model of the product would be made to increase the would be any product of 1.0-2 MeMS per year.

Prescribed burns and/or aspen reserved sums shower aspen regeneration practices would be used to improve habitat for elk and mule door (see Forestry and Fire Hanagement),

Offer approximately 1-3 MMSF per year in sections together with 1.5-2.0 MMSF to meet the public demand for firescoping potential and poles. This would be between do a compensure heafs, until the majority of the bottle-fellind timber has been salwaged.


Semm as Alternative A_{α} except for the following addition. Alternative C.


Harvest Levels Hervest Levels Alternative C.

376

Alternative A	Alternative B	Alternative C	Preferred Alternative
Regeneration	Reguseration	Reprosention	Reguneration
Sites would be prepared through slash piling and burning.	Same as Alternative A.	Some as Alternative A.	Alternative A.
Regeneration would occur mostly through natural processes, but some artificial regeneration would also be employed.	Seme as Alternative A.	Some as Alternative A.	Alternative A.
Preconnertial or commercial thirming would be used as required.	Seme as Alternative A.	Some as Alternative A.	Alternative A.
TV. Landownership Adjustments and Utility Systems			
No lands would be sold or exchanged under this alternative.	Some as Alternative A.	Two isolated craces of public lands totalling 166 acres would be considered for disposal through land workenges or public sales.	Alternative C.
Recreation and public purpose patents would be issued on a case-by-case basis.	Same as Alternative A.	Recreation and public purpose patents would be instead on a case-by-case basis.	Alternative A.
Public lands would be open for utility systems on a demark basis. These systems would be concentrated in scienting utility corridors whenever possible.	Same as Alternative A.	Same as Alternactive A.	Alternative A.
V. Recreation			
The NA-schrinistered compround and picnic area on Green Hountain would be maintained.	Some as Alternative A.	Seme as Alternative A, with the following additions.	Alternative C.
		Bisserisk to public safety (troods, pites, stor.) sould be eliminated and reclaimed, Aparthetic values would be enhanced through rebuiltimation of disturbed areas, minimizing road construction and saudmining a healthy, diverse forest.	
		Limit the number of commercial banting cumps.	


Alternative A	Alternative B	Alternative C	Preferred Alternative
VI. Off-Boad Vehicles			
Vehicular traffic would be restricted to designated roads and whicle routes.	Some as Alternative A.	Seme as Alternative A.	Alternative A.
Roads would be closed from December through June (except for snowmobiles).	Some as Alternative A.	Same as Alternative A.	Alternative A.
VII. Cultural/Natural History			
No special management actions would be taken.	Same as Alternative A.	Sems as Alternative A.	Alternative A.
VIII. Fire Management			
Pull Suppression	Pull Suppression	Limited Suppression	Alternative E.
No specific optimize to discretize the continuous of discretization territorious. Prescribed burns allowed.	 We billoseer on statial estable, use of buildoseer affect the faith, attack would be faith, attack would be seen to be seen at the secone fire enalysis. Prescribed burns allowed. 	Specific actions could be included in a history suppression plan. Suppression would cours Suppression course Su	
IX. Access			
The existing transportation system in the unit would be maintained.	Seme as Alternative A.	Same as Alternative A.	Alternative A.
	Negotiations with landssears would be initiated to obtain ensemble for public access on the following roads: a. Willow Crock Read: b. Crocks Hearten Road: c. Diggart Headows Road. The Cooper Crock first cooper road visual to obliterated and robbit literated and robbit literated and		Alternative B.







Map A-4 Surface Ownership Sweetwater Canyon





READER CHEEK HANAGEMENT HATT

Alternative A

1. Energy & Minerals

The entire crit would be open to leasing, exploration and development except for land presently withdrawn sround the Split Bock landwork, Booky Edge, and Aspen Grove compette. The following no warface occupancy and

seasonal restrictions would apply. Northern Occupancy

No-surface occupancy would be used where resided to property

- 1) water quality, fisheries, and
- riparian areas; sage grosse breeding areas (leta) 2)
- (leks); soils on steep slopes; threatened and endangered threatmen and entangered species; Jaffrey City and Jeffrey City
- 5) airport.
- aiprort.

 5) Report Ris (8 siles north, starting at Highery 29).

 1/4 siles nottes side of the Gregol Neuron Trail or the Gregol Neuron Trail or a Colorer.

 8. The Interspective site at Split Rock.

 7) Report Ris (2 siles north, seating as Split Rock.

Sononal restrictions smald be used Seasonal restrictions would be use where needed to protect crucial sade door winter range, repetal ancelope winter range, sage groups secting areas, maytor mesting sites, and elk winter range.

male door and not critical winter range December-April elk winter range December April 3) elk calving areas

sage grouse nesting ereas March-Arm Toptof nesting areas

Marries fully

Alternative B Alternative C

The unit would be open to leasting, exploration and development eccept for lands presently withfrawn around the Split Rock landauth, Bocky Ridge, and the Aspen Crows compute. The following nonurface occupancy and sessonal restrictions would apply.

No-Surface Occupancy

No surface occupancy would be used where needed to protect:

- 1) water quality, fisheries,
- water quality, finheries, and riportion areas;
 sege prouse breading areas (leks);
 soils on stupy slopus;
 threatened and endangered species;
 significant cultural
- - north, starting at Highway 287; 1/4 mile on either side of the Oregon/Hornor
 - Trail or the visible borizon, whichever is closer;
 - the area within the Ire Slough Spring proposed Nextornal Register site; the areas within the Oragon/Morgon Total
- the interpretive site at Split Rock, 11)

Some as Alternative A.

The entire ends would be open for lessing, exploration and development under the following guidelines.

Neous Goologie Structures (NCSs) and armse with high potential for occurrence for all and gas

- No seasonal restrictions except for those restrictions designed to protect threatened and endagered species.
- h. The use of no-surface occupancy restrictions would be limited to those instances where it is necessary to protect nationally significant
- nationally eignificant cultural and natural distory resources or threatened and endangered plant and aminal species.
- e. Production activities sould be subject to specific placement and design of pads, roads, and facilities to minimize acreage disturbed. Frierity would be given to meetinizing the
- economic recovery of the oil and gas resource.

d. Development plans would be required for operations within sensitive areas. These plans would have the potential to reduce potential to reduce aggregate road and pipeline construction costs, as well as windmide adverse impacts on surface values.

Preferred Alternative

Modified Alternative C. The entire unit would be open for lessing, exploration and development under the following guidelines.



All restrictions (namenal, normarians occupancy, etc.) would be be considered on a comerby-case basis.

Any restrictions imposed on exploration and production activities would be insed on the need to swotd a All restrictions are subject

- to wriver by the authorized officer; with the exception of those meeded to protect thresteed and endangered plant and animal species or nationally significant cultural and natural history resources, under the follow conditions:
- 1) Upon demonstration by Upon demonstration by the lesses or operator, via an acceptable development plan, that adverse impacts to other resources due to their development operations could be acceptably minigated.
- At the initiative of the authorized officer when it has been determined that certain mestrictions are no looser
- Area with low, moderate, and no potential for occurrence of oll and gas.

No-Surface Occupancy

- No surface occupancy would be used where needed to protects
- weter quality, fisheries, and riperian areas;
 sage grouse breeding areas (sleet);
 soils on steep slopus;
 threatened and endangered
- species? significant cultural resource sites where 5) data recovery methods commot mitigate adverse
- imports; Jeffrey City and Jeffrey
- City airport. Borwer Rim (8 miles
- Boover Rim (8 miles morth, starting at highest 287).
 1/4 mile on either side of the Gregory/Normon Trail or the visible horizon, whichever is alsower.
- 9.3 The interpretive site at Split Rock.

382

Alternative A

Alternative B

Alternative C

Alternative C.

and meharinos
and meharinos
antivological
and meharinos
antivological
antivological
antivological
antivological
antivological
antivological
antipological

Areas with moderate potential for occurrence of oil and gas.

All restrictions (sensonal, no-surface occupancy, etc). would be considered on a

Any restrictions imposed on exploration and production activities would be based on the need to avoid a significant adverse impact on another resource.

Area with low potential for occurrence of oil and gas.

Northerface Occupancy

- Norwische Coopency
 Norwische Coo

Preferred Alternative

Sensonal Restrictions For Exploration Activities

Seasonal restrictions would be used where meaded to protect crucial widdlife habitat areas. The areas and the general periods of time that are crucial during most years

- big game crucial winter ranges broomber-byrt 1 2 als winter range broomber-byrt 1 3 er comment 4 sage grouse best for areas hardr-bare 5 zapon seasting areas barch-bare

Alternative A

Alternative B

Alternative C

Preferred Alternative

Seasonal Restrictions For Exploration Activities

Seasonal restrictions would be used where needed to protect crucial withing hebitat areas. The areas and the general periods of time that are crucial during most years

- are:
 1) hig game crucial winter
- hig game cracial wincer reggs bounded with the community of the community

B. Locatable Hinerale

who unit would be open for exploration and development of locatable minerals, except for 1,480 acres presently withdraws at the Split Ruck Londonnk, Sociey Hidge and the Aspen Grove.

The crit would be open for exploration and development of locatable enterate except for 1,480 acres presently withdrawn at the Split Sock Landmark, Socky Stdge and the depen Grove compite.

- Within 660 feet of Gilespie Flace Historic Site;
- Within 660 feet of Willies Hundoart Commonorative Site;
- Area along Beaver Rim (8 miles north, starting at Highway 287);
- Area within the Ice Slough proposed National Register Site;
- Rocky Ridge proposed withdrawn area additions (see Oregon/homson Trail menagement plan); and
- Streems with high fisheries values.


Seme as Alternative A.


Modified Alternative 8. The unit would be open for exploration and development of locatable ednerals except for:

- 1,480 acres presently withfram at the Split Rock Landmark, Rocky Ridge, and the Aspen Grove competts.
- 280 scree proposed for withdrawal at Rocky Ridge.
- Flams of operations would be required for all exploration and development of locatable minerals (except cantal use) in the following areas:
- Within 600 feet of Gilespie Place Historic Sites
- Within 600 feet of William Mindcart Reenschung Site; - Area along Beaver Rim (8 miles morth, starting at Highway 287);

Alternative A	Albertative B	Alternative C	Preferred Alternative
	In addition, exploration and development within 1/4 mile or the visible horizon of the Oregon/Mormon Trail would		 Area within the Uce Slough proposed National Register Site;
	require a plan of operation.		- Streems with high fisheries values.
			- Within 1/4 mile or the visible horizon of the Oregon/Hormon Ttail.
II. Fish and Wildlife			
Existing wildlife/fisheries hebitat improvements would be maintained. Routine improvement projects (to mivace and maintain utildlife/fisherien resources) would be complated after interdisciplinary review.	Some as Alternative A.	Same as Alternative A.	Alternative A.
Special menagement actions to improve fisheries, such as instrome arroture installation and feeding of stromes and temervoirs would be undertaken in the upper portions of the Swetneric River and Barver Crook drainages.	Same as Alterretive A.	Some as Alternative A.	Alternative A.
Special management actions, such as prescribed burns and other vegetative manipulation projects to improve rule deer and moose habitet, would also be undertaken.			
III. Forest Hungament			
Marvestable timber stands are limited in this unit. Therefore, sales would be considered on a case by case basis.	Same as Alternative A.	Some as Alternative A.	Alternative A.
IV. Landownership Adjustments and Utility Systems			
No lands would be sold or eschanged.	Same as Alternative A.	Some implicated tracts of public land sould be disposed of through Land outsings or public sales. There are 41 tracts encompassing 6,400 acres.	Notified Alternative C. To retain 17 tracts (3,300 erres) in public ownership and consider disposal of 24 tracts (3,100 erres) through sale or mechange.
Recreation and public purpose patents would be issued on a case-by-case basis.	Seme as Alternative A.	The remainder of the unit would be received in public ownership.	Alternative A.
Public lands would be open for utility systems on a demand bests. These systems would be concentrated in existing utility corridors whenever possible.	Same as Alternative A.	Some as Alternative A.	Modified Alternative A. The Oragon Trail corridor, Sweetwater Caryon, and Sweetwater Rocks would generally be evoked for major above-ground utilities.
V. Recrustion			
The interpretive site at Split Rock would be maintained.	Same as Alternative A.	See as Alternative A.	Alternative A.
VI. Off-Wood Vehicles			
Ventrular emiffic would be limited to existing reads and vehicle routes.	Same as Alternative A.	Some as Alternative A.	Alternative A.
VII. Oultural/Natural History			
No special management actions would be taken.	Regotiate with the landowner on acquisition of property at Burnt Rench Mistoric Site.	Seme as Alberrative A.	Alternatives 3.
	Pursue NNL designation and encollment of Beaver Riss	Same as Alternative A.	

Alternative A	Alternative B	Alternative C	Preferred Alternative
VIII. Fire Management			
Full Suggression	Full Suppression	Limited Suppression	Alternatives B and C. The
So specific engineer or fixe-lighting Prescribed burns allowed.	 No bullscorer on indical attends use of attends use of the indicate attends to the indicate attends would be determined through the escape fire exhibit. Presentible turns allowed. 	Specific actions sould be tendeded in a listed to suppression plant. Suppression would occur on the plant of the properties would occur on encoded or has the protected to use and the plant of	unit how boan divided depo 3 magnessation sense. The preferred alternative for me 18 miles and 1
IX. Access			
The existing transportation system in the unit would be existained.	Same as Alternative A.	Sens as Alternative A.	Alternative A.
	Negotiations with indexects sould be initiated to obtain seasoners for public access on the following roads. 1. East Rewer Creek Read 2. Then Track Read 3. Government Drack Read 5. Nation Read Read 6. Nation Read 7. Nation Read 7. Nation Read 8. Read Cap Read 8. Read Cap Read 8. Read Cap Read		Alternative B.
X. Wilderness			
The Sweetwater Genyon M64, would be recommended as normalizable for wilderness designation. Present multiple-use savagement would continue.	The Sweetwater Caryon (SA) would be recommended as suitable for wilderness designation and managed under the EM's Wilderness Management Policy.	(Implementation of the existing management proposal.) Herage the unit os an Area of Oritical Environmental Concern (ACSC),	Modified Alternative B - Partial Wilderness (Conflict Resolution Alternative).
The Sweetwater Rocks MSds (120, 122, 122s, 123b) would be recommended as nonsultable for wildermoss designation. Present solital-was energement would continue.	The Senetweter Rocks VS/as (120, 122, 123e and 123b) would be recommended as matchile for wildermass designation and saringed under the ISP/s Wildermas Hanagement Policy.	Same as Alternative A.	Alternative A.





LANDER SLOPE HANGEMENT UNIT

Alternative A

I. Energy & Minerals

The entire unit would be closed to oil and gas lessing, exploration and development.

Alternative B

Alternative C Preferred Alternative

The unit would be open to lessing, exploration and development. The following norsurface occupancy and seasonal restrictions would

Non-Surface Occupancy

No surface occupancy would be used where needed to protects

apply.

water quality, fisheries, and riperies areas;
 sugs grouse breeding areas (leks);
 solis on steep alops;
 threatured and endangered

species; significant cultural 51 resource sites where data recovery methods carnot mitigate adverse

Seasonal Restrictions For Exploration Activities

Seasonal restrictions would be used where needed to protect used where mended to protect crucial wildlife babitat armss. The areas and the general periods of time that are critical during most years are: 1) big gome crucial winter

rarge December-April alk winter rarge 2)

2) elk winter range Docamber-furil 3) elk calving areas Noy-June 4) sage grouse mesting areas Norch-June

5)

reptor mesting sites Herch-July

The entire unit would be open for lessing, emploration and development under the following guidelines.

Known Geologic Structures (KDSs) and areas with high potential for congresses for oil and gas

 so seasonal rastrictions, except for those restrictions designed to protect threatened and endangered apertes.

b. The use of normarface occupancy restrictions would be limited to those instances where it is necessary to protect nationally significent cultural and natural history resources or

threatened and endangered plant and animal species. c. Production activities would be

subject to specific placement and design of pade, roads and facilities to minimize acruge disturbed, Priority would be given to medicing the economic recovery of the

oil and gas resource.

d. Development plans would be required for operations within sensitive areas. These plans would have the notential to reduce aggregate road and pipeline construction costs, as well as minimize adverse impacts on surface values.

Nodified Alternative C. The entire unit would be open for leasing, exploration and development under the following guidelines.

Enoun Geologic Structures (MISs) and eross with high potential for occurrence for oil and gas

All restrictions (nesernal normarface occupancy, etc.)
would be be considered on a
case-by-case basis. Any restrictions (emosed on

exploration and production activities would be based on the need to avoid a significant adverse impact on another resource.

All restrictions are subject to seizer by the authorized officer, with the exception of those mended to protect threatened and endangered plant and animal species or nationally significant cultural and natural history

 Upon demonstration by the lessee or operator, via an acceptable development plan, that adverse impacts to other resources due to their development operations could

authorized officer when it has been determined that certain restrictions are no longer necessary.

Area with low, moderate, and no potential for occurrence of oil and gas.

No-Surface Occupancy

No surface occupancy would be used where needed to protect:

Alternative A

Alternative B

Alternative C

Alternative C

Performed Accountage

A benefit of the Community of the Com rather then in a piecensal, unorganized, case by case marner.

Atums with moderate potential for occurrence of oil and gas.

All restrictions (sessonal, norsurface occupancy, etc). would be considered on a case-by-case basis.

noveration company, etc.).

would be considered on a consider-years basis.

Any metications disposed on emplementant objected on the need to media algorithms and production exterities would be been on the need to media algorithms adverses speet on emplementations.

Any with low properties for the need to member resource.

Area with low potential for occurrence of oil and gas

Northerface Occupancy No-Surface Occupancy restrictions would be used where needed to protect: 1) unter quality, fisheries, and riperies

areas;
some grouse breeding
areas (leke);
solis on steep slopes;
threatened and
endempered species;
significant cultural
resource sites where
date recovery exclude
connect mitigate adverse
femonts.

Preferred Alternative

Sussonal restrictions would be used where needed to protect crucial utilditie habitat wrate. The areas and the general periods of time that are crucial during nost years


- 5) Imptor nesting areas March-July

Alternative 3	Alternative C	Preferred Alternative
	Suspensi Restrictions For Emploration Activities	
	Seasonal restrictions would be	
	used where needed to protect crucial wildlife hebitet	
	areas. The areas and the	
	are crucial during most years	
	are:	
	Exception	
	December-April	
	Documber-April	
	3) elk calving areas	
	 sage grouse nesting areas 	
	Narch-July	
The unit would be closed for	Sens as Alternative A.	Modified Alternative A. The present unit would be open
locatable stremls (requiries		for exploration and
a withdrawal from mineral entry).		development of locatable minerals.
		Plans of operations would be required for exploration and
		development activities (except casual use) within that
		portion of the management unit designated as the Lunder Slope
		Modified Alternative C. The
Same as Albertative A.	exatioble for prospecting.	entire unit would be smallable for prospecting, exploration
	leasing, and development of	and development, and leasing
	productor.	of phosphates with the standard protection
		regularements for surface
		disturbing activities described in Appendix 2.
	to sarbdoom! small be mercard.	Alternative A.
Some as Alternative A.		
		Alternative C.
Samo as Alternative A.	for the following addition.	aldiación of
	Prescribed burns in stands of	
	decadent segebrush and apuntain shrub would be used	
	to improve former for	
	to improve former for wintering alk, make door, moone, and bighorn sheep (see	
	to improve foreign for wintering elk, make door,	
	The acts social in closed for explanation and development of locations demand required	Secured numerican Establishment of Secured numerican Establishment Secured numerican Secured numerican Secured numerican Secured numerican Secured numerican Secured numerican Secure Se

Alternative A	Alternative B	Alternative C	Preferred Alternative
III. Forest Management			
No management of harvest of timber resources.	Timber ranagment would be as follows:	Timber management would be as follows:	Modified Alternative B. Do offer one or more sale(s) fo
	Large timber sales would be offered (up to 20 MeSF). This large sale would allow to the major access. This could possibly be in coperation with the state, U.S. Former Service, or private benchmers, in the area.	About 40 MSEF of seminher would be offered for sale or a rate of 1 MSEF each year for 40 years, Approximately 400-500 acres of sapen stands Would be improved for hig game habitant by cutting or prescribed burning.	a total of 5-15 MMSF to be harevasted over a period of a more than 5 years. After th initial period, activity won cases for shoul 10 years and the roads opened for logging would be closed.
	Hervest Bestrictions	Harvest Restrictions	Harwest Restrictions
	All sortimber would be benvested utilities irregular clearous under 25 scree each. No clearouting within 100 feet of premaial streems would be allowed, but partial cutting would be allowed within the buffer zone.	The unit would be open to harvest by clearcutting small ercos.	Alternative 8.
	So harvesting with conventional equipment would be allowed on slopes greater than 45%.	Some as Alternative A.	Alternative S.
	Birvating would stompt to maintain a ratio of superminately 400 oner to 60% operating 1400 oner to 60% operating in the critiques formerty area for optima elk babitat. When regumention in arous harvested in the first rotation is large enough to growthe big game cover, adjecent stands could be harvested.	No clearcutting would be allowed within 200 feet of streams, but areas could be pertially out within the 100-feet before zeen. Nhost cuttings would be limited in supen stands by removing sainly the overmiture decodest overwarty rease of 7 inches in diameter or targer.	Alterrative B.
		If any clearcuts were employed in sepre stands, they would be limited to 5 ocres or less. If bearing were employed in sepre stands, burne would be limited to approximately 10 scress or less. Only partial cutting would be allowed within 100 freet of	
		perennial streems.	
	Regeneration	Regeneration	Regeneration
	Sites would be prepared utilizing slash piling and burning techniques.	No special site preparation techniques are needed to provide regeneration in aspen stands, and natural regeneration would occur elsewhere.	Alternative B.
	Regeneration would occur mostly through natural processors, but some artificial regeneration would be employed if natural regeneration failed.		Alternative B.

Alternative A	Alternative B	Alternative C	Preferred Alternative
	Precommercial or connectial thirming would take place as required.		
 Landowsership Adjustments and Utility Systems 			
to lands would be sold or exchanged under this alternative.	Some so Alternative A.	Some isolated tracts of public land would be considered for disposal through land exchange or public sales. There are 26 tracts encomposing shout 4,400 acres.	Modified Alternative C. To retain 12 tracts (3,000 act in public connership and consider disposal of 14 tra (1,400 acres through sale o sochange).
Recreation and public purpose patents would be issued on a came-by-case basis.	Same as Alternative A.	Same as Alternative A.	Alternative A
No major utility systems would be allowed.	Same as Alternative A.	Public lands would be open for utility systems on a demand basis.	Modified Alternative A. To mountain elopes would not be evailable for major utility systems. The lookands near Highway 28 and 789 could be considered for major utility systems.
V. Recrestion			
No special management actions would be taken.	The number of commercial hunting comps would be limited.	Some as Alternative A.	Alternative B.
VI. Off-Road Vehicles			
Vehicular traffic would be restricted to designated roads and vehicle routes.	Same as Alternative A.	Traffic would be limited to existing roads and trails.	Alternative A.
The area would be seasonally closed to traffic from December 1 to June 15 (except for snownobiles).	Same as Alternative A.	No measural restrictions would be applied.	Alternative A.
VII. Gultural/Natural History			
No special management actions would be taken.	Some as Alternative A.	Some as Alternative A.	Alternative A.
VIII. Fire Hanagement			
Fall Suppression	Pull Suppression	Limited Suppression	Alternative B,
 No specific equipment of fire-flighting searcidans. Prescribed turns allowed. 	Bo bildinours on indicals attending used on the state of the stat	1. Specific actions would be included in a linicide to the lates of the lates of the lates 2. Supposed to wait occur the the first in the lates the state specified in the plans, b. dromestern private c. threaten other unreaded attractions of the unreaded attractions of the second private of the lates of the lates of the unreaded attractions of the lates of the lates of the unreaded attractions of the lates of the lates of the unreaded attractions of the lates of the lates of the lates of the unreaded attractions of the lates of the lates of the lates of the unreaded attractions of the lates of the lates of the lates of the unreaded attractions of the lates of the lates of the lates of the unreaded attractions of the lates of the lates of the lates of the unreaded attractions of the lates of the lates of the lates of the unreaded attractions of the lates o	
IX. Access			
The existing transportation system in the unit would be emintained.	The existing transportation system would be maintained.	Seme as Alternative A.	Alternative B.
	Negotiations with immiowners would be initiated to obtain essements for public mocess on the Mormon Benin Road.		







RED CHURCH HANNSHINT INTO

Alternative A

I. Energy 6 Minerals

A. ONL and Gas The entire unit would be closed to leasing, exploration and devalopment.

Alternative B Alternative C

The unit would be open to leasing, exploration and development. The following no-marface occupancy and seasonal restrictions would apply.

No-Surface Occupancy No-surface occupancy would be used where needed to protect:

- seter quality, fisheries, and riparies areas;
 sage grouse broading areas (leks);
 soils on steep slopes;
 threstered and endangared areas(set).
- species; significant cultural 51
- resource sites where date recovery methods carmot mitigate adverse impacts;
 6) Red Canyon National
 Natural Landmark.

Seasonal Restrictions For Exploration Activities

Seasonal restrictions would be Seasonal restrictions would be used where namidal to protect crucial wildlife habitat areas. The areas and the general periods of time that are critical during most years

- big game crucial winter
- zinge December-April alk winter range 2) December-April slk calving areas
- 3) 4)
- sik calving areas hay-lune sage grouse mesting areas hardr-lune raptor mesting sites hardr-July

The entire unit would be open for leasing, exploration and development under the following guidelines.

Enous Geologic Scructures (EASs) and areas with high potential for occurrence for oil and gas

- restrictions, except for those restrictions designed to protect threatened and
- b. The use of noverfisce occupancy restrictions would be limited to those instances where it is
- mecossary to protect nationally significant cultural and natural history resources or endargered plant and animal species.
- c. Production activities would be subject to specific placement and design of placement and design of pads, roads and facilities to minisize acreage disturbed. Priority would be given to modnizing the
- to maximizing the economic recovery of the oil and gas resource. d. Development plans would be required for operations within semitive areas. These plans would have the
- plans would have the potential to reduce aggregate road and pipeline construction costs, as well as mindmine adverse impacts on surface values.

Preferred Alternative

Modified Alternative C. The mattre unit would be open for lessing, exploration and development under the following guidelines. Known Geologic Structures (KCSs) and greas with high potential for occurrence for oil and gas

- All restrictions (sessonal no-surface occupancy, stc.)
 would be be considered on a
 case-by-case busis.
- Any restrictions imposed on Any restrictions imposed on exploration and production activities would be based on the need to avoid a significant adverse impact on another resource.
 - All restrictions era subject to waiver by the authorized officer, with the exception of those needed to protect threatened and endangered plant and animal species or nationally significant cultural and natural history resources, under the following conditions:
 - Upon demonstration by the lesses or operator, via an acceptable development plan, that adverse impacts to other resources due to their development operations could be acceptably mixigated.
 - authorized officer when it has been determined that certain restrictions are no longer necessary.
 - Area with low, moderate, and no potential for occurrence of oil and gas.

No-Surface Occupancy

No-surface occupancy would be used where needed to protects

Alternative A

Alternative B

Alternative C

Attentive C

Descrive on erface

And photofree

and absortice

and industries

and reporter

2 page groups bronding

tender breat failing

and groups bronding

and groups brondi potential for both oil and gas development and the occurrence of cultural resources. In this way, significant cultural resources in high-development areas would benefit from study would benefit from study and encewation in a rational, well-planned, cost-effective menner, tather than in a piecennal, unorganized, case-by-case menner.

Areas with moderate potential for occurrence of oil and gas. All restrictions (sessonal, no-surface occupancy, etc).

would be considered on a sould be considered on a considered on a considered on a considered on a considered cons

Northertace Occupancy

to saints occupancy restrictions would be used where needed to protect: 1) water quality, fisheries, and riparism

sreas;
2) mage grouse breeding areas (lake);
3) soils on steep slopes;
4) threatened and endangured species;
5) significant cultural resource sites where

data recovery methods carnot mitigate adverse impacts; 6) Red Comyon National Natural Landmark,

Preferred Alternative

impacts;
6) Red Genyon National Landmark,

Sensonal Restrictions For Exploration Activities Seasonal restrictions would be used where needed to protect crucial wildlife habitat areas. The areas and the general periods of time that are crucial during most years are:

1) big same crucial winter

Alternative A	Alternative B	Alternative C	Preferred Alternative
		Seasonal Restrictions For Exploration Activities	
		Seasonal contrictions would be seasonal contrictions would be contain which had been contain which had been contain which had been sense. The sense and the general periods for tages to the season becomes with the periods of the becomes with the containing sense to the containing sense to the the the the the the the the	
 B. Urenium and Other Locatable Minerals 			
The unit would be open for exploration and development of locatable minerals.	The unit would be closed for exploration and development of locatable minerals (requiring a withdramel from mineral entry).	Sees as Alternative A.	Notified Alternative A. The management unit would be open for exploration and development of locatable minerals.
			Finns of operations would be required for all exploration and development operations within the Bed Chryson National Natural Lendark and within the area designated as the Lender Slope.
C. Prosphates			
No new prospecting penmits or leasing would be issued.	Same as Alternative A.	The unit sould be swatiable for prespecting, leasing, and development of phosphates.	Holdfied Alternative C. The unit would be mullible for prespecting, exploration and development, and leasing of phosphates with the standard protection regatements for surface discusting activities described in Appendix 2.
TI. Fish and Wildlife		Same as Alternativo A.	Alternative A.
bristing wildlife/fisheries habitat ingrovements would be maintained. Southe improvement projects (to erhence and improve wildlife/fisheries resources) would be completed after interdis- ciplinary review.	Some as Alternative A.		
A minimum of 500 ALMs of forage would be reserved for alk as stated	Seno as Altarrative A.	Same as Alternative A.	Alternative C.
ocula de reservoir los est de successión de la companya de la comp		Penectized burns in stands of discident cappitude and marriain strop would be used to improve forage for wintering alk, make dest, more, and bighorn sheep. Galbural practions designed to premote supen and willion appeared to improve confer straints would also be used to improve withfill to hebitat.	

Alternative A Alternative 5 Alternative C Preferred Alternative Same as Alternative A. Special management actions to improve fisheries, such as instreem structure installation and fencing of streams would be undertaken on Barnett Creek. Some as Alternative A. Alternative A. III, Forest Maragement Timber herwest would be allowed, No timber harvests would be Timber would be named as follows: Alternative C. Panisord, posts and yoles, houselogs, and other products would be sold on a desend basis until the majority of the products have been harvested and the areas regenerated, Approximately 100-200 acres of aspen stands would be improved for big game habitat by cutting or prescribed burning. Servest Restrictions Harvest Restrictions Alternative C. Cuttings in conifer stands would be limited to pertial cate, removing products desired, and striving for complete regumeration of the stands. Nost of the curs in supen stands would be limited, removing mainly the decadent, oversature, overstory trees of 7 inches in dissecer or larger. If any clearcuts were employed in sapen starcis, they would be limited to 5 acres or less. If any burning were employed in sapen starcis, burns would be limited to approximately 10 acres or less. Only pertial cutting would be allowed within 100 feet of perennial streams. Regeneration Harvested sites in conifer stands would be prepared for regressention by courification of the odd during cucting. We special site propuration techniques would be necessary to provide regressmetion in heavested or burned aspen stands. Alternative C.

IV. Landownership Adjustments and Utility Systems


No lands would be sold or exchanged Sem under this alternative,

Some as Alternative A.

Seme as Alternative A.

Alternative A.

Alternative A	Alternative B	Alternative C	Preferred Alternative
Recreation and public purpose patents would be issued on a case by case basis.	Some as Alternative A.	Semme as Alternative A.	Alternative A.
Public lands would be available for utility systems on a demand basis.	No major utility systems would be allowed.	Some as Alternative A.	Modified Alternative B. The unit would be avoided for major utility systems.
V. Recreation			
No special management actions would be taken.	Add interpretation of Red Garyon National Natural Landmark.	Some as Alternative A.	Alternative B.
	Limit the number of commercial hunting compe.		Alternative B.
	The elk winter range area would be closed to all winter activities from December to June.	Allow no commercial hunting comps.	Alternative 3.
VI. Off-Wood Vehtcles			
Vehicular traffic would be restricted to designated roads and vehicle routes.	Same as Alternative A.	Seme as Alternative A.	Alternative A.
The area would be closed to traffic from December to June.	Same as Alternative A.	Same as Alternative A.	Alternative A.
VII. Gultural/Natural History			
Voluntary preservation of the Rad Gaugen National Natural Landaurik would continue by EAN and by private landament who have signed preservation agreements.	Same as Alternative A.	Some as Alternative A.	Alternative A.
VIII. Pice Monagement			
Full Suppression	Full Suppression	Limited Suppression	Alternative B.
 No specific conjunct or fire-flighting restrictions. Prescribed Name allows. 	 No balleners on intrial attract, useful or balleners after the balleners after the balleners after and the determined through the storage fire sandystin. Presentled botts allowed. 	1. Specific actions would be included in a linted on a linted on a grounded in a linted on a grounded plan. 2. She have been a constant of the constant of th	
IX, Access			
The existing transportation system in the unit would be maintained.	Seme as Alternative A.	Some as Alternative A.	Alternative A.





SIXTE PASS HANGEHENT UNTI

Alternative A

- I. Energy & Minerals
- A. 011 and Gas

The entire unit would be open to lessing, exploration and development. The following development. The following no-surface occupancy and seasonal restrictions would apply.

No-Surface Occupancy

to-surface occupancy would be used

- Normantiace occupancy would be us where model to protect!

 1) water quality, fisheries, and riperies areas;

 2) suge grouse breeding areas (leks);
- areas (leks); soils on steep slopes; threatened and endergered
- species; simificant oultwest 5) resource sizes where data recovery methods cannot mitigate edverse impacts.

Seasonal Restrictions For Exploration Activities

Seasonal restrictions would be used Seasonal restrictions would be used where needed to protect crucial widdlife habitat areas. The areas and the general periods of time that are crucial during most years

- 1) big geme crucial winter ranges December April 2) alk winter range
 - December-April elk calving areas Hor-June
- March-June segs grouse mesting state March-June raptor mesting sites 4)
- March-July

Alternative B

Alternative C

The unit would be open to lessing, exploration and development. The following non-surface occupancy and seasonal restrictions would

No-Surface Occupancy

No-surface occupency would be used where needed to protect:

- suter quality, fisheries, and riparism areas;
 sage grouse breeding areas (leis);
 suits on steep slopes;
 threatened and endangered
- enucial habitata for 5)
- moose; the area proposed as a National Historic Mining 6) District; Atlantic City and Big Atlantic Galch

conserounds. Sessonal Meatrician Exploration Activities sonal Restrictions For Susponel restrictions would be

- used where needed to protect crucial wildlife habitat areas. The areas and the general periods of time that are critical during most years
 - big geme crucial winter
- range December-April elk winter range 23 December-April elk calving areas Nay-June mage grouse mesting areas 3)
- 41 March-June raptor mesting sites March-July

The entire unit would be open for lessing, exploration and development under the following guidelines.

Krown Geologic Structures (KISs) and areas with high potential for occurrence for oil and gas

- a. No seasonal restrictions except for those restrictions designed to protect threatened and endangered species,
- b. The use of no-surface occupancy restrictions would be liefred to those instances where it is necessary to protect netSonally significant cultural and natural history resources or threatened and
- entangered plant and animal species. c. Production activities would be subject to specific placement and design of pade, roads and facilities to minimize facilities to minimize acresse disturbed. Priority would be given to maximizing the account recovery of the oil and gas resource.
 - d. Development plans sould be required for operations within sensitive areas. These plans sould have the potential to reduce potential to reduce aggregate road and pipeline construction costs as well as mindmize adverse impacts on surface values.

Preferred Alternative

modified Alternative C. The entire unit would be open for leasing, exploration and development under the following guidelines.

Known Geologic Structures (NTSe) and areas with high potential for occurrence for oil and gas

All restrictions (seasonal no-surface occupancy, etc.) would be be considered on a

- any restrictions imposed on emploration and production activities would be based on the need to avoid a significant siverse impact on enother resource.
- All restrictions are subject to waiver by the authorized officer, with the exception of those needed to protect threatened and endangered plant and animal species or plant and animal species or nationally significant cultural and matural history resources, under the following conditions:
- the leases or operator, via an acceptable development plan, that adverse impacts to other resources due to their development operations could be acceptably sitigated.
- 2) At the initiative of the authorized officer when it has been determined that certain restrictions are no longer necessary.

Area with low, moderate, and no potential for occurrence of no potential oil and gas.

No-Surface Occupancy No-surface occupancy would be used where needed to protect:

Alternative A Alternative E

Alternative C

Materiate of Preferred Licenses of Control o

Areas with enderate potential for occurrence of oil and gas.

All restrictions (seasonal, no-surface occupancy, etc), would be considered on a

Any restrictions imposed on exploration and production activities would be based on the need to avoid a significant solverse impact on another resource.

Area with low potential for occurrence of oil and gas.

Nor-Surface Occupency No Surface Occupancy restrictions would be used where needed to present: 1) water quality, fisheries, and riperies

- filteries, and riperies areas;

 2) segs grouse breeding serms (risks);

 3) soils on steep slopes;

 4) threatened and endagened species;

 5) significant cultural resource sites where data recovery methods carnot utilgate adverse imports.

Preferred Alternative

Seasonal Restrictions For Exploration Activities

Seasonal restrictions would be used where needed to protect crucial wildlife habitat sreas. The areas and the general periods of time that are crucial during most years are:

- big game crucial winter ranges
 December-April

 elk winter range
 December-April

 elk culving ereas
 Nov-Jane
- Noy-Jame
 Nage grouse nesting areas
 Nazeh-June
- 5) imptor meeting areas Hereb-July

Alternative B Alternative A

Alternative C

Preferred Alternative

e. Extensive nurface and subsurface archaological investigations would be undertaken in the areas where there is high understoom in the sees where there is high posserial for both oil and gas development and the occurrence of entirunal resources. In this way, adjusticate, cultural resources. In high-weakpowner, see a sould beneath from smooth benefit from smooth benefit from sould benefit from a sould be the sould

piecemnal, unorganized, overby-case manner. Areas with moderate potential for occurrence of oil and gas.

All restrictions (seasons) no-surface occupancy, etc.) would be considered on a case-by-case basis.

Any restrictions imposed on emploration and production activities would be based on the mend to swoid a significant adverse impact on another resource.

Areas with low potential for occurrence of oil and gam.

Northerisco Occupancy

No Surface Occupancy restrictions would be used where meeded to protect: 1) water quality, fisheries, and riperion

areas;
2) sage grouse breeding areas (leks);
3) soils on steep elopes;

threatened and endangered species;
 significant cultural resource sites where date recovery serbods cannot nitigate adverse impacts.

Seasonal Restrictions For Exploration Activities

Seasonal restrictions would be used where needed to protect crucial wildlife behitze erose. The areas and the general periods of time that are crucial during most years

are:
1) big game crucial winter

big game crucial winter ranges becomber-typell
 elk winter range becomber-typell
 elk winter range becomber-typell
 elk outlying areas Hay-lune
 sage grouse menting areas Neutr-Lune
 ranger enesting sites Neutr-Luly

B. Locatable Minerals

The entire unit would be open for exploration and development of locatable attended. However, activity would be restricted to May 1 through November 15, to protect seterahed and wildlife values.

The entire unit would be closed to exploration and development of locatable sinerals. (This would require withdrasel actions).

Deploration and development locatable minerals would be limited to activities on claims that represent valid, existing rights.

The entire unit would be open for emploration and development of locatable animenals. required for all emplore A plan of operations would be

required for all exploration and development operations within the area previously included in the Dubois Badlands VSA.

Alternative A

Alternative 5

Alternative C

Preferred Alternative

Seasonal Restrictions For Exploration Activities

Seasonal restrictions would be Seasonal restrictions would be used where needed to protect crucial wildlife habitat areas. The areas and the general periods of time that are crucial during most years are:
1) big game crucial winter

- Targos
 December-April
 2) alk winter Targo
 December-April
- December-toril

 ii calving areas

 May-June

 ii sage grouse nearing areas
 March-June

 ii report meeting eltes
 March-July

B. Gold and Other Locatable

The nanagement unit would be open for exploration and development of gold and other locatable mirrarula (emery for these direct) entered as assignated from entirect metry).

Same as Alternative A.

The unit would be open for exploration and devalopment of opinion and other locateble minarial. Place of operation and contained mining activities.

Plans of operations would be required for all exploration and development operations (except casual use) within the encagement unit.

II. Fish and Wildlife

Existing wildlife/fisheries habitet Existing wildlife/fisheries habitat improvements would be maintained. Improvement projects (to enhance and maintain wildlife/fisheries resources) would be completed after intentisciplinary and environmental teries.


Special menigement actions for matremence and improvement of fisheries would occur on etrums and borrer pools. Actions would include aspen consegnment, borrer menegement, increase structures, femiling, etc. South Pass would be the focus of litheries management for the resource area.


Same as Alternative A.

In addition to actions in In addition to actions in Alternative A, prescribed burns and/or aspen respensiveling practices would be used to improve moose tabitat (see Section IV, Forestry and Section IV, Propetry and Section IV, Alternative C.

Alternative A	Alternative B	Alternative C	Preferred Alternative
	Monage the eres to paintain a rustic, open-space character and protect historical sites.		Alternative B.
	Existing road system would not be upgraded.		Alternative B.
	The number of connercial hunting comps would be limited.		Alternative B.
	An interpretive display at Peabody Ridge and information signing at Miner's Delight townsite would be developed.		Alternative N.
VI. Off-Road Vehicles			
Vehicular traffic would be limited to existing roads and vehicle routes.	Seme as Alternative A.	Same as Alternativo A.	Alternative A.
VII. Gultural/Natural History			
A management plans for the South Pass Historic Mining mean would be significant before the management of significant betweenfall stees being preserved and fenced.	A sungement plan for the South hase littered rithing area would be written and would include all significant historical sites being preserved through stabilization, frontly, choosical transment of woods, reconsistion of sites, and curation of sensitive ensures, on an accelerated basis.	Some as Alternative S. In addition, conduct limited that examination or binar's Delight towards.	Alternative C.
Sites would be perfolled to docrease vandalism.	Some as Alternative A.	Some as Alternative A.	Alternative A.
All land uses on public lands would conform with historical anning in section 20 around South Pass City.	Some so Alternative A.	Same as Alternative A.	Alternative A.
VIII. Fire Munagement			
Full Suppression	Pull Suppression	Limited Suppression	Alternative A.
is equalify conjument or first-dipartire restrictions. Prescribed barns allowed.	 No haldcomes on initial strated; use of bubbloomers after the ob- initial strategy of the con- interpretation of the con- traction of the con- cept time studyed. Prescribed harm allowed. 	Specific actions would be included in a likition be included in a likition of the property of the first section plane. Record of the first section was a second or has the population to exact the population of the first section in the plane; the property of the	
1X, Access			
The existing transportation system would be unintained.	Some as Alternative A.	Seme as Alternative A.	Alternative A.

	Alternative A	Alternative B	Alternative C	Preferred Alternative
ш	Forest Hongment			
Timber would be harvested on small, isolated tracts.		Timber management would be as follows:	Timber would be managed as follows:	Alternative C.
		Table: limits would be inferentiably ownsput to remove nature, overmanner, and dead timber and regenerate all areas to young, benitty growing stock. All sentiered stone of larger triber would be sent to the larger triber would be not areas have been intrested and regenerated.	Small valuess of overticey trees in confire rands would be offered for sale until the majority of stands have been harvested and regenerated. Approximately 600-700 acres of engon stands would be concept the confirmation of the content himsement actions would include sales, forevencount projects, contracts, or presentled harring.	
		Marwest Restrictions	Harvest Restrictions	Harvest Restrictions
		Clearents would be 25 acres or less.	Host cuts in conifer and sepen stands would be limited to partial cuts or removing	Alternative C.
		No logging with conventional equipment would take place on slopes greater then 43%.	decadent trees 7 inches and over to create regeneration.	
			If any clearcosts were employed in the expen stands, they would be limited to 5 acres or less. If burning were employed in expen stands, burns would be limited to 10 acres or less.	Alternative C.
		Regeneration	Regeneration	Regeneration
		Would rely on natural regeneration. If this failed artificial methods would be employed	Same as Alternative 3,	Alternative B.
		Harwasted sites would be propared for regeneration, utilizing shash piling and burning techniques or broadcast burning.	Hervest sites in conference stands would be prepared for regeneration by occurification of the soil during logging. Aspen areas meed no special site preparation techniques to create regeneration.	Alternative C.
		Precommercial or commercial thirmings would be done as necessary,	Some se Alternotive B.	Alternative 3.
IV.	Landownrehip Adjustments and Utility Systems			
No leads would be sold or eschenged under this alternative.		Some as Alternative A.	Some as Alternative A.	Alternative A.
Recreation and public purpose patents would be insued on a case-by-case basis.		Sens as Alternative A.	Some as Alternative A.	Alternative A.
Public Lands would be open for utility systems.		Public lands would be closed for utility systems.	No major utility systems would be allowed.	Modified Alternative B. Th unit would be avoided for major utility systems.
v.	Recreation			mys manny systems.
Existing compgrounds would be mintained.		Gapprounds would be maintained; no new campgrounds would be built, and hazards would be femend.	Some as Alternative A.	Alternative B.







GAS HILLS MANAGEMENT UNTIL

Alternative A

- I. Energy & Minerals

The unit would be open to leasting. exploration and development, except for 80 acres segregated from mineral entry at the Castle Gardens Took art and picnic sits area and 720 scree withdrawn at the Davil's Gate landmark and along the Oregon/Normon Trail. The following normarface occupancy and sensonal restrictions would apply.

No-Surface Occupency

- No-surface occupency would be used where needed to protect:
- 1) water quality, fisheries, and riperian areas; maga grouse breading areas (leks); 2)
- action (less); soils on steep slopes; threatened and enderge
- species; 1/4 mile on either side of the Oregon/Normon Trail or the visible borizon, whichever is closer; 5)
- 6) interpretive site at Devil's

Seasonal Restrictions For Exploration Activities Seasonal restrictions would be used

Sassmal restrictions would be use where encoded to grotect crucial rule deer winter range, crucial entalops winter range, sage grouse mesting areas, repror mesting sites, and elk winter range.

- muls deer and antelope critical winter range December-April
- December-April 3) alk calving areas
- Mayr-June sage grouse nesting 4)
- ereas Narch-June reptor nesting sites Herch-July 53

Alternative B Some as Alternative A.

NorSurface Occupancy

No-surface occupancy would be used where needed to protect:

- 1) unter quality, fisheries,
- water quality, fisteries, and riparian areas;
 sage grouse breaking areas (lake);
 soils on steep slopes;
 threatemed and endangered
- species; significant cultural 5) resource sites where
- data recovery methods commot mitigate adverse impacts; 1/4 mile on either side
- of the Oregon/Monson Trail or the visible horizon, whichever is 7)
- harinon, whichever is cheer, interpretive sits at Bevil's Gate; the area within the Martin's Cove Notional Begister Sits.

Same as Alternative A.

The entire unit would be open for lessing, exploration and development under the following guidelings,

Alternative C

- Known Geologic Structures (MCSs) and areas with high potential for occurrence for oil and gas
- s. No seasonal restrictions except for those restrictions designed to protect titrestened and endangered species.
- no surface occupancy restrictions would be limited to those instances where it is
- necessary to protect nationally significant cultural and natural history resources or threatened and endangered plant and animal species.
- subject to specific placement and deatgn of pads, roads and facilities to minimize acresse disturbed. screege disturbed. Priority would be given to eschnizing the economic recovery of the oil and gas resource.
- d. Development plans would be required for operations within sensitive areas. These plans would have the potential to reduce aggregate road and pipeline construct coste as well as minimize adverse impacts on sufface values.

Preferred Alternative

Modified Alternative C. The entire unit would be open for lassing, exploration and development under the following guidelines.



All restrictions (seas caserbrecase basis.

Any restrictions imposed on exploration and production activities would be based on the need to avoid a significant advance impact on another resource.

- All restrictions are subject to waiver by the authorized officet, with the exception of those peeded to protect plant and animal species or cultural and natural bistory resources, under the following conditions
- Upon demonstration by the lessee or operator, via so acceptable development plan, that adverse impacts to other resources due to their development operations could be acceptably mitigated.
- suthorized officer when it has been determined that carrain restrictions are no longer necessary.
- Area with low, moderate, and no potential for occurrence no potential oil and gas.

Nor-Surface Occupancy

- Nonsurface company would be used where needed to protect:
- 1) water quality, fisheries, 2) sage grouse breeding areas (less);
 3) soils on steep slopes;

Alternative A

Alternative B

Alternative C

Attenuative C

**Deferred Attenuative

**Deferred Atte

Preferred Alternative

erose. The areas and the general periods of time that are crucial during most years ares

Areas with maderate potential for occurrence of oil and gas.

All restrictions (measonal, no warface occupancy, etc.) would be considered on a case-by-case basis.

Any restrictions imposed on exploration and production activities would be based on the need to avoid a significant adverse impact on another resource.

Area with low potential for occurrence of oil and gas.

No-Surface Occupancy

No Surface Occupancy restrictions would be used where meeded to protect: 1) water quality, fisheries, and riparism

2)


fisheries, and riparism stage grouss breeding stress (loke); notice on steep alopes; threatened and endangered species; significant cultural resource situs where darn recovery methods cannot utigate adverse faments. 5)

Alternative A	Alternative 5	Alternative C	Preferred Alternative
		Sessonal Restrictions For Exploration Activities	
		Resound restrictions would be used where needed to protect routing visibility basicist erect. The stress and the general periods of time their areas areas of the trought become crucial winter renge December-depti 2 all winter man 3 olk oddrigs areas	
		May-Ame 4) sage grouse nesting areas	
		March-June 5) Imptor meeting areas March-July	
8. Unweign and Other Locatable Minerals			
The said seed he spun for experience and order/posmon of superication and order/posmon distributions due to their hostable streams, sauge for the form of the said seed of the s	Some as Alternative A. In addition, epidentists and the visible health of the trapes/team Trail souds require a piece of operation. Also, the health of Operation that the closest to expending the train of the closest to expending the closest the	Some as Alternacian A.	The units could be open for experienciation and development of unmaintain and other locatable realization, enough for 650 across suggested around the Gastale and 750 across withfease at the World's Gasta landsack and cong the Comparitheaus Tail. In sofition, exploration and considerable with the World's Gasta landsack and considerable with the World's Gastale landsack and the Comparity of the World's Gastale landsack and the Comparity of the World's Gastale landsack and the World's Gastale
II, Fish and Wildlife			
Existing wildlife/fisheries hebitat improvements would be maintained. Routine improvement projects (to	Some as Alternative A, with the following addition.	Some as Alternative A.	Alternative B.
enhance and mintain wildlife/fisheries resources) would be completed after interdisciplinary review.	Righorn sheep would be reintroduced into the Sweetweter Rocks.		

Alternative A	Alternative B	Alternative C	Preferred Alternativa
III. Forest Management			
Harvested timber stands are limited in this unit. Therefore, sale would be considered on a case-by-case basis.	Some as Alternative Λ_{\bullet}	Same as Albernative A.	Alternative &.
IV. Landownership Adjustments and Utility Systems			
No lands would be sold or exchanged under this alternative.	Same as Albernative A.	Some isolated tracts of public land would be considered for disposal through land exchange or public sales. There are 61 tracts encompassing about 6,000 acres.	Modified Alternative C. To retain 20 traces (2,300 acres) in public exceeding and consider disposal of 41 traces (3,700 acres) through sale or exchange.
Recreation and public purpose patents would be issued on a case-by-case busin.	Some as Alternactive A.	Some as Alternative A.	Alternative A.
Public lands would be open for utility systems on a demand basis. These systems would be concentrated in extering utility corridors whenever possible.	Same as Altermetive A.	Some as Alternative A.	Hodified Alternative A. The Oregon/Normon Trail corridor entremeter Bocks would generally be swided for major above-ground utility systems.
V. Recreation			
The interpretive site at Devil's Gate would be maintained.	Same as Alternative A.	Some as Alternative A.	Alternative A.
The picnic area at Castle Gardens	Semm as Alternative A.	Same as Alternative A.	Alternative A.
	Dowelog interpretive sits on Castle Garden picnic site.		
VI. Off-Sood Vehicles			
No ORV designations would be made.	All traffic would be limited to existing roads and webicle roates.	Same as Alternative B with the addition that the Castle Gardens outcreps would be closed to CRV use.	Alternative C.
VII. Galtural/Netural History			
No special management actions would be taken.	Some as Alternative A with the following addition.	Same as Alternative A.	Alternative B.
	A monagement plan for the Castle Gendens rock are and picnic area would be written and would include installing unliverye, which would retard erosico, and more feeding around the rock are.		
	III. Protest frongement are lifetime and an information for many and information for information and information for information and public purpose contraction and public purpose contraction for information for public purpose contraction for information for informat	III. Front Energence on Hotels would be made and a second be contacted on a consequence of the contacted on a consequence of the contacted of	III. Finant Honogenet Illuration titler scales are limited in the control of the

Alternative A	Alternative B	Alternative C	Preferred Alternative	
VIII, Fire Menagement				
Pall Suppression 1. No specific soulposes or first-tiping reservations. 2. Prescribed barns allowed.	Pull Suppression 1. No bulldoners on initial stated; use of the initial stated would be decommand through the some fire saleyels. Transcribed barne allowed,	Limited Supression 2. Specific actions would be included in a limited in a limited specific actions would count when the first beat the specific action of the specific action of the specific action of the place in the place i	Alternative 3 and C. The unit the lower defend rate to supersection mones. The productor alternative for one none fit. 1. Tool 1 - Alternative 5. Z. Zoon 2 - Alternative 5. Zoon 3 - Alternative 5. Zoon 3 - Alternative 5.	
IX. Access The existing transportation system in the unit would be maintained.	Some as Alternative A. Negotiations with landowners would be indicated to obtain ensemble for administrative	Sime as Alternative A.	Alternative A. Alternative B.	
X Hilderness Present cultiple-use nanapament would continue on the Coppet Hownests WA. It would be recommended as nownetable for destignation as wilderness.	access on the Copper Hountain Road, The Copper Mountain Wik would be recommended as autitable for designation as villacroses and second under SN's Wilderness Nessagement Policy.	Store as Alternative A.	Alternative A.	







Federal Lands

State Lands

Private Lands

Wildlife Refuge

East Fork Management Unit

Alternstive A

I. Energy & Minerals

A. Oil and Gas

No new oil and gra lasses would be issued within the management unit.

Exploration and development would be permitted on existing leases because they expresses walld existing rights.

The unit would be open to leasing, emploration and development. The following no-surface occupancy and sessional restrictions would apply.

Alternative B

No-Surface Occupancy

No-surface occupancy would be used where needed to protect:

| susta equality, fisheries, and riperies areas
| sustained areas

Seasonal Restrictions For Deploration Activities

Seasonal restrictions sould be used where needed to protect crucial wildlife habitant areas. The areas and the general periods of time that are critical during most years are: are:
1) big game crucial winter range December-April

The entire unit would be open for leasing, exploration and oll and gas leases would development under the following guidelines.

Alternative C

Preferred Alternative

Rnown Geologic Structures (MSBs) and areas with high potential for occurrence for oil and gas

No seasonal restrictions count for those restrictions designed to protect threatened and endangered species.

 The use of no surface occupancy restrictions would be limited to those limited to those instances where it is necessary to protect not forelly significant cultural and natural history resources or threatened and endangered plant and animal species,

413

Alternative A

Alternative B

- 2) elk winter range December-byril 3) elk cabving areas thy-line 4) same grouse neeting areas Narch-kun 5) raptor meating sites Narch-luly

Alternative C

Preferred Alternative

- e. Production sctivities would be subject to specific placement and design of pade, rouds and facilities to minimize teclities to minimize ecreage disturbed. Priority would be given to motimizing the economic recovery of the oil and gas resource.
- d. Development plans would be required for operations within sensitive areas. These plans would have the potential to reduce potential to reduce aggregate road and pipeline construction costs as well as minimize adverse impacts on surface values.
- on nursee values, or nursee values, or nursee values, and suberface and suberface archeological investigations would be undertoken in the areas where there is high potential for both oil and gas development and cultural relevances in high-development areas would be maint from setuly and subswellow in a sould be maint from setuly and subswellow in a procession on the first threat in the procession of the p pisceneal, unorganized, caserby-case manner,

Areas with moderate potential for occurrence of oil and gas.

All restrictions (sessonal, normartice occupency, etc.)
would be considered on a caserby-case basis.

Any restrictions imposed on exploration and production activities would be based on the meed to avoid a significant advance impact on another resource.

Areas with low potential for occurrence of oil and gas.


No-Surface Occupency

No Surface Occupancy restrictions would be used where smaded to protect: 1) weter quality, fisheries, and riperion

- 2) sage grouse breeding areas (lake); 3) soils on steep slopes;

Alternative A	Alternative B	Alternative C 4) threatened and endapprod species; 5) significant cultural resources altos where dans recovery methods carnet attigate advance or attigate advance.	Preferred Alternative
		Impacts. Semant laurerietzene fre Empirerietzene fre Empirerietzene freien Empirerietzen der errete son der errete bounder- son der errete son der errete bounder- son der errete son der errete	
B. Locatable Minerals The namegeners unit would be open for exploration and development of locatable minerals (except for those areas already withdrawn from nameral entry).	The remainder of the menagement suft would be closed to exploration and development of locatable storage (requiring a stithermeal).	The management unit would be open for exploration and development of locatable minerals (requiring rewontion of the existing withdrawal).	Alternative B.
II. Fish and Middife Middiff to support wintering elk. Cooperative babitat improvement	Some as Alternative A.	Some as Alternativo A.	Alternative A.
projects would be developed with MCPD. III, Forest Henagement fome harvesting could occur to improve or estimatin alk hebitat.	Some as Alternative A.	Seme as Alternative A.	Alternative A.
IV. Landownership Adjustments and Utility Systems			
No large would be sold or exchanged under this alternative.	Seme as Alternative A.	Four tracts of isolated public land encompassing about 881 acres would be considered for disposal through land exchanges or public sales.	Modified Alternative C. The tracts (900 acres) would be retained in public ownership except that they would be considered for exchange only
			to either the Wyoming Gome an Fish Department or the U.S. Fish and Wildlife Service if the tracts were to be used for
Recreation and public purpose patients would be insensed on a consectivation below.	Seme so Alternative A.	Some as Alternative A.	to either the Wyoming Geme and Figh Department or the U.S. Figh and Wildlife Service if the tracts were to be used for
patents would be issued on a	Some as Alternative A. Some as Alternative A.		to either the Wyoming Gome and Fish Department or the U.S. Fish and Hilblife Service if the tracts were to be used for management of elk winter renge

The control visibilities The retire out and be interested as a circum visibilities of sequence of control visibilities of con					
Then road be notifered which and the continuence of		Alternative A	Alternative B	Alternative C	Preferred Alternative
Continue	VI.	Off-Road Vehicles			
No special acceptance extract would VIII. Fire Yearqueste First Egicing experience I had Suppression First Egicing experience First Egicing experience or First Egicing experience Alternative A. Alternati			limited to designated roads and vehicle routes with seasonal closures to traffic	limited to existing roads and	Alternative C.
he takes. VIII. First brougnost: 1. Separation of the state expensation 1. Separation of the state expensation 1. Prescribed have allowed. 2. Prescribed have allowed. 3. Prescribed have allowed. 4. Prescribed have allowed. 5. Prescribed have allowed. 6. Rectine the take specified in the state specified in the specified in the state specified in the	VII.	. Galtural/Natural Mistory			
Pail Supression 1. So specific engineer or 1. So buildness of unital 2. Prescribed barne alloand. 2. Prescribed barne alloand. 3. Prescribed barne alloand. 4. Prescribed barne alloand. 5. Prescribed barne alloand. 6. P	No s	special management actions would taken.	Some as Alternative A.	Some as Alternative A.	Alternative A.
1. By specific regions of 1. By billions on initial interest the street date in the state of the	VIII	I. Fire Hanagement			
Envertighting instructions, attacks use of Numbers after the buildness after the buil	Pull	1 Suppression	Pull Suppression	Limited Suppression	Alternative A.
threatnes buses 1550 S. Prescribed bures Allowed.	2.	fire-fighting restrictions. Prescribed barns allowed.	attack; use of buildosers after the initial attack would be determined through the escape fire analysis,	he included in a Linted suppression plan. 2. Suppression would occur when the first as exceeds or has the potential to exceed the size specified in the plan; b. Unwaters private proportion of the terminal to the control of the terminal extractive of the terminal extractives; d. throaters beams life. 5. Prescribed burse	
The existing transportation system Same as Alternative A. Same as Alternative A. Alternative A.	The	existing transportation system	Some as Alternative A.	Some as Alternative A.	Alternative A.



Federal Land
State Land
Private Land

TERRORS RANGANDS HANAGEMENT HIGH

Alternative A

- I. Energy & Minerals
- A. Oll and Gas

No new oil and gas lesses would be issued within the management unit.

Exploration and development would be permitted on existing lesses because they represent valid existing rights.

Alternative 8

Alternative C

The unit would be open to

The unit would be open to leasing, exploration and development. The following no-surface occupancy and seasonal restrictions would apply.

NorSurface Occupancy

Nomentiace occupancy would be used where moded to protect:

- 1) water quality, fisheries, and riparian areas;
 2) sags grouse breeding areas (leks);
- areas (leks); soils on steep alopes; threatened and endangered species; significant cultural
- renource altes where data recovery methods cannot mitigate adverse (emerte.

Sessonal Restrictions For Exploration Activities

Sossonal restrictions would be used where meeded to protect crucial wikilife habitut areas. The areas and the general periods of time that are critical during most years

- big game crucial winter range December-April
- elk winter range December-April
 elk calving areas Hay-June
- May-Aune sage grouse nesting areas Marcir-June 4)
- raptor meeting sites March-July 5)

The entire unit would be open for leasing, exploration and development under the following guidelines.

Known Geologic Structures (KZSs) and areas with high potential for occurrence for oil and gas

- restrictions except for
- those restrictions designed to protect threatened and entangered species. b. The use of
- no surface occupancy restrictions would be limited to those Instances where it is necessary to protect necessary to protect necessary significant cultural and natural history resources or threatened and endangered plant and smissal species.
- c. Production activities would be activities would be sabject to specific placement and design of peds, toods and facilities to minimize acreage disturbed. Friority would be given to mucinizing the economic recovery of the oil and gas resource.
- d. Development plans sould be required for operations within nematitive areas. These plans would have the potential to reduce aggregate road and pipeline construction costs as well as minimize adverse impacts on surface values.

Preferred Alternative

The unit would be open to lessing, exploration and development. The following no-surface occupancy and sensonal restrictions would apply.

NonSutriace Occupancy

No-surface occupancy would be used where needed to protect:


- 1) water quality, fisheries, and riperian areas;
 2) sage grouse breeding areas (lake);
 3) soils on steep slopes;
 4) threatened and endangered
- 5) significant cultural resource sites where
 - resource sites where data recovery methods cannot mitigate adverse impacts; the area previously included in the Dubois Bedlands WSA.

Sessonal Restrictions For Exploration Activities

Sessonal restrictions would be used where needed to protect crucial wildlife hebitat ereas. The areas and the general periods of time that are critical during most years

- 1) big game crucial winter
- 1) big game crucial w range December-April 2) elk winter range December-April 3) elk calving areas Ney-June 4) sage grouse nesting areas Hardr-June
- 5) Theor nesting areas March-July

	Alternative A	Alternative B	Alternative C	Preferred Alternative
II.	Figh and Wildlife			
impe medi (to will be a	oting wildlife/fisheries babitat revenant projects would be ntained. Improvesent projects enhance and improve cities/fisheries resources) would completed after endisciplinary and servironmental iow.	Seem as Alternative A.	Sume as Alternative A.	Alternative A.
III	, Forest Musegement			
fore	muse of the limited nature of est resources, no special agement actions would be taken. Landowsership Adjustments and	Same as Alternative A.	Same as Alternative A.	Alternative A.
	Utility Systems			
No :	lands would be sold or exchanged er this alternative.	Same as Alternative A.	Three isolated tracts of public hand, ancompassing about 360 acres, would be considered for disposal through land suchanges or public sales.	Modified Alternative C. To consider disposal of the 3 tracts (360 acres), preferably through exchange.
000	restion and public purpose ents would be issued on a e-by-case basis.	Same as Alternative A.	Seme as Alternative A.	Alternative A.
The in	Mic lands would be open for lity systems on a demand basis, as systems would be concentrated endering utility corridors never possible.	No major utility systems would be routed through the area.	Same as Alternative A.	Modified Alternative B. The unit would be evoided for mojor utility systems.
٧.	Recrestion			
No be	special management serious would taken.	Some as Alternative A.	Some as Alternative A.	Alternative A.
VI.	Off-Boad Vehicles			
	off-road vehicle designations ald be made.	The entire unit would be closed to off-road which use.	Limit websile use to designated roads and trails and close unit between December 1 and April 20.	Alternative 8.
V23	I, Cultural/Natural Mistory			
No be	special management actions would taken.	Some as Alternative A.	Some as Alternative A.	Alternative A.
VII	II, Fire Hunagement			
Pal	11 Suppression	Pull Suppression	Limited Supprension	Alternative A.
1.	No specific equipment or fire-fighting restrictions. Prescribed burns allowed.	 No bulldomers on initial attack; use of bulldomers after the 	 Specific actions would be included in a limited suppression plan. 	
XX.	. Access	initial scack would be determined through the scace fire analysis. 2. Prescribed barns allowed.	2. Suppression sould occur when the first is exceeded or has the potential to exceed the size specified in the plant; b. thiresteam private proposity or threatment private proposity. G. threatmen of the control of the proposity of the proposity of the proposity of the proposity. G. threatmen of the proposity of the proposition of the proposit	
Th	e existing transportation system	Same as Alternative A.	Seme as Alternative A.	Alternative A.
MOR	uld be maintained.			





WELSKEY MUNICIPAL HUNGSMENT UNIT

Alternative A

- I. Energy & Minerals
- A. Oil and Gas

The unit would remain closed to leasing, exploration and development.

Alternative C

Preferred Alternative

The unit would be open to leasting, exploration and development. The emities unit would be open to leasting, exploration and development unit of leasting publishing.

The emities unit would be open and Alternative A. development unit of leasting exploration and development unit of leasting explorations. The emities unit would be open additional exploration and the least of leasting exploration and the least of lea

No-Surface Occupancy

Alternative B

Norsurface occupancy would be used where needed to protect:

- lease transity, fisheries, and riperime areas; seed riperime areas (label); solice on steep slopes; threatened and endangered species; seed regulative cultural data recovery methods cannot mitigate adverse impacts.

Seasonal Restrictions For Exploration Activities

Sussonal restrictions would be Seasonal restrictions small be used where needed to protect crucial wildlife habitat areas. The areas and the general periods of time that are critical during most years

- are:
 1) big game crucial winter
- 1) tog gine crucial variety
 targe
 December-lycil.
 2) elk winter range
 December-lycil.
 3) elk calving areas
 hy-lare
 4) sage grouse resting areas
 hero's lare
- merch-June reptor nesting sites Narch-July 5)

Naown Geologic Structures (NGSs) and areas with high potential for occurrence for oil and gas

a. No seasonal restrictions, except for those restrictions designed to protect threatened and endangered species.

b. The use of no-surface company restrictions would be limited to those instances where it is necessary to protect neticeally significant cultural and sebunal below resummes. history resources or threatened and endangered plant and animal species.

e. Production activities would be

c. Production continued to a production would be subject to specific paints record to the continued to the c

Alternative A

Alternative B

Alternative C

Preferred Alternative

Alternative C

« Establishment of the control of th

Areas with moderate potential for occurrence of oil and gas.

All restrictions (sessonal, no-surface occupancy, etc). would be considered on a case-by-case basis.

Any restrictions imposed on exploration and production activities would be based on the need to sweld a significant schemes impact on another resource.

Area with low potential for occurrence of oil and gas

Northerface Occupancy

Berduttee Goopper;

Berding Couper;


Peter Technique von de le une de le une de le une des le une de le une

Sonsonal Restrictions For Exploration Activities

Sessonal restrictions would be used where needed to protect crucial wildlife habitet

Alternos (vv. A	All because (NW S	Alternative C present periods of time thet perents periods of time thet are enceful dering nost years are the period of time the time the period of time the time the period of time time time to time time to time	Preferred Alcemacion
B. Gonzable Minerals			
The unit would be open for exploration and development of locateble minerals, except for the 2,600 scree that are presently segregated from mineral development.	The entire unit would be closed for exploration and development of locatable uncerais (requiring a mineral withdrawal).	The unit would be open for exploration and development of locatable minerals.	Alternative 5.
II, Fish and Wildlife			
First petertry is to provide for the requirements of wintering highern shoup and other wildlistin, as constituent with the purpose of the Bushay Normann Highern Steep Winter Sarge. A variety of proposed bathout improvement actions, including the following, would be completed.	Some as Alternative A.	Sime as Alternative A.	Alternative A.
based on results of Walsary Novembra Behald Lacton Study Perfect, polycast to Lacrosse perfect, polycast to Lacrosse perfect, polycast to Lacrosse patern species composition on preferred sizes will be implemented on 200 to 800 acros. Pertilization, sow fearing, seeding, pitting, and use of harbicides to reduce met forming forbs are somng the potential treatments.	Sume as Alternative A.	Same as Alternative A.	Alternative A.
In order to mentpulate highern sheep winter use off present perferred sites, presentable hume will be used to encourage before mentpulate and encourage sheep movements. Building, salting, and there appropriate, water development will be used to accept bighorns into desired areas.	Same as Alternative A.	Seme as Alternative A.	Alternative A.
The Myoning Gome and Fish Department, with cooperations of EM and Forest Service, will utilize trapping and transplanting of surplus higherms and sik heating to control big jume populations and forage use levels on the winter trapp.	Some as Alternative A.	Some as Alternative A.	Alternative A.
The major objective of the above actions are to minimals levels of forage utilization on the preferred winter range sites to 65% or less on a 3-year average.	Same as Alternative A.	Same as Alternative A.	Alternative A.
All existing hebitat improvement projects that meet their objectives will be mintained by the cooperating agencies.	Same as Alternative A.	Some as Alternative A.	Alternacive A.
III, Forest Management			
Rervestable timber stands are limited in this unit. Describer, sales would be considered on a case-by-case basis and coordinated with the technical consistes.	Seen as Alternative A.	Sume as Alternative A.	Alternative A.

Alternative A	Alternative B	Alternative C	Preferred Alternative
IV. Landownership Adjustments and Utility Systems			
No Leads would be sold or exchanged order this alternative.	Note the Halporn Steep Learningnery Technical Communication of the Communication of the Incomment destinable lacedocarriship of justicents and alternatives. Note the three agencies review and decide on options to pursue their non-cooperators are involved, i.e., with contangue. Proceed where postible and appropriate.	The tracts of isolated public land, encapsuling about 90 and about 90 disposal through land oschunge or public sales.	Alternative S.
Recreation and public purpose parents would be issued on a case by case basis.	Same as Alternative A.	Some se Alternative A.	Alternative A.
Public lands would be open for utility systems on a decard basis. These systems would be concentrated in existing utility corridors whenever possible.	Some as Alternative A.	Public lands would be closed for utility systems.	Alternative C.
V. Recrestion			
No special management actions would be taken.	Allow no commercial hamting camps.	Seme as Alternative A.	Alternative 3.
	Cooperate with Game and Fish on visitor use management for posthereing season wildlife observations.		Alternative E.
VI. Off-Road Vehicles			
No off-road vehicle designations would be made.	Seasonal closures would be used in some arous, other areas would be closed all year, and some areas would remain open for visiding the highern sheep. (Limited to designated roads and vehicle routes with seasonal road closures.)	The unit would be designated as open to off-road vehicles.	Alternative B.
VII. Gultural/Netural History			
No special management actions would be taken.	Some as Alternative A.	Same as Alternative A.	Alternative A.
VIII. Fire Management			
Pull Suppression	Fukl Suppression	Limited Suppression	Alternative C.
 We spealfie equipment or five-fighting contrictions. Presenthed burns allowed. 	ble denote on initial attack use of denotes after the initial attack would be determined to determined an endote the end of the	1. Specific actions would be included in a linking was compression plans. Suppression plans. Suppression would occur as a cancel or the the potential to exceed in the plans of the company of the compan	
IX. Aconts			
The existing transportation system in the unit would be unintained.	Same as Alternative A.	Same as Alternative A.	Alternative A.



Dubois Area Management Unit

Alternative A I. Energy & Minerals

A. Oil and Gas

The unit would be open to leasing, emploration and development. The following normatices occupancy and sessonal restrictions would apply.

No-Burface Occupancy

Norsurface occupancy would be used where needed to protects

- water quality, fisheries, and riperian areas)
 sage grouse breeding areas (lake);
 soils on steep slopes;
 threstened and endangered
- species;
 5) Warm Springs Conyon;
 6) Stoney Point.

Sessonal Restrictions For Exploration Activities

Season 1 restrictions would be used Seasonal restrictions would be used where needed to protect crucial widdlife hebitat eroses. The areas and the general periods of time that are critical during most years

- augn grouse menting areas Hardy-June
- reptor nesting areas March-July 5)

Alternative C

Alternative 3

Same as Alternative A.

Some as Altermetive A.

The extire unit would be open

for leasing, emploration and development under the following guidelines.



a. No seasonal restrictions except for those restrictions designed to protect threatened and endangered species.

b. The use of no-surface occupancy restrictions would be limited to those instances where it is necessary to protect nationally significant cultural and netural history resources or threatened and

endangered plant and animal species. animal species,
c. Production
scrivinies would be
subject to specific
subject to specific
pade, roads, and
facilities to minimal
acrosps disturbed.
Friority would be given
to mediating the
secondir necessary of the
old and gas resource.
d. Development plans

oil and gas resource.

d. Development plans
sould be required for
operations withdn
sensitive stees. These
plans would have the point would nave the potential to reduce aggregate road and pipeline construction costs as well as costs as well as minimize advance impacts on surface values. Notified Alternative C. The enrire unit would be open for leasing, emploration and development under the following guidelines.

Preferred Alternative

Known Geologic Structures (MSSs) and areas with high potential for occurrence for oil and gas

All restrictions (seaso normatine occupancy, etc)
would be be considered on a
case-by-case basis. Any pretrictions imposed on

Any restrictions imposed on exploration and production activities would be based on the most to avoid a significent adverse impact or another resource.

All restrictions are subjecto waiver by the authorized to watver by the authorized officer; with the exception of those moded to protect threetened and endangered plant and animal species or nationally significent cultural and natural Mastery resources, under the following conditions:

i) ipon demonstration by the lesses or operator, via an acceptable development plan, that adverse inputs to other resources due to their development operations could be acceptably mitigated.

2) At the initiative of the authorized officer when it has been determined that certain restrictions are no longer

Area with low, noderate, and no potential for occurrence of oil and gas.

No-Surface Oppupancy

No-surface occupancy would be used where meded to protect:

Alternative A

Alternative B

Alternative C

Definition and the control of the co

Areas with moderate potential for occurrence of oil and gas.

All restrictions (sessonal, no eurísce occupancy, etc). Would be considered on a case-by-case basis.

unald be considered on a conscience of an accomply-sea based.

App enartications reprosed on 2 activates would be based on 3 activates would be based on 3 activates would be based on 3 activates respectively activates required to another resource.

Applications of the consensation of the constitution of the consensation of t

Area with low potential for occurrence of oil and gus.

Northern Occupancy

Severative Company
Severative Company
Twentictions would be used
where needed to protect:

1) weter quality,
Itsertee, and riperion
areas;
2 mags grouse breeding
ates (lakel);
3) solid on sarep slopes;
4) solid on sarep slopes;
5) significance cultural
resource atess where
data recovery methods
common sitiates adverse
impacts.


Seasonal restrictions would be used where needed to protect crucial wildlife habitat areas. The areas and the general periods of time that are crucial during most years

1) mule deer and antelope

5) Emptor meeting areas Natch-July

Alternative A	Alternative B	Alternative C	Preferred Alternative
		Seasonal Restrictions For Exploration Activities	
		Seasonal restrictions would be used where sensed to protect recital withing health are areas. The sense and the sense are the sense and the sense are the crucial during most years are as the crucial during most years are regge. 1) The process of the sense of the s	
B. Locatable Minerals			
The management unit would be open for emploration and development of locatable minerals (seeingt for 190 acres in Warm Springs Canyon that is presently segregated.)	Same as Alternative A.	The unit would be open for exploration and development of locatable minerals.	Alternative A.
II. Fish and Wildlife			
Existing wildlife/fisheries habitat improvements would be militarined. Improvement projects (to enhance and improve wildlife/fisheries resources) would be completed after interdisciplinary and environmental review. III. Pomat Hemanment	Some as Alternative A.	Some as Alternative A.	Alternative A.
			Alternative A.
Narvestable timber stands are limited in this unit. Therefore, sales would be considered on a case-by-case basis.	Semm as Alternative A.	Seme as Alternative A.	Alternative A.
IV. Landownership Adjustments and Utility Systems			
No Lerds would be sold or exchanged under this alternative.	Same as Alternative A.	Some isolated tracts of public land would be considered for disposal through land exchanges of public sales. There are 30 tracts encompassing approximately 5,300 acres.	Modified Alternative C. To retain 13 tracts (3,000 acres) in public ownership and consider disposed of 17 tracts (2,300 acres) through sale or exchange.
Recreation and public purpose patents would be issued on a case-by-case basis.	Some as Alternative A.	Semme as Alternative A.	Alternative A.
Public lends would be open for utility systems on a demand basis. These systems would be concentrated in existing corridors whenever possible.	Same as Alternative A.	Same as Alternative A.	Alternative A.

Alternat	tive A	Alternative 3	Alternative C	Preferred Alternative
. Mecrestic	on .			
so special mare be taken.	agement actions would	Some as Alternative A.	Same as Alternative A.	Alternetive A.
I. Off-Bond	Vehicles			
open to off-ro	be designated as ad vehicle use.	The entire unit would be designated as limited to existing roads and vehicle	Same as Alternative A.	Alternative B.
/II. Cultural	Natural History	routes.		
No special man be taken.	agement actions would	A management plan for Warm Springs Compon would be written following a stabilization feasibility etady for the flume.	Seer as Alternative A.	Alternative B.
VIII. Fire Han	agonent			
Full Suppressi	on	Pull Suppression	Limited Suppression	Alternative A.
fire-fig	fic equipment or phring restrictions. of burns allowed.	 No dosers on initial attack; used dissers after the initial actack the control of the control through the scape fire analysis. Preserbed burns allowed. 	1. Specific actions would be included in a limited be included in a limited and approach of the control of the	
IX. Access				
The existing in the unit w	transportation system cald be maintained.	Some as Alternative A.	Seme as Alternative A.	Alternative A.
		Negotiations with Inndowmers would be initiated to obtain essements for public access on the Tappan Greek Road.		Alternative 8,



APPENDIX 2

STANDARD PROTECTION REQUIREMENTS FOR SURFACE DISTURBING ACTIVITIES (ALSO STANDARD OIL AND GAS LEASE STIPULATIONS)

The following stipulations would be used, when appropriate:

SURFACE DISTURBANCE STIPULATION

Surface disturbance will be prohibited in any of the following areas or conditions, except when the District Manager authorizes development in the area following consideration of a detailed plan.

- 1. Slopes in excess of 25 percent.
- Within Important scenic areas (Class I and II Visual Resource Management areas).
- Within 500 feet of surface water and/or riparian areas.
- Within a quarter mile or visual horizon (whichever is closer) from a historic trail.
- Construction during periods when the soil material is saturated, frozen, or when watershed damage is likely to occur.

GUIDANCE

The SURFACE DISTURBANCE STIPULATION will be included on all lease parcels. The intent of this stipulation is to inform interested parties (potential lessees) that, when one or more of the five (a through e) environmental conditions exists, surface disturbing activities will be prohibited unless or until the lessee or his designated operator and the surface management agency (SMA) arrive at an acceptable plan for mitigation of anticipated impacts.

This negotiation will occur prior to development of the lease and become a condition for approval in the Application for Permit to Drill (APD).

Specific threshold criteria (e.g., 500 feet from water) have been established based upon the best information available. However, geographical areas and time periods of concern must be delineated at the field level (i.e., "surface water and/or riparian areas" may include both intermittent

and ephemeral water sources or may be limited to periennial surface water). These decisions, where possible, should be documented in the land use planning documents.

WILDLIFE STIPULATION

- 1. To protect important big game ungulate winter habitat, drilling and other surface disturbing activity will not be allowed during the period from November 15 to April 30 within certain areas encompassed by this lease. This limitation does not apply to maintenance and operation of producing wells. Exceptions to this limitation in any year may be specifically authorized in writing by the District Manager.
- 2. To protect important raptor and/or sage and sharp-tailed grouse nesting habitat, drilling and other surface disturbing activity will not be allowed during the period from February 1 to July 31 within certain areas encompassed by this lease. This limitation does not apply to maintenance and operation of producing wells. Exception to this limitation in any year may be specifically authorized in writing by the District Manager.
- No surface occupancy will be allowed on that portion of the lease within the area (legal description) for the purpose of protecting (e.g., sage/sharp-talled grouse strutting, elk calving, and/or other species activity) habitat. Exceptions to this limitation in any year may be authorized in writing by the District Manager.

GUIDANCE

The WILDLIFE STIPULATION is intended to provide two basic types of protection, seasonal restriction (a and b) and no surface occupancy (c). Legal descriptions will ultimately be required and should be measurable and legally definable. There are no minimum subdivision requirements at this time. The area delineated can and should be refined as necessary based upon current

biological data at the time the APD is processed. It should eventually become a condition for approval in the Application for Permit to Drill.

The seasonal restriction section of the stipulation identifies three groups of species and delineates two similar timeframe restrictions. And a species was estimated to the season of t

The no surface occupancy section of the stipulation is intended for protection of unique wildlife and wildlife habitat values (e.g., sage grouse strutting grounds, elk calving areas, known threatened and endangered species habitat, etc.) which cannot be protected using seasonal restrictions.

SPECIAL RESOURCE PROTECTION STIPULATION

In order to protect (resource value), the District Manager reserves the right to prohibit surface disturbance (i.e., within a specific distance of the resource value or between date-to-date in (legal subdivision). This limitation does not apply to operation and maintenance of producing wells. Exceptions to this limitation may be authorized by the District Manager.

Examples:

- 1. Recreation areas.
- 2. Special historic features.
- 3. Special management areas.
- Sections of major rivers.
- 5. Prior existing rights-of-way.
- 6. Occupied dwellings.

GUIDANCE

The SPECIAL RESOURCE PROTECTION STIPULATION is intended for use only in the few very specialized, site-specific situations where one of the other three general stipulations will not adequately address the concern. The resource value, location, and specific restriction must be

clearly identified. A detailed plan addressing mitigation and special restrictions on development will be required prior to the development of a lease and become a condition for approval in the Application for Permit to Drill.

NO SURFACE OCCUPANCY STIPULATION

No surface occupancy will be allowed on the following described lands (legal subdivision/area) because of (resource value). See examples.

Examples:


- Recreation areas (campgrounds, historic trails, national monuments).
- 2. Major reservoirs/dams.
- Special management area (ACEC, wild and scenic rivers, etc).

GUIDANCE

The NO SURFACE OCCUPANCY STIPULA-TION (NSO) is intended for use only when other stipulations are determined insufficient to adequately protect the public interest and/or as an alternative to "no leasing." The legal subdivision and resource value of concern must be identified in the stipulation and be tied to a land use planning document. There will be no exceptions to this stipulation granted without modification in the appropriate land use plan or unless an exception is approved by W.S.O.

Washington Office guidance advises that when considering the no-lease option, a rigorous test must be met and fully documented in the record. This test must be based on the stringent standards of the Interior Board of Land Appeals. Since rejection of a lease offer is more severe than the most restrictive stipualtion, the record must show that consideration was given to leasing subject to reasonable stipulations, including a NSO stipulation. The record must also show that stipulations were determined to be insufficient to adequately protect the public interest. A no-lease decision should not be made solely because it appears that directional drilling would be unfeasible, especially where a NSO lease may be acceptable to a potential lessee. In such cases the oportunity to accept or refuse a NSO lease should be left to the potential lessee, Exception(s) by the District Manager to the NSO stipulation will be subject

to the same test used to initially justify the imposition of this stipulation. If the NSO stipulation is justified, but upon development less restrictive stipulations would adequately protect the public interest, then an exception to the NSO stipulation could be granted. The record must show that because conditions and uses have changed, less restrictive stipulations will protect the public interest.



APPENDIX 3

SOCIOECONOMICS

INTRODUCTION

The management actions described in this RMP are not expected to have meaningful impacts on the baseline socioeconomic conditions described in the Affected Environment portion of this document. As described in that chapter, the mining retail trade and services sectors of the area economy provide the major sources of employment, as well as a substantial share of area wages. Other major sources of wages include construction, wholesale trade and public administration. These sectors should not be impacted by BIM's proposed management activities.

Management Actions for Oil and Gas

Input and responses from oil and gas producers during the formulation and evaluation of all of the Lander RMP alternatives for the oil and gas leasing and development issues have indicated that no significant increases or decreases in geophysical exploration, drilling and development activities would result from any of the management plan alternatives. Consequently, no meaningful socioeconomic impacts would result from any of the proposed alternative oil and gas related management actions. Presently, oil and gas drilling increases at less than 2 percent per year. This growth rate is expected to continue for the next 60 years.

Management Actions for Uranium and Other Minerals

Uranium activity in the Lander Resource Area is more dependent on the overall supply and demand conditions for uranium than on BLM management activities. Therefore, none of the proposed management alternatives should have measurable effects on local uranium activities.

Mining activities for phosphates, bentonite and zeolites are also dependent on general market conditions to encourage production rather than on BLM management activities. Iron ore produc-

tion in the area appears to be on a decline, and BLM activities are not expected to reverse or increase that trend.

Management Actions for Fish and Wildlife

Management of fish and wildlife and resultant impacts including impacts to recreational activities, are expected to be roughly the same throughout all alternatives. The Wyoming Game and Fish Department's desired levels of game populations are expected to be maintained under all alternatives, and hunting permit levels are estimated to be virtually the same under all alternatives as they presently are.

Management Actions for Forestry

Table A-3-1 shows the 5-year proposed timber harvest levels under each alternative.

Alternative A

Potential economic and employment stability in the timber harvesting and milling communities depend substantially on the consistency of annual levels of harvested and milled timber. As shown in tables A-3-1 and A-3-2, Alternative A provides consistent harvesting and milling levels over the life of the analysis. Therefore, it also provides relatively consistent annual employment opportunities and input to business activity.

As shown on tables A-3-2, present harvesting practices produce savilog and other timber products with an annual stumpage value of roughly \$213,000. This timber harvesting activity has a trickle-down ripple effect that contributes about \$283,000 to total regional business activity and \$230,000 to total regional income. In addition to the impacts on the economy from timber harvesting, output from woordmilling (processing) in the area has an annual value of about \$500,000. Subsequently, wood processing's ripple effects on the economy further raises annual regional business activity by slightly over \$861.000. These

TABLE A-3-1
PROPOSED TIMBER HARVEST

				Alterr	atives			
	A	1	E				Prefe	rred
Subject	Sawlogs	Other Timber	Sawlogs	Other Timber	Sawlogs	Other Timber	Sawlogs	Other Timber
 Harvesting totals over 40 years by 5-year sequences (MMBF)² 								
Years 1 through 5 Years 6 through 10 Years 11 through 15 Years 16 through 20 Years 21 through 25 Years 26 through 30 Years 31 through 35 Years 36 through 40	6.5 6.5 6.5 6.5 6.5 6.5 6.5	8.5 8.5 8.5 8.5 8.5 8.5 8.5	50 503 None None None None None None	10 10 10 10 10 10 10	20 20 20 ⁴ 5 5 5	10 10 10 10 10 10 10	15.55,8 10.57 10.57 5.58 .59 .59 5.58	15.5 15.5 15.5 15.5 15.5 15.5 15.5 15.5
Total	52.0	68.0	100	80	85	80	49.0	124.0

¹ This alternative is the same as existing management and is the sustained yield level of harvest.

² This type of sequence is chosen because timber management actions occur on this same time frame.

³ The average time that sawlogs can be harvested in the resource area before the big timber is depleted is expected to be 10 years under this alternative. Regrowth would be required before harvesting could resume.

⁴ Sawlog timber in the Green Mountain unit is expected to be depleted in 15 years from the beginning of activity under this alternative. However, other units in the resource area would continue to provide 1 MMBF/year. Regrowth would be required on Green Mountain before harvesting could resume.

⁸ Under this alternative, Green Mountain sawlog timber is expected to be depleted in 15 years, requiring regrowth before harvesting could resume there. In Lander Slope, sawlog harvesting would occur in cycles of 5 years with 10-year rest periods between them. About .1 MMBF/year of sawlogs would be harvested on a continuous basis from the remainder of the resource area.

⁶ Contains 5 years' harvests from all timber units in the resource area.

⁷ Contains 5 years' harvests from all timber units except Lander Slope.

⁸ Contains 5 years' harvests from all timber units except Green Mountain.

⁹ Contains 5 years' havests from all timber units except Lander Slope and Green Mountain.

wood processing impacts for the area assume that timber harvested in the area is also milled there, and that wages paid to employees in harvesting and milling is spent within the resource area.

Alternative B

All alternatives, except Alternative B, have at least some sawlog harvesting each year. However, under Alternative B, all harvestable timber would be cut in the first 10 years of the 40-year period under analysis. As a result, Alternative B would provide the largest potential financial return to the timber harvesting sector because early-year harvests, hypothetically, provide more opportunity for the financial returns from timber harvesting to be reinvested in other money making activities over time.

In other words, a dollar earned in the present is worth more than the same dollar earned in the future. See table A-3-3 and A-3-4). However, this alternative has adverse community and employment impacts because local sawlog output ends after 10 years. This, subsequently, would decrease employment related to sawlog harvesting, and unless sawlogs are then imported to supply local sawmills, it also decreases sawmill employment.

Alternative C

Alternative C increases sawlog harvesting during the first 15 years of the analysis period. then reduces these levels to less than those under present management. As a result, during the first 15 years of the analysis period, harvesting and related milling activities raise annual regional business activity by nearly \$1.7 million above the \$861,000 presently attributed to timber and woodmilling. However, the proposed subsequent drop in sawlog output in the last 30 years of the analysis period would lower annual regional business activity about \$200,000 below present levels. Concurrently, regional employment related to the timber industry would rise by about 130 to 135 persons, during the first 15 years but would decline about 15 persons below present levels after that period. In reviewing the tables mentioned above, the reader should remember that dollar returns are realized anew for each 5-year period considered, but the employment figure recorded is a one-time adjustment to the new level, where it should remain unless some other activity adjustment changes it.

Preferred Alternative

The preferred alternative has proposed numerous output fluctuations. It projects a decline in sawlog output during the first 20 years of the analysis period. By the end of these 20 years, harvesting would be slightly below present annual levels, and over the following 10 years it would drop to only .1 MMBF per year. In 30 years, the annual cut once again would rise to near present levels, but in 36 years it would drop back to .1 MMBF per year. This type of fluctuation results in the total annual business activity created by milling and sawlog activities declining from roughly \$2 million at the start of the program to under \$100,000 during years when only .1 MMBF of sawlogs are harvested. Conversely, like alternatives B and C, the preferred alternative projects higher harvesting levels than for present management timber products other than sawlogs, but these products do not generate as great an impact on business activity and employment as sawlog output and milling.

Alternative A Versus the Preferred Alternative

Over the 40-year analysis period, the preferred alternative would result in almost \$2 million less in milling related regional business activity than would Alternative A. However, over this same 40-year period, the preferred alternative would encourage about \$825,000 more in timber havesting related regional business activity than would Alternative A.

Although specific groups within the areas would be expected to suffer impacts from the preferred alternative, impacts to the total region should be minimal because the timber/milling portion of regional business activity is small. In 1980, total regional business activity from all sectors was \$6 billion.

Comparing regional employment impacts between Alternative A and Alternative B over the 40-year period, indicates that Alternative B would probably result in job declines of about 5 to 6 percent over present levels, most of which would occur in the timber processing sector. To the region as a whole, it would be an insignificant decline that could easily be absorbed. To cetain communities heavily dependent on the timber harvesting and milling activities, impacts maybe more traumatic.

TABLE A-3-2
ECONOMIC IMPACTS OF PRESENT
TIMBER HARVESTING LEVELS

-		Units	Level
1.	Present havesting levels:		
	Sawlogs Other	MMBF MMBF	1.30
2.	Gross value of output1	\$1,000	213.00
3.	Portion of gross value - that is value added ²	\$1,000	135.00
4.	Impact on regional business activity ³	\$1,000	283.00
5.	Direct general income related to timber output4	\$1,000	83.00
6.	Direct, indirect and induced impacts on general income related to timber output ⁵	\$1,000	230.00
7.	Direct impacts on personal incom6	\$1,000	40.00
8.	Direct and indirect impact on personal income?	\$1,000	45.00
9.	Direct, indirect and induced impacts on personal	7.,,	40.00
	income ⁸	\$1,000	61.00
10.	Direct impacts on job numbers9	Numbers	2.90
11.	Total impact on job numbers ¹⁰	Numbers	8.16

¹ Assumes 417 per MBF for sawlogs and \$12 per MBF for other.

² Gross value added includes the portion of output value attributed to employee compensation, property type, income and indirect business tax. In the Lander Resource Area, it is estimated to be 63.46 percent. Source: U.S. Forest Service Implan I/O.

³ Derived by multiplying the output value times the Type II business multiplier 1,3308. Source: same as in number 2.

⁴ Calculated by multiplying .6158 times gross value added. Source: same as number 2.

⁵ Derived by multiplying the Type II income multiplier 1,7063 times gross value added. Source: same as in number 2.

⁶ Estimated that 18.7 percent of output value in Lander Resource Area contributes directly to personal income. Therefore, .187 was multiplied times gross output value. Source: same as number 2.

⁷ The Type I multiplier 1.1345 was multiplied times direct personal income. Source: same as number2.
8 The Type II multiplier 1.5254 was multiplied times direct personal income.

 $^{^{\}rm 8}$ The Type II multiplier 1.5254 was multiplied times direct personal income. Source: same as number 2.

 $^{^{9}}$ Derived by multiplying 0.0136872 times each \$1,000 of output value. Source: same as number 2.

¹⁰ Derived by multiplying Type II multipler 2.8125 times the direct job numbers.

TABLE A-3-3
GROSS VALUE OF PROPOSED TIMBER HARVEST

					Altern	atives			
		A	1	B		C		Prefe	rred
	Subject	Sawlogs	Other Timber	Sawlogs	Other Timber	Sawlogs	Other Timber	Sawlogs	Other
1.	Gross value of potential harvest. Totals for each 5-year period and for 40 years. ² (\$1,000)								
Ye	ars 1 through 5	110.5	102	850	120	340	120	263.5	186
	ars 6 through 10	110.5	102	850	120	340	120	178.5	186
	ars 11 through 15	110.5	102	None	120	340	120	178.5	186
	ars 16 through 20	110.5	102	None	120	85	120	93.5	186
	ars 21 through 25	110.5	102	None	120	85	120	8.5	186
	ars 26 through 30	110.5	102	None	120	85	120	8.5	186
	ars 31 through 35	110.5	102	None	120	85	120	93.5	186
Ye	ars 36 through 40	110.5	102	None	120	85	120	8.5	186
Su	btotal	1,884.0	816	1,700	960	1,445	960	833.0	1,448
2.	Grand Total: Sawlogs and Other	1	,700	2	.660	2	.405	2	.321

¹ This alternative is the same as existing management and is the sustained yield level of harvest.

Livestock Grazing

The preferred alternative from the Green Mountain and Grazing Supplement have been adopted for this RMP as common to all alternatives. Implementation of these proposed actions would have negligible regional socio-economic impacts. The agricultural/livestock sector does not employ many external workers. A large portion of ranch employment is composed of family labor. Also, the crop/livestock sector represents less than 2 percent of regional business activity.

Any measurable impacts from changes in allotment use would be experienced by individual ranch operators. The intensity of the impact to an individual operator would be proportional to its dependency on public land. The preferred alternative was selected for Green Mountain and Gas Hills because it was regarded as the best management option in the given multiple-use management scheme and because any related adverse impacts would be moderated in the long term.

⁸ Based or time the price of \$17 per MBF for sawlogs and \$12 per MBF (\$65 per cord) and a marker. Price assumed to remain constant over time. Values calculated do not reflect deductions for costs of management and sale of timber, nor costs (of whatever kind) to other are resources or resource used.

TABLE A-3-4 FUTURE AND PRESENT VALUE OF PROPOSED TIMBER HARVEST

			Alter	Alternatives		
	Subject	A1	В	С	Preferred	
1,	Future value of timber values. Totals for each 5-year period and for 40 years.					
	(\$1,000)					
Ye Ye Ye Ye Ye Ye	ars 1 through 5 ars 6 through 10 ars 11 through 15 ars 16 through 20 ars 21 through 25 ars 26 through 30 ars 31 through 35 ars 36 through 40	3,547.14 2,372.64 1,587.04 1,061.55 710.06 474.95 317.69 212.50	16,191.63 10,830.41 896.21 599.46 400.98 268.21 179.40 120.00	7,678.51 5,136.07 3,435.47 1,024.09 685.00 458.19 306.48 205.00	7,503.24 4,069.78 2,722.23 1,396.25 649.91 434.72 417.86 194,50	
Gr	and Total	10,283.57	29,486.30	18,928.81	17,388.49	
2.	Present Value of Potential ² 40-year carning stream (\$1,000)	412.08	1,181.56	758.51	696.78	

¹ Each of the values was compounded at an annual rate of 8.375 percent. This rate is designated fro economic analyses in federal studies by the Water Resources Council. The compounding for each 5-year period ran from the end of that peirod to the end of the 40-year analysis time frame. This assumes available investment possibilities at 8.375 percent for notential

timber returns.

Summary

None of the proposed alternatives would have meaninaful impacts on the region under consideration. Various timber alternatives could impact communities, business, and individuals directly concerned with timber harvesting and/or milling. but in the broader regional picture, these impacts would be insignificant.

Some individual ranchers might feel the impacts from various grazing actions, but these impacts would not be meaningful to the area as a whole.

No measurable impacts related to the RMP alternatives are traceable to the recreation or minerals sectors of the region.

None of the impacts that might occur to the timber or livestock sectors are regarded as irreversible. There may be cases where individual persons or operators may have possible shortterm losses under some alternatives that would be difficult, if not impossible, to retrieve. Since most of the livestock grazing actions are planned in conjunction with operator cooperation, impacts are not envisioned to be significant, even for individual operators in this sector

² The grand total future values listed in section 1 of this table were discounted back over the 40 years to the present at a discound rate of 8,375 percent, the rate specified by the Water Resource Council, Because of how future value was calculated, this gives the same result as discounting by period then summing results across periods.

GLOSSARY

- AMBIENT. The surrounding, circulating air.
- ANIMAL UNIT MONTH. The amount of forage required by an animal unit for 1 month; tenure of one animal unit for a period of 1 month.
- AQUIFER. A rock or soil that contains and transmits water and consequently is a source for groundwater.
- ARTIFICAL REGENERATION. Reforestation of a cutover or burned area by planting seedlings or by direct seeding of an area by hand or from the air.
- BASIN. A loose abbreviation for intermontaine basin, bolson, or semi-bolson. Also, an area of centripetal drainage or a structural depression.
- BEHAVIORAL AVOIDANCE ZONE. An area or acreage of a wildlife species habits surrounding or adjacent to the site of a human activity or disturbance which remains physically intact but is rendered partially or entirely unusable to the species, as a result of its natural behavioral tolerance limits.
- BOLSON. A specific indentification for an internally drained intermountaine basin.
- BOARD FOOT. A measurement of the volume of a tree which is based on a block of wood one foot on each side and one inch thick.
- BRECCIA (Volcanic). A more or less indurated pyroclastic rock consisting chiefly of accessory and accidental angular ejecta 32 mm or more in diameter lying in a fine tuff matrix.
- BROWSE. The tender shoots, twigs, and leaves of trees and shrubs often used as food by domestic and wild ungulates; to feed or eat on browse.
- CLEARCUT. A harvest cutting of a stand of trees in which all trees are removed from a specified area.
- CLIMAX VEGETATION. The highest ecological development of a plant community that is capable of being perpetuated under the prevailing climatic and soil conditions.
- COMMERCIAL THINNING. A silvicultural practice to remove a specified number of trees from a stand of trees which is growing too closely together. This operation, as in a precommercial thinning, usually leaves a specified number of trees on an area at a specified spacing interval. This is to transfer the growth potential of the land onto a lew of the best trees. This operation is usually conducted to the properties, and a values is placed on the trees to be trees.
- COMMERCIAL TIMBERLAND (Productive Forest Land). A timber stand that has an annual average growth rate of at least 20 cubic feet per acre.
- COMMERCIAL SPECIES. A species of tree that is of high enough quality and quantity in an area to be in demand for commercial sales.
- CONTOUR FURROW. A plowed or listered strip on a contour line for the purpose of water retention.
- CONVENTIONAL LOGGING METHODS OR SYSTEMS. Logging an area utilizing presently standardized equipment normally used in that specific area. In this location, it is meant as using rubber-tired skidders or tracked dozers to ha
- CUBIC FOOT. A measurement of the volume of a tree that is based on a block of wood one foot high, one foot wide, and one foot deep.
- CULTURAL RESOURCES. Fragile and nonrenewable remains of human activity, occupation, or endeavor that are

- reflected in districts, sites, structures, buildings, objects, artifacts, ruins, works of art, architecture, or natural features.
- CULTURAL RESOURCE INVENTORY. A descriptive listing and documentation, including photographs and maps, of cultural resources; included are the processes of locating, identifying, and recording sites, structures, building, objects, and districts through library and archival research, information from persons knowledgeable about cultural resources, and varying levels of intensity on-the-ground field surveys.
- DBH. Diameter breast high a measurement of the diameter of a tree at a point 4.5 feet above ground level on the uphill side of a tree.
- DEFERMENT. Delaying or discontinuing livestock grazing on an area for the period of time needed for plant reproduction, new plant establishment, or vigor restoration of existing plants.
- DWARF MISTLETOE (Arcenthobium americanum). This is a small parasitic plant, specific to certain tree species, which grows on the boles and branches of pine and lives from the tissues of the host tree.
- ECOSYSTEM. A biological community, together with its physical environment, forming an interacting system inhabiting an identifiable space.
- ENDEMIC POPULATION (Mountain Pine Beetle). A low level of beetle population that is usually present in any stand of pine. The population is usually kept in check and the beetles will generally only kill a few trees as long as the resistance of the trees to attack is high.
- EPIDEMIC POPULATION (Mountain Pine Beetle). An uncontrolled population of beetles at which the resistance of the trees in a stand is overcome. At a certain point in population growth, the population explodes and will keep attacking trees as long as there is a large enough supply of trees to sustain them.
- EPHEMERAL STREAM. A stream flowing only during and immediately after rainstorms or only for a short period after snow melt.
- EROSION. The wearing away of the land surface by running water, wind, ice, or other geologic agents and by such processes as gravitational creep.
- ESCAPED FIRE ANALYSIS. Analysis conducted to determine the actions to be taken if a fire were to escape the initial attack procedures.
- FECAL COLIFORM BACTERIA. Micro-organisms that are passed from animals in their feces.
- FORB. An herb other than grass.
- FOREST DEVELOPMENT. A program of silvicultural treatment to perpetuate and improve production of wood and related values. It includes such treatments as site preparation, seeding, planting, and protective measures.
- FORESTLAND. Land that is now, or is capable of becoming, at least 10 percent stocked with forest trees, which has been developed for nontimber use.
- GAME DRIVE LINE. Recognizable cultural resource utilized to herd and direct game animals into an area where they are more easily killed or captured.
- GNIESS. A metamorphized granite.
- GRANITE. A visibly crystalline plutonic rock with granular texture; composed of quartz and alkali feldspar with subordinate plagioclase and biotite and hornblende.
- GROUNDWATER. Water confined below the surface of the earth in an aquifer or as soil.

Glossarv

- GULLY. A minature valley with steep sides cut by running water and through which water ordinarily runs only after rainfail. The distinction between a guilty and a rill is one of depth. A guily generally is an obstacle to farm machinery and is too deep to be obliterated by ordinary tillage; a rill is of lesser depth and can be smoothed over by ordinary tillage.
- HEADING OUT. When the majority of individuals of a plant species in an area has begun producing flower heads.
- HERBACEOUS VEGETATION. Plants without a persistent woody stem above ground.
- IGNEOUS. Rocks formed by solidification of hot mobile material called magma
- INTENSIVE TIMBER MANAGEMENT. The practice of converting an unregulated forest into a maintained and managed forest that will approach the desired or optimum level of growing stock as rapidly as possible. This is achieved by such practices as precommercial and commercial thinning, large-scale site preparation, planting, brushand hardwood control, fertilization, and forest genetic improvements.
- INTERMITTENT STREAM. A stream that is dry for a large part of the year, ordinarily for more than three months.
- KNOWN GEOLOGIC STRUCTURE. The trap in which an accumulation of oil or gas has been discovered by drilling and determined to be productive, the limits of which include all acreage that is presumptively productive.
- LITHIC QUARRY. A cultural resource site exhibiting the procurement of raw stone materials for use by human groups.
- LITHIC SCATTER. A prehistoric site characterized by a scatter of stone tools and flakes that may indicate a number of functions.
- MBF. A timber volume designation meaning one thousand
- MAGMA. Naturally occurring mobile rock material, generated within the earth and capable of intrusion and extrusion, from which igneous rocks are considered to have been derived by solidification.
- MESOZOIC. Pertaining to an era occurring between 70 million and 220 million years ago.
- MITIGATION. A method or process by which impacts from actions may become less injurious to the environment.
- MMBF. A timber volume designation meaning one thousand thousand (one million) board feet.
- MOUNTAIN PINE BEETLE. A small (% inch long) beatle which feeds on the inner bark layer of a tree (lodgepole pine, limber pine, Ponderosa Pine) and which will eventually kill a tree or a number of trees if sufficient attacks are made on the tree or trees. The death of a tree results from the activity of the beetles, which cuts the supply of water and nutrient flow in the tree by severing the connective tissue.
- NATURAL REGENERATION. Reforestation of a cutover or burned area by natural means (i.e., from seeds blown in from adjacent trees, from dormant seeds in the ground or from seeds dropped out of cones on the ground after logging).
- NONCOMMERCIAL FORESTLAND. Land that is not capable of yielding at least 20 cubic feet of wood per acre, per year of commercial species; also, land that is capable of producing only noncommercial tree species.
- OROGRAPHIC EFFECT. Precipitation resulting when moist air is forced to rise by mountain ranges or other land formations lying athwart the path of the wind.

- P₂O₅. Phosphates of low-grade resources with 18 percent to 24 percent phosphorous peritoxide or 39 percent to 52 percent bone phosphate of lime (B.P.L.).
- PALEONTOLOGY. A science dealing with the life and past geological periods as known from fossil remains.
- PARENT MATERIAL. The great variety of unconsolidated organic and mineral material in which soil forms. Consolidated bedrock is not yet parent material by this concept.
- PARTIAL CUTTING. A silvicultural system of logging in which only a portion of the trees on a given area are removed. Depending on the specific system, the remaining trees are usually left in fairly constant spacing pattern.
- PEGMATITE. Those igneous rocks of coarse grain found usually as dikes associated with a large mass of plutonic rock of finer grain size.
- PERENNIAL STREAM. A stream that flows throughout most of the year except in years of extreme drought.
- PETROGLYPH. A figure or design carved, abraded, or pecked on rock.
- PHENOLOGY. The study of periodic biological phenomenon such as flowering, seeding, etc., especially as related to climate.
- PICTOGRAPH. A figure or design painted or drawn on rock.
- PIPING SOIL. Pipes are essentially large subsurface open channels sometimes several meters in diameter. They form by the enlargement of voids and the dissolving of salts below the soil surface by water. Soils with high clay and sodium content are most susceptible.
- POLE STAND. An area consisting of trees the average size of which is between 5.0 and 8.9 inches in diameter.
- PRECAMBRIAN. The earliest era, ending 600,000,000 years ago, during which the earth's crust was formed and the first life appeared.
- PRECOMMERCIAL THINNING. A silvicultural practice to remove a specified number of trees from a stand of young trees. This can be done by mechanical means (cutting with axe or saw or pushing over with tractors), or by chemical means (injecting unwanted trees with a poison), and usually leaves a specified number of trees per acre at a specified interval. This specing interval is generally based on the age and size of the trees in the stand and is undertaken to transfer the growth potential of the land onto a few of the best trees on the site. In a precommercial thinning, no value is placed on the trees to be removed.
- RADIO-CARBON DATING. The determination of the age of objects of plant or animal origin by measurement of the radioactivity of their carbon content. Used in archeology to date bone, wood, charcoal, and other organic remains associated with human activity.
- RANGE READINESS. The defined stage of plant growth at which grazing could begin under a specific management plan without causing permanent damage to vegetation or soil. This term is usually applied to seasonal ranges.
- REGENERATION. Tree seedlings that are established on an area, either naturally or artificially, following some event in the life of a mature stand, either a harvest cut, a fire, or some kind of disaster
- REGULATED VOLUME. A BLM designation for inventory purposes, including timber in the resource base which is alive or has been dead for less than 5 years.
- RELIEF. The elevations or inequalities of a land surface, considered collectively.

- RILL. Small, conspicuous water channel or rivulet that concentrates runoff; usually less than six inches deep.
- RIPARIAN. Situate on or pertaining to the bank of a river, stream, or other body of water.
- ROTATION AGE. The average age of a timber stand at which the trees are at their peak of growth and at the optimum point for harvesting.
- RUNOFF. Precipitation that does not infiltrate the soil and flows over the land surface.
- SACRIFIC AREA. A portion of the range, irrespective of site, that is intentially overgrazed to obtain efficient overall use of the management area.
- SAPLING STAND. An area consisting of trees the average diameter of which is between 1.0 and 4.9 inches in diameter.
- SAWTIMBER STAND. An area consisting of trees the average size of which is above 9 inches in diameter, 4.5 feet above ground level.
- SCARIFICATION. Disturbance of the upper soil layer by mechanical means in preparation of a site for seeding.
- SCHIST. A medium or coarse-grained metamorphic rock with subparallel orientation of the micaceous minerals which dominate its composition.
- SEDIMENTARY ROCK. Rock made up of particles deposited from suspension in water. The chief kinds of sedimentary rock are conglomerate, formed from gravel; sandstone, formed from sand; shale, formed from clay; and limestone, formed from soft masses of calcium carbonate. There are many intermediate types. Some wind-deposited sand is consolidated into sandstone.
- SEDIMENT. Soil, rock, and organic particles carried by water.
- SEEDLING STAND. An area consisting of trees the average diameter of which is between 0 and .9 inches in diameter.
- SEROTINOUS CONES. The sead bearing cones of some confiers (in this area lodgopole pine) are glued together with pitch (resin) from the tree. This is called serotinour behavior, and it does not let the seeds drop until sufficient heat is applied to the cone to melt the resin and open the cone. This heat can come from either fire or the sun. The serotinous cone is usually over 130° F in the summer time (day time) and this is sufficient to open perotinous cones.
- SILTATION. The degree of which silt settles out of water and blankets the bottom of a stream, lake, reservoir, or pond.
- SILVICULTURE. The establishment, development, reproduction, and care of forest trees.
- SITE PREPARATION (Prepared Seedbed). Some tree species, including lodgepole pine in this area, need a mineral soil seedbed exposed in order to germinate the seeds that fall. To accomplish sufficient regeneration of a lodgepole pine stand, the site is scarified, normally using a dozer to push the unused wood into piles. This piling action removes the duff or decaying organic mat on top of the soil to expose the mineral soil. This can also be accomplished using prescribed fire. In this method the unusable wood, or slash, would be left in place after logging and burned in place. The fire would remove the duff and expose the mineral soll. Either of these actions sufficiently prepares the area for regeneration. The reasons that these seeds need a mineral soil seedbed is that the duff layer on top of the ground (3-6 inches in depth) dries out faster than the mineral soil. This faster drying will not allow the seeds to germinate.
- SITE QUALITY. The potential of a particular area to grow trees.

 This is based on many variables, including soil depth and

- quality, aspect (terrain configuration in relation to the sun), nutrient and water availability, etc.
- SLASH. The tops, Ilmbs, and other unusable portions of trees left on an area after logging. In some logging operations, this slash may contain firewood or poles or other products usable by people other than the primary logger.
- SOIL COMPACTION. Increasing the bulk density of soil through the compression of large voids. Reduction of the air spaces in soil can result in overland flow of water and in surface erosion. It also can significantly reduce plant vigor in the root zone.
- SOIL STERILIZATION. A breaking down of the soil structure and destruction of nutrient and water conduction capacity, caused by extremely high intensity burning operations.
- STAGE II INTENSIVE FOREST INVENTORY. A system devised by the U.S. Forest Service to intensively sample timber stands to calculate an estimate of the volume in a specified area of timberland. Intensity of sampling can vary. The intensity is usually one sample measurement point every 10 acres, depending on the total size of the area to be inventoried and other criteria.
- STAGNATION (Stagnated Pole Stands). A condition possible in many tree species, but most prevalent in lodgepole pine, in which the regeneration on a cutover or burned area becomes established very thickly. This sometimes results in 10,000 or more trees per acre. When these troes get older, the competition for light, water and nutrients slows the growth rate of all the trees to a very low point. All the second of the property of
- STAND RESISTANCE (Mountain Pine Beetle). Tree or stand resistance to attack by a beetle population is kept high as long as the trees are healthy. A healthy tree can create enough pitch flow when attacked to overwhelm a certain population of beetles. When average stand resistance is lowered by certain events, such as old age or drought conditions, the beetle population can build from an endemic state to an epidemic state and overwhelm the resistance for the trees.
- STOCKING RATE. The area of land that has been allotted to each animal unit for the entire grazable period of the year.
- STONE CIRCLE. Cultural resource generally interpreted to be the remains of Native American temporary habitations such as a tipi.
- STRUCTURAL DIVERSITY. The diversity of different vertical layers of vegetation within a plant community.
- STUMPAGE. Value of timber resources on the stump or before the tree is cut, usually expressed as a value per thousand board feet. (MBF),
- SUBLIMATION. The direct change from a solid state to a gaseous state.
- SUSTAINED YIELD. The achievement and maintenance in perpetuity of a high-level annual or regular periodic output of the various renewable resources of the public lands consistent with multiple use. It applies to the management of all renewable resources, including lorage, timber, wildlife, water, recreation, and any value that can be managed for renewal and sustained productivity.
- TERTIARY. Referring to the earlier part of the Cenozoic era, occurring from 1,000,000 to 70,000,000 years ago.
- TEST EXCAVATION. Controlled subsurface probes to determine the extent of cultural resource deposits buried in an area.

Glossarv

- TIMBER CRUISE. A method of sampling a forested area, much more intensively than an inventory, to establish an estimate of the volume of timber on an area, usually for sale purposes. Intensity is usually one or more sample points per acre.
- TIMBER MANAGEMENT PLAN. A detailed activity plan designed to implement long-range forest management goals in a specific area. Such plans include timber harvest, preliminary road reconnaissance, and forest development practices.
- TIMBER PRODUCTION BASE. Acreage included in the calculation of the allowable cut.
- TIMBER STAND. A specified area of similar type or sized trees.
- TUFFACEOUS CLAYSTONE. A very fine grained rock composed primarily of clay or clay-sized particles in which the major accessory are volcanic fragments or debris
- UNREGULATED VOLUME. A BLM designation for inventory purposes, including timber in the resource base which has been dead for more than 5 years.

generally less than 4 mm in diameter.

VEGETATION CONVERSION. Alteration of present vegetation by using fire, plowing, spraying, or other means to manipulate natural successional trends.

- VEGETATIVE MANIPULATION. Mechanically or chemically changing the vegetation composition to obtain a desirable end result.
- VOLCANIC CONGLOMERATE. A rock composed mainly of subangular to subrounded fragments of volcanic origin in a matrix of similar composition.
- VOLCANIC DIKE. Formed by lava that intruded into fissures and solidified
- VOLCANIC LACCOLITH. Produced by the intrusion of an igneous mass between the bedding planes of rock strata so as to form a lenticular mass convex upward.
- WATERSHED. The area drained by a stream, river, etc.
- WETLAND. Land where water is the dominant factor determining the nature of soil development and the types of plant and animal communities existing in the soil and on its surface. Riparian areas are classified as wetlands.
- WITHDRAWAL. An action that restricts the use of described public lands from operation of certian laws, which are also described in the withdrawal order. Withdrawal also may be used to transfer jurisdiction or management to other federal apencies.

REFERENCES CITED

- BAYLEY, R. W., PROCTOR, P. D., and COULIE, K. C. 1973. Geology of the South Pass area, Fremont County, Wyoming, U.S. Geological Survey Professional Paper 793, 3900.
- BLAISDELL, J. P., and MUEGGLER, W. F. 1956. Effect of 2,4-D on forbs and shrubs associated with big sagebrush. Jour. Range Mgmt. 9:38-40.
- BUREAU OF MINES, 1985. Mineral commodity summaries. U.S. Bureau of Mines, pp. 114-115.
- BYWAUM M., and TRLICA, M. J. 1977. Multiple defoliation effects on herbage yield, vigor, and total nonstructural carbohydrates of five range species. Jour. of Range Mgmt. 30(3): 164-171.
- COFFMAN, J. S. and SERVICE, A. F. 1967. An evaluation of the western phosphate industry and its resources, part 4, Wyoming and Utah. U.S. Bureau of Mines Report of Investigations R.I. 6934. pp.76-89.
- COLBY, B.R.; HEMBREE, C.H.; and RAINWATER, F.H. 1956. Sedimentation and chemical quality of surface waters in the Wind River Basin, Wyoming. U.S.G.S. Water-Supply Paper 1373, U.S. Government Printing Office.
- CONNELL, Myra. 198. Mystery man of Green Mountain. Wyoming magazine, pp. 32-36.
- COOK, C. W. 1971. Effects of season and intensity of use on desert vegetation. Utah Agricultural Exp. Sta., Utah. Bul 483, 1977.
 1976. National range handbook; Rangeland, grazable
- woodland, native pasture. U.S. Dept. Agr., Soil Conserv. Serv. NRH-1. DAHLEM, E. A. 1978. The Mahogany Creek watershed-with
- DAHLEM, E. A. 1978. The Manogany Creek watersned-with and without grazing. Forum: Grazing and riparian/stream ecosystems. Trout Unlimited. pp.31-34.
- DAVIS, J. W. 1982. Livestock vs. riparian habitat managementthere are solutions. In wildlife/livestock relationships symposium: proceedings 10. pp.175-185. For., Wildl. and Range Exp. Sta., Univ. of Idaho, Moscow.
- DEVOTO, R. H., and STEVENS, D. M. eds. 1979. Uraniferous phosphate resources and technology and economics of uranium recovery from phosphate resources, United States and Free World; U.S. Dept. of Energy Contract No. GJBX-110 (79), Vol's 1 and 14.
- DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT-STATE OF WYOMING. 1983. Big Horn Adjudication Partial Interlocutory Decree covering the United States; Non-Indian Claims.
- EMPLOYMENT SECURITY COMMISSION OF WYOMING. 1985 Wyoming Annual Planning Report; research and analysis section, November 1984.
- FENNEMAN, Nevin M. 1931. Physiography of the Western United States, McGraw-Hill.
- FOWLER, John M. and WITTE, Jeff. 1985. Oil and gas activity on ranch operations and rangelands. Rangelands 7(1):35-37.
- FRISON, George C. 1978. Prehistoric hunters of the high plains. Academic Press, New York.
- GLASS, G. B. and ROBERTS, J. T. 1978. Update on the Wind River coal basin in Wyoming. Geological Association 30th annual field conference guidebook, pp.363-377.
- HAINES, Aubrey. 1981. Historic sites along the Oregon Trail.
 Patrice Press, Gerald, Missouri.

 HALSTEAD, Phillipina. 1984. Personal communication,
 - HALSTEAD, Phillipina. 1984. Personal communication, historical writer/researcher, Atlantic City, Wyoming.

- HAUSEL, D. W. and HOLDEN, G. S. 1978. Mineral resources of the Wind River basin and adjacent Precambrian uplits in Wyoming. Geological Association 30th annual field conference guidebook, pp. 303-310.
 - HORMAY, A. L. 1970. Principles of rest-rotation grazing and muttiple-use land management. U.S. Dept. Agr., Forest Serv. Trng. Text 4 (2200).
 - KAUFFMAN, J. B.; KRUEGER, W. C.; and VAVRA, M. 1982. Impacts to a late season grazing scheme on nongame wildlife in a Wallowa Mountain riparian ecosystem. In wildlife/investock relations symposium; proceedings to pp_208-220. For, Wildl. and Range Exp. Sta., Univ. of Idaho, Moscow.
 - KING, Norman J. 1968. The erosion problem, from an unpublished handout for soil and water management, U.S.G.S., Water Resources Division.
 - KING, R. H. 1947. Phosphate deposits near Lander, Wyoming. Wyoming Geological Survey Bulletin 39, p.84.
 - LARRY SEEMAN ASSOCIATES, INC. and UNIVERSITY OF WYOMING. 1984. Department of Zoology. Overthrust industrial assocation cooperative wildlife program, phase I report. Literature Search.
 - LEOPOLD, Luna B. 1960. Water a primer, San Francisco, California, W.H. Freeman and Co.
 - MACKIE, R. J. 1978. Impacts of livestock grazing on wild ungulates. pp.462-276. Trans., 43rd North American Wildlife and Natural Resources Conference.
 - MALEY, T. S. 1983. Handbook of mineral law. 3rd edition, revised 1983. Mineral Land Publications, Boise, Idaho.
 - MARTIN, S. C., 1978. Evaluating the impacts of cattle grazing on riparian habitats in the national forests of Arizona and New Mexico. Forum: Grazing and riparian/stream ecosystems. pp.35-38.
 - MATHESON, Jean. 1984. Personal communication, museum curator, Pioneer Museum, Lander, Wyoming.
 - MYERS, L. H. 1981. Impacts of livestock grazing systems on riparian habitats in southwestern Montana. U.S. Department of the Interior, Bur. of Land Mgmt. unpublished report.
 - OFFICE OF WATER PLANNING STANDARDS. 1975. National water quality inventory. U.S. Env. Prot. Agency, Office of Water Planning Stand. Report to Congress EPA:440/ 9-75, 014.
 - OLENDORFF, R. R.; MOTROMI, R. S.; and CALL, M. W. 1980. Rapter management, the state of the art in 1980. F. M. Hamerstom, Jr., B. E. Hannelland, R. R. Oldendorff (eds.). Management of raptors. Raptor res. rep. No. 2: 44-88.
 - PECHANEC, J. F.; STEWART, George; and BLAISDELL, J. P. 1954. Sagerush burning good and bad. Farmers Bul. 1948:1-34.
 - PINKERTON, Joan Treago. 1981. Knights of the Broadax. Caxton Printers, Caldwell, Idaho.
 - PLATTS, W. S. 1982. Sheep and cattle grazing strategies on riparian-stream environments. In wildlife/livestock relationships symposium: proceedings 10 pp. 251-270. For, Wildlife and Range Exp. Sta., University of Idaho, Moscow.
 - SCHLEGAL, M. 1978. The elk. Idaho Wildlife 1:7-10.
 - SOWERS, T. C. 1941. The Wyoming archaeological survey. Report prepared for federal works projects administration and the state of Wyoming.
 - STODDARD, L. A.; SMITH, A. D.; and BOX T. W. 1975. Range management. 3rd ed. McGraw-Hill Book Company. New York

References

- THOMAS, M. B. 1983. Human demographic impacts on fish and wildlife resources from energy development in rural western areas. U.S.D.I. Fish Wildlife Surv. FWS/OBS-88/
- UNITED STATES DEPARTMENT OF AGRICULTURE. Soil conservation service in cooperation with the Wyoming agriculatural experiment station, 1974, Soil Survey of Riverton area, Wyoming (Fremont County). Superintendnent of Documents, U.S. Government Printing Office, Washington, D.C.
- UNITED STATES DEPARTMENT OF AGRICULTURE. 1983. National Soils Handbook, Superintendent of Documents. U.S. Government Printing Office, Washington, D.C.
- UNITED STATES DEPARTMENT OF AGRICULTURE. Soil conservation service, Popo Agie District Office, April, 1984. Soil Erosion, local erosion information, Lander,
- Wyoming. UNITED STATES DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS. 1982. Census of agriculture-county data. Part 50, volume 1,
- UNITED STATES DEPARTMENT OF THE INTERIOR. BUREAU OF LAND MANAGEMENT. 1979. Wyoming water management, U.S. Government Printing Office. 681-433-83
- UNITED STATES DEPARTMENT OF THE INTERIOR, BUREAU OF LAND MANAGEMENT. 1982. Green

- Mountain grazing environmental impact statement, U.S. Government Printing Office.
- U.S. DEPARTMENT OF THE INTERIOR and U.S. GEOLOGICAL SURVEY 1982. Water-resource investigations of the U.S. Geological Survey in Wyoming, in cooperation with the Wyoming State Engineer and other state, municipal, and federal agencies.
- VANHOUTEN, F. B. 1964. Tertiary geology of the Beaver Rim area, Fremont and Natrona counties, Wyoming. U.S. Geological Survey Bulletin 1164.
- WALKER, Danny N. and TODD, Lawrence C. 1984. Archeological salvage at 48FR1988: The Castle Gardens access road site, Fremont County, Wyoming. Occassional papers on Wyoming Archaeology, number 2. University of Wyoming.
- WHITCOMB, Harold A. and LOWRY, Marlin E. 1968. Groundwater resources and geology of the Wind River Basin area, central Wyoming. Hydrologic Investigations Atlas HA-270. U.S. Geological Survey, Washington, D.C.
- WYOMING DEPARTMENT ENVIRONMENTAL QUALITY. 1979. Wyoming water quality rules and regulations. Wyoming Department of Environmental Quality Report.
- YOUNG, Stan and LATSCHAR, Johns. 1981. Oregon National Historic Trail comprehensive management and use plan. National Park Service, Department of the Interior.

	MED	
	DATE	
1	OFFICE	
62 1985	0	

BLM LIBRARY SC-324A, BLDG. 50 DENVER FEDERAL CENTER P. O. BOX 25047 DENVER, CO 80225-0047



U.S. Department of the Interior Bureau of Land Management Lander Resource Area, Wyoming